

BEARING & TOOL CENTRE



Head Office

1st Floor, Vyapar Bhavan, Kadia Kui, Relief Road, Ahmedabad - 380001. Ph:- 079 - 22160386, 65254835, 22134835 Mobile: 7819819941, 9375706649

Ahmedabad Branch

GF-B-14, Jayraj Complex, Nr. Soni ni Chawl, Odhav, Ahmedabad - 382415. Ph:- 079 - 22890202, 65458950, 65404657, 65400202 Mobile : 7878825197, 7819819938, 9375706648

Website: www.bearingtoolcentre.com, www.bearingtoolscentre.com | Email: info@bearingtoolcentre.com

Our Sister Concern: RELIEF SERVICE CENTRE

Repairs, Removal of Jaw Error, Bore Gauge Extension, Instrument Modifications & Spares

Quotation


Resolution	W	C	D %	640 x 480	640x480	640x480	325 X 250
Rs.	12	N		75559		48878	Price On Request
Code				ISV-E55 P	ISV-E55B	ISV-E55C	ISV - WE60
Catalog				Page No. – 2			

^{***} W - Warranty, C - Certificate, D- Discount

Terms & Conditions –

- Goods offered Subject to Prior Sale
- Price Validity: "15 Days from Date of Quotation"
- C.S.T 2% extra against form C. Otherwise 5% without form C For Out of Gujarat Sales only.
- VAT 5% extra for Sales within Gujarat. Prices Ex-Godown Ahmedabad.
- Payment against Proforma Invoice, Packing, Forwarding & Freight extra.
- Bank Detail Kotak Mahindra Bank Ltd.
- Branch Shivranjini
- Bank IFSC Code KKBK 0000 810
- Bank Account No. 08102 00000 2689
- Note While making payment online do mention your Company's name.
- TIN NO 24070901229, CST No. 24570901229
- We are looking forward to your valued orders.

ENDOSCOPE CODE ISV-E55*



SPECIFICATION

Contestion	5,5mm	
Probe diameter	S.SHIIII	
Dust/waterproof probe	IP57	
Pixel	0.3M	
Resolution	on 640x480	
Frame rate	30fps	
Video format PALor NTSC		
Momory 2G SD card (store 6000 pictures or 15 minutes video)		
Power supply rechargeable battery (for 3 hours working)		
Weight 450g		

STANDARD DELIVERY

Main unit	1pc	
Cable with probe	1pc	
SD card 2G	1pc	
45° mirror	1pc	

Spare battery	1pc	
AC/DC adapter	1pc	
Video output cable	1pc	
USB cable	1pc	


OPTIONAL ACCESSORY


35° mirror	ISV-E55-M35
60° mirror	ISV-E55-M60
Cable	Page Q5


^{*}Add suffix on code No. to devote AC voltage and plug (refer to page V1)

ENDOSCOPE CODE ISV-E55B*









SPECIFICATION

Probe diameter	5.5mm	
Dust/waterproof probe	IP57	
Pixel	0.3M	
Resolution	640x480	
Frame rate	30fps	
Video format	PALorNTSC	
Powersupply	rechargeable battery (for 3 hours working)	
Weight	450g	

STANDARD DELIVERY


Main unit	1pc	
Cable with probe	1pc	
AC/DC adapter	1pc	
Video output cable	1pc	

OPTIONAL ACCESSORY

35° mirror	ISV-E55-M35
45° mirror	ISV-E55-M45
60° mirror	ISV-E55-M60
Cable	Page Q5

^{*}Add suffix on code No. to devote AC voltage and plug (refer to page V1)

ENDOSCOPE CODE ISV-E55C



SPECIFICATION

Probe diameter	5.5mm
Dust/waterproof probe	IP57
Pixel	0.3M
Resolution	640x480
Frame rate	30fps
Powersupply	USB
Weight	150g

STANDARD DELIVERY

Main unit	1pc	
Cable with probe	1pc	
Software CD	1pc	
USB cable	1pc	

OPTIONAL ACCESSORY

35* mirror	ISV-E55-M35
45° mirror	ISV-E55-M45
60° mirror	ISV-E55-M60
Cable	Page Q5