



BEARING & TOOL CENTRE



Head Office

1st Floor, Vyapar Bhavan, Kadia Kui,
Relief Road, Ahmedabad - 380001.
Ph:- 079 - 22160386, 65254835, 22134835
Mobile : 7819819941, 9375706649

Ahmedabad Branch

GF-B-14, Jayraj Complex, Nr. Soni ni Chawl,
Odhav, Ahmedabad - 382415.
Ph:- 079 - 22890202, 65458950, 65404657, 65400202
Mobile : 7878825197, 7819819938, 9375706648

Website : www.bearingtoolcentre.com, www.bearingtoolscentre.com | Email : info@bearingtoolcentre.com

Our Sister Concern : RELIEF SERVICE CENTRE

Repairs, Removal of Jaw Error, Bore Gauge Extension, Instrument Modifications & Spares

Quotation

154 Calibration instruments – Mikronix Mak

Micrometer Checking Set		
Metric 8 pieces (M8)	3,1,6,5,9,7,12.5,15.8,19.0,21.9 & 25.0mm	Grade 'O' – Rs. 9150.00 Grade ' I ' – Rs. 7950.00
Metric 10 pieces (M10)	2.5,5.1,7.7,10.3,12.9,15.0,17.6,20.2,22.8, & 25.0mm	With Stand - GR: 'O' Rs. 16400.00 W/o Stand - GR: 'O' Rs. 12600.00 With Stand - GR: ' I ' Rs. 14200.00 W/o Stand - GR: ' I ' Rs. 10900.00
Imperial 8 pieces (E8)	.130, .250, .385, .500, .615, .750, .870 & 1.00	Grade : ' O ' – Rs. 9150.00 Grade : ' I ' – Rs. 7950.00

Slip Gauge Accessories Set (With wear part of Carbide)

17 Pieces Set	Rs. 40250.00
7 Pieces Set	Rs. 20125.00

Spare Components of Slip Gauge Accessories

Holder in mm		Tungusten Carbide Measuring Jaws	Rs.
0 – 25	870	Half Round 2.5mm	1590 / Pair
25 – 50	1300	Half Round 5.0mm	1830 / Pair
50 – 100	2000	Half Round 6.0mm	2100 / Pair
100 – 200	3050	T.C. Large Measuring Jaw 100mm	7920 / Pair
200 – 300	3770	T.C. Small Measuring Jaw 60mm	5400 / Pair
300 – 500	6000	Carbide Plain Jaw 100mm	2750.00
500 – 750	7950	T.C. Scriber	1830.00
750 – 1000	10650	Base 25mm	3280.00
		Centre Point	1830.00

Caliper Checker

Caliper Checker in STEEL	Range : 0 – 300 mm	Rs. 21000.00
	Range : 0 – 600mm	Rs. 33500.00
	Range : 0 – 1000mm	Rs. 66000.00
Caliper Checker in CARBIDE	Range : 0 – 300 mm	Rs. 59500.00
	Range : 0 – 600mm	Rs. 99200.00
	Range : 0 – 1000mm	Rs. 158700.00

TUNGUSTEN CARBIDE LOOSE SLIP GAUGES AS PER IS : 2984			
Size in mm	Grade ' O ' Rs.	Grade ' I ' Rs.	Grade ' II 'Rs.
100	4950	4300	3740
125	8400	7300	6350
150	8800	7670	6670
175	11570	10060	8750
200	12630	10980	9550
225	15200	13225	11500
250	19000	16500	14380
STEEL SLIP GAUGES AS PER IS : 2984 (RECTANGULAR TYPE) & STEEL ROUND LENGTH AS PER IS : 7014 (30mm DIA ROUND LENGTH BARS)			
Size in mm	Grade 'O ' Rs.	Grade ' I ' Rs.	Grade ' II 'Rs.
25	1240	1080	900
50	1650	1440	1200
75	2070	1800	1500
100	3450	3000	2500
125	4150	3600	3000
150	4800	4200	3500
175	5500	4800	4000
200	6200	5400	4500
225	7500	6500	5400
250	9000	7800	6500
275	10600	9200	7800
300	12400	10800	9000
325	13800	12000	10200
350	15200	13200	11200
375	16700	14500	12300
400	17500	15225	13000
425	19500	17000	14450
450	21275	18500	15725
475	23800	20700	17600
500	25000	22000	18700

Terms & Conditions –

- Goods offered - Subject to Prior Sale
- Price Validity: "15 Days from Date of Quotation"
- C.S.T 2% extra against form C. Otherwise 5% without form C For Out of Gujarat Sales only.
- VAT 5% extra for Sales within Gujarat. Prices Ex-Godown Ahmedabad.
- Payment against Proforma Invoice, Packing, Forwarding & Freight extra.
- **Bank Detail** – Kotak Mahindra Bank Ltd.
- **Branch** – Shivranjini
- **Bank IFSC Code** - KKBK 0000 810
- **Bank Account No.** 08102 00000 2689
- Note - While making payment online do mention your Company's name.
- TIN NO 24070901229 , CST No. 24570901229
- We are looking forward to your valued orders.

Bank Details

Name	Current Account no	Bank Name	Branch	IFSC NEFT code
Bearing and Tool Centre	08102 000 00 2689	Kotak Mahindra Ltd	Shivranjini , Satellite Road	KK BK 0000 810

Tax Details

GST no.	CST no	PAN no	TDS no
24070901229	24570901229	AA ZPM 6978 L	AHMU 01189 G

*Slip Gauge Accessories are available in two sets :
17-pieces and 7-pieces.*



SLIP GAUGE ACCESSORIES

Slip Gauge Accessories are designed and manufactured to extend the high accuracy of slip gauges into the field of fast, accurate and temporary gauging. They are used in inspection, tool room and machine shops on small batch production to keep gauging cost at a minimum.

Following are the popular examples quoted for use :

- Internal cylindrical gauge
(Instead of Limit Plug Gauge)
- External Gauge
(Instead of Snap Gauge or Template)
- Precision Height Gauge
(Instead of Height Marking Instrument)
- Precision Marking Compass
- Setting for Bore Gauge
- For exact graduation.


CALIPER CHECKER

Mikronix Caliper Checker is used for the Calibration of Vernier Calipers and Height Gauges. Caliper Checker is designed to check accuracy of Main Scale at regular intervals throughout the range.

The instrument is sufficiently rigid and consist of stepped slip gauges permanently fixed in inner casing. The Caliper Checker is ideal for in-house periodic calibration of measuring instruments i.e. Vernier Caliper and Height Gauge.

Technical Specifications		All Figures in mm	
Range	Height Measurement	External Measurement	Internal Measurement
0- 300	370	300	300
0- 600	670	600	600
0-1000	1070	1000	1000

Caliper Checker is also available in 0 - 12" & 0 - 24".



MICROMETER CHECKER

Mikronix offers micrometer checker for quick calibration of 0-25 mm micrometers.

Micrometer Checking Set comprises of the following sizes in grades '0', 'I', and 'II'.

Metric 10 Pieces Set :

2.5, 5.1, 7.7, 10.3, 12.9, 15.0, 17.6, 20.2, 22.8 & 25.0 mm

Metric 8 Pieces Set :

3.1, 6.5, 9.7, 12.5, 15.8, 19.0, 21.9 & 25.0 mm

Imperial 8 Pieces Set :

0.130", 0.250", 0.385", 0.500", 0.615", 0.750", 0.870" & 1".



MICROMETER CHECKING SET (SETTING RODS)

Mikronix offers Setting Rods (Micrometer Checking Set) for calibration of Micrometers from 25 - 100 mm range. The Setting Rods are manufactured in high quality steel. The standard 31 Pieces Setting Rods is sufficient for calibration of 25 - 50 mm, 50 - 75 mm & 75 - 100 mm range Micrometer.

11 pieces set for 25 - 50 mm range Micrometer

25.0, 27.5, 30.1, 32.7, 35.3, 37.9, 40.0, 42.6, 45.2, 47.8 & 50.0 mm

11 pieces set for 50 - 75 mm range Micrometer

50.0, 52.5, 55.1, 57.7, 60.3, 62.9, 65.0, 67.6, 70.2, 72.8 & 75.0 mm

11 pieces set for 75 - 100 mm range Micrometer

75.0, 77.5, 80.1, 82.7, 85.3, 87.9, 90.0, 92.6, 95.2, 97.8 & 100.0 mm

