



# BEARING & TOOL CENTRE



## Head Office

1<sup>st</sup> Floor, Vyapar Bhavan, Kadia Kui,  
Relief Road, Ahmedabad - 380001.  
Ph:- 079 - 22160386, 65254835, 22134835  
Mobile : 7819819941, 9375706649

## Ahmedabad Branch

GF-B-14, Jayraj Complex, Nr. Soni ni Chawl,  
Odhav, Ahmedabad - 382415.  
Ph:- 079 - 22890202, 65458950, 65404657, 65400202  
Mobile : 7878825197, 7819819938, 9375706648

Website : [www.bearingtoolcentre.com](http://www.bearingtoolcentre.com), [www.bearingtoolscentre.com](http://www.bearingtoolscentre.com) | Email : [info@bearingtoolcentre.com](mailto:info@bearingtoolcentre.com)

## Our Sister Concern : RELIEF SERVICE CENTRE

Repairs, Removal of Jaw Error, Bore Gauge Extension, Instrument Modifications & Spares

### Quotation

115 | Coating Thickness Gauge – Mechanical + 1000/- for calibration cert.

Coating	Pen / Coatgauge			Pen with cursor / Coatest		
	AA / STI ( All scales in one )			Yuyutsu	STI	Yuyutsu
Make	Micron	Thou	Equal Parts	Micron	Micron	micron
Scale	CG	CG	CG	CT 250		CT 800
Code	0 - 600	0 - 25	0 - 10	0 - 250	0 - 500	50 - 800
Range	1750			1750	1500	1750
Rs.	Page No - 2,3			Page No - 2,3	Page No - 2,3	Page No - 2,3

### Terms & Conditions –

- Goods offered - Subject to Prior Sale
- Price Validity: "15 Days from Date of Quotation"
- C.S.T 2% extra against form C. Otherwise 5% without form C For Out of Gujarat Sales only.
- VAT 5% extra for Sales within Gujarat. Prices Ex-Godown Ahmedabad.
- Payment against Proforma Invoice, Packing, Forwarding & Freight extra.
- **Bank Detail** – Kotak Mahindra Bank Ltd.
- **Branch** – Shivranjini
- **Bank IFSC Code** - KKBK 0000 810
- **Bank Account No.** 08102 00000 2689
- Note - While making payment online do mention your Company's name.
- TIN NO 24070901229 , CST No. 24570901229
- We are looking forward to your valued orders.

# YUYUTSU MAKE

## Coating Thickness Gauge.

confirming to accuracy as recommended in

**Item Code : CG**

SSPC-PA 2-73T,  
ISO 2178-1982 (E),  
ASTM B 499-87 and  
ASTM D 1186-87.

Pull-Off Type  
(For Vertical use only.)

Measures the thickness of Non-magnetic coating on magnetic base.

**The coating may be of materials like:**

- **as Plating** : Gold, Copper, Zinc, Tin, Chromium, Hard Chromium, Lead etc.
- **as Coating**: Paint, Resinous coating.
- **as Lining**: Resin, Rubber, Fibre Glass.
- **as Film**: Plastic, Metal foils.
- **Parkerising**
- **Metalising**
- **Insulation coating.**

**The magnetic base may be of materials like**

- Iron
- Nickel
- Cobalt
- Magnetic Stainless Steel etc.



Scale 'mu' reads in microns,  
'th' in thou and 'ep' is  
equally divided.:

mu	th	ep
500	25	10
300	10	9
200	8	8
100	4	7
50	2	6
20	1	5
10	.5	4
5	.25	3
0	0	2
		1
		0

# Coating Thickness Gauge.

confirming to accuracy as recommended in

SSPC-PA 2-73T,  
ISO 2178-1982 (E),  
ASTM B 499-87 and  
ASTM D 1186-87.

Pull-Off Type  
with Cursor.  
(For Vertical use only.)

Measures the thickness of Non-magnetic coating on  
magnetic base.

The coating may be of materials like:

- **as Plating** : Gold, Copper, Zinc, Tin, Chromium, Hard Chromium, Lead etc.
- **as Coating**: Paint, Resinous coating.
- **as Lining**: Resin, Rubber, Fibre Glass.
- **as Film**: Plastic, Metal foils.
- **Parkerising**
- **Metalising**
- **Insulation coating.**

The magnetic base may be of materials like;

- Iron
- Nickel
- Cobalt
- Magnetic Stainless Steel etc.



Scales Available:



microns