



BEARING & TOOL CENTRE



Head Office

1st Floor, Vyapar Bhavan, Kadia Kui,
Relief Road, Ahmedabad - 380001.
Ph:- 079 - 22160386, 65254835, 22134835
Mobile : 7819819941, 9375706649

Ahmedabad Branch

GF-B-14, Jayraj Complex, Nr. Soni ni Chawl,
Odhav, Ahmedabad - 382415.
Ph:- 079 - 22890202, 65458950, 65404657, 65400202
Mobile : 7878825197, 7819819938, 9375706648

Website : www.bearingtoolcentre.com, www.bearingtoolscentre.com | Email : info@bearingtoolcentre.com

Our Sister Concern : RELIEF SERVICE CENTRE

Repairs, Removal of Jaw Error, Bore Gauge Extension, Instrument Modifications & Spares

Quotation

148 | Crank Shaft Alignment Gauge – L.c. 0.01mm

Make	Mitutoyo - Dial	Baker	Baker
Code	Indian Extension	CS 1	CS 2
Range	63 – 500mm	60 – 600mm	2.4 – 23.6 Inch
Rs.	7250	6040	6640
Catalog	Page No - 2	Page No - 2	Page No - 2

Mitutoyo Discount: 5% Baker Discount: 15%

Terms & Conditions –

- Goods offered - Subject to Prior Sale
- Price Validity: "15 Days from Date of Quotation"
- C.S.T 2% extra against form C. Otherwise 5% without form C For Out of Gujarat Sales only.
- VAT 5% extra for Sales within Gujarat. Prices Ex-Godown Ahmedabad.
- Payment against Proforma Invoice, Packing, Forwarding & Freight extra.
- **Bank Detail** – Kotak Mahindra Bank Ltd.
- **Branch** – Shivranjini
- **Bank IFSC Code** - KKBK 0000 810
- **Bank Account No.** 08102 00000 2689
- Note - While making payment online do mention your Company's name.
- TIN NO 24070901229 , CST No. 24570901229
- We are looking forward to your valued orders.

MITUTOYO MAKE



BAKER MAKE

CRANKSHAFT GAUGES

D45579000	CS1	0.01 mm	60 - 600 mm	0-50	5,490.00
D45589000	CS2	0.0005 inch	2.4 - 23.8 inch	0-20	8,030.00



> Crankshaft Gauge measures the Web deflection of a Crankshaft.

> Excessive web deflection is dangerous for the engine. The Cause may be faulty or damaged Crankshaft, damaged bearing, poor bearing alignment, excessive bearing clearance, or slackness, faulty flanging to transmission, flywheel or vee belt pulley etc.

> The BAKER Crankshaft Gauge is developed to identify & avoid the above problems.

> The Gauge covers web-to-web distance of 60-600 mm.

> The set is supplied in a sleek wooden box.

