



Head Office

1st Floor, Vyapar Bhavan, Kadia Kui,
Relief Road, Ahmedabad - 380001.
Ph:- 079 - 22160386, 65254835, 22134835
Mobile : 7819819941, 9375706649

Ahmedabad Branch

GF-B-14, Jayraj Complex, Nr. Soni ni Chawl,
Odhav, Ahmedabad - 382415.
Ph:- 079 - 22890202, 65458950, 65404657, 65400202
Mobile : 7878825197, 7819819938, 9375706648

Website : www.bearingtoolcentre.com, www.bearingtoolscentre.com | Email : info@bearingtoolcentre.com

Our Sister Concern : RELIEF SERVICE CENTRE

Repairs, Removal of Jaw Error, Bore Gauge Extension, Instrument Modifications & Spares

EUROLAB THERMO-HYGRO METERS + CLOCK

COMMON FEATURES FOR ALL MODELS OF THERMO-HYGRO METERS

- SEE TEMP-TIME – HUMIDITY TOGETHER
- MAX/MIN MEMORY
- C/F SWITCH
- ALARM WITH SNOOZE
- CALENDER FROM 2000-2099
- WALL AND TABLE TOP BOTH

SPECIFICATIONS

RANGE~

HUMIDITY:20-90% Rh,

IN TEMP:0-50°C

OUT TEMP-50°-+70°C

ACCURACY±5%Rh, ±1°C

RESOLUTION:1%Rh,0.1°C

POWER:PENCIL CELLS



HTC-1 @ Rs. 500.00

JUMBO SIZE
MOST POPULAR MODEL AT VERY LOW
PRICE



288ATH @ Rs. 590.00

JUMBO SIZE:106X98X22MM
4 IN 1 WITH 3M WIRE FOR OUTSIDE
TEMPERATURE



M288CTH @ Rs. 470.00

JUMBO SIZE:106X96X22MM
SUPER QUALITY
WIDE HUMIDITY RANGE :10~99%



PEN SHAPE THERMO-HYGRO @ Rs. 380.00

FOR FIELD USE AND HARD TO REACH SPACES

EUROLAB THERMOMETERS



PEN SHAPE THERMOMETER @ @ Rs. 285.00

-50~ 300°C WATERPROOF
125MM
4 SWITCHES:C/F,MAX/MIN MEMORY,DATA
HOLD,ON/OFF



MULTI STEM THERMOMETER

ST9269B @ Rs. 470.00

-50~ 300°C WATERPROOF
5 SWITCHES:C/F,MAX/MIN
MEMORY,DATA
HOLD,ON/OFF,HIGH/LOW ALARM
1 METER WIRE WITH STEEL SENSOR



INFRARED GUN THERMOMETERS

@ Rs. 1365.00

1. IR8811A:-50~550°C
D:S RATIO:12:1



INFRARED GUN THERMOMETERS

1. IR1000: -50~+1000°C
non-contact Dual Laser, Backlight, Datahold
@ Rs. 2530.00
2. IR1850:-50~1850°C
non-contact Dual Laser, D:S Ratio:50:1,
adjustable emissivity @ Rs. 8500.00



MINI ANEMO METER AM4205 @ Rs. 1730.00

WITH THERMOMETER 0-50°C

ACCURACY ±3%

RANGE	RESOLUTION
1.00-25.00 M/S	0.01 M/S
196-490 FT/MIN	1FT/MIN
3.6-90KM/H	0.1 KM/S
2.24-56.0MPH	0.1MPH
1.94-48.5 KNOTS	0.1 KNOTS




ANEMOMETER AM4201A @ Rs. 2420.00

WITH THERMOMETER 0-60°C
ACCURACY ±3%
AIR VELOCITY : 0.40 ~ 40 METERS/SEC
AIR FLOW (CFM/CMM): 0- 999900



FRONTIER DIGITAL TIMER @ Rs. 740.00

DAILY/WEEKLY PROGRAMMABLE WITH
RECHARGABLE BUILT-IN BATTERY
619H : 4 PIN, 30 AMP
619-2: 5 PIN (1 NO+1 NC), VOLTAGE FREE OUTPUT



THERMO CLOCK 202 @ Rs. 135.00

SUPER JUMBO DIGITS:35MM BIG
CHANGE TEMP-TIME DATE MANUALLY OR
AUTO -SCAN



SOUND LEVEL METER SL4010 @ Rs. 2460.00

RANGE:30 – 130 DB

ACCURACY:±1.5 DB

A/C WEIGHING, FAST/SLOW WEIGHING



DIGITAL MANOMETER 1891 @ Rs. 3335.00

MEASURE GAUGE/DIFFERENTIAL PRESSURE:

-5PSI ~ +5PSI (1891)

-75PSI ~ +75PSI (1895)

11 SELECTABLE

UNITS:HO,PSI,BAR,MBAR,KPA,HG,
MMHG,OZIN 2 ,FTH O ,KGCM



COUNT DOWN DIGITAL TIMER

TM10 @ Rs. 180.00

1 SEC~ 99 MIN 59 SEC

JUMBO LCD



PM10 PANEL MOUNT THERMO

@ Rs. 175.00

-50~+70°C

SIZE:47X26MM



305A THERMOMETER @ Rs. 1035.00

Temperature Range: -50°C to +1400°C

Accuracy : $\pm 0.2\% \text{rdg} + 2^\circ\text{C}$ / $\pm 0.2\% \text{rdg} + 2^\circ\text{F}$

Resolution: 0.1°C/0.1°F,

Data Hold, Backlight, °C/°F

K Type probe included.



MD-4G MOISTURE METER @ Rs. 850.00

Range : 5~40%
Accuracy : $\pm 1\%$
Resolution: 1%
Back Light , Data Hold




LX101A LUX METER @ Rs. 1230.00

NEW BIG, ATTRACTIVE,
RUGGED BODY
BIG LCD,MAX HOLD,BACK LIGHT
RANGE:0-50,000 LUX



DM200 DISTANCE METER @ Rs.425.00

Range: 0.50~18m(18inch~60feet)
Accuracy: $\pm 0.5\%$ of reading
Power Supply: 9V , Auto shut off
compute areas, volumes , sum of lengths



**TH50 IN/OUT WIRELESS
THERMOMETER @ Rs. 270.00**

EACH SET INCLUDES 1 MAIN & 1
REMOTE UNIT
JUMBO LCD SHOWS INDOOR &
OUTDOOR TEMPERATURE
RANGE:-20~ 90°C
ACCURACY:1C
MAX/MIN MEMORY
MAX. DISTANCE:30 METERS



TIMEGARD-1 @ Rs. 400.00

24HR MECHANICAL TIMER

FRONTIER 619 @ Rs. 740.00

5 Pin (voltage free output) or 4 pin, DAILY/WEEKLY DIG.

Rechargeable Battery, 220v AC supply,Min. setting-1 Min



LSKC-608 UNIVERSAL GRAIN MOISTURE METER @ Rs. 3340.00

Measuring mode	Needle type
Way of calibration	Automatic calibration at startup
Operating conditions	Temperature : -10°C-60°C Humidity: : 0—70%Rh
Measuring range for moisture	2%-31%
Tolerance	± (1%Rh+0.5)
Resolution	0.50%
Measuring range for temperature	-10°C-60°C (14°F--140°F)
Tolerance	±2°C (±4°F)
Resolution	1°C (2°F)
Power supply	4x 1.5v AAA (UM-4) battery
Size of handle	Host 165×58×33mm, Handle 380×42×27mm
Weight:	Host 90g (without battery)



PCL3 POWER CLAMP METER @ Rs. 4000.00

PCL3 POWER CLAMP METER Same as BELOW. But without USSB @ Rs. 5200.00

3PHASE, CHOOSE WITH / WITHOUT COMPUTER CONNECTION

AC Voltage	15V~600V
AC Current	40A~1000A
Frequency	20Hz~500Hz
Display	9999
Range Select	Auto
Active Power	0.01kW~600kW
Apparent Power	0.01kVA~600kVA
Reactive Power	0.01kVAr~600kVAr
Power Factor	0.3~1.0

**INFRARED VIDEO
THERMOMETER**



Features:

1. 2.2" TFT 320*240 pixels Color LCD display
2. Camera 640*480 pixels
3. Images (JPEG) & Video (3GP)
4. Micro SD memory card
5. Dual laser targeting
6. Date/time setup controls
7. Auto Power Off
8. High Temperature
9. Max, Min, DIF, AVG record
10. High and low alarm
11. Adjustable emissivity & Trigger lock
12. Type K input
13. USB interface
14. Readings memories
15. Humidity & Air temperature
16. Dewpiont & Wet bulb temperature

INFRARED VIDEO THERMOMETER	9861 @ Rs. 23650.00	9862 @ Rs. 25000.00
IR Temp. Range	-50 to 1600 -58 to 2912	-50 to 2200 -58 to 3992°F
Response Time	Less than 300ms	
Resolution	0.1° up 1000°, 1° over 1000°	
Basic Accuracy(IR)	±1.0% of the reading	
Optical Resolution	50:1 Distance to Spot Size	
Emissivity Adjustable	0.10~1.0 Adjustable	
Type K Temp. Range	-50 to 1370 / -58 to 2498	
Basic Accuracy (TK)	±0.5% of reading	
Micro SD memory card	Max. support 8GB	
Air Temp Range	0 to 50 / 32 to 122	
Air Temp Basic Accuracy	±0.5 / 1	
Humidity Range	±2.5%RH (20% ~80%RH)	
Dew Point Temp. Range	0 to 50 / 32 to 122	
Wet Bulb Temp. Range	0 to 50 / 32 to 122	
Size(H*W*D)	125mm*58mm*205mm	
Weight	494g	



COATING THICKNESS METER

DT-156 @ Rs. 9230.00

Features:

1. Non-magnetic coatings(e.g. paint, zinc)on steel
2. Insulating coatings(e.g. paint)on no-ferrous metals
3. No-ferrous metals coatings on insulating substrates
4. Menu operation system
5. Two measuring mode: CONTINUE and SINGLE mode
6. Two working Mode: DIRECT and GROUP mode
7. Statistic Display: AVG, MAX, MIN, NO., S.DEV
8. One point calibrating, two points calibrating and basic calibrating easily
9. Memory for 400 readings(80 DIRECT and 320 GROUP readings)
10. Delete single readings and all group readings easily
11. High alarm and Low alarm for all working mode
12. Low battery, error indication
13. USB interface for PC software(windows 98/2000/xp/vista)

SPECIFICATIONS

Sensor probe	F	N
Working principle	magnetic induction	Eddy current principle
Measuring range	0~1250um	0~1250um
Guaranteed tolerance (of reading)	(+/- 3%+1)um	(+/- 3%+1.5)um
Low range Precision	0.1um	0.1um
Minimum curvature radius	1.5mm	3mm
Diameter of Minimum area	3mm	5mm
Basic critical thickness	0.5mm	0.3mm
Size(HxWxD)	113.5mm x 54mm x 27mm	

LASER DISTANCE METER LDM-100 @ Rs. 5800.00



FEATURES

- Area, Volume Calculations
- Indirect measurement using Pythagoras
- Addition/Subtraction
- Continuous Measurement
- Min/Max Distance Tracking
- Display illumination and multi-line display.
- Buzzer indication
- Multifunctional end pieces

SPECIFICATIONS	LDM-100
Measuring Range	0.05 to 50m(0.15ft to 164ft)
Measuring accuracy(2σ)	Typically: ±1.5 mm(± 0.06 in)
Smallest unit displayed	1mm
Measuring units	m,in,ft
Measuring units	Class II 635nm,<1mW
Measuring units	IP 54
History measurement records	20
Keyboard Type	Soft-Touch Keypad
Operating Temperature	0°C to 40°C(32°F to 104°F)
Operating Temperature	-10°C to 60°C(14°F to 140°F)
Battery Life	Up to 4,000 measurements
Batteries	Type AAA 2 x 1.5V
Auto. laser switch-off	after 0.5 min
Auto instrument switch-off	after 3 min



REFRACTOMETER ERMA, JAPAN @ Rs. 1650.00

AVAILABLE IN WIDE RANGES FOR SUGAR & SALT

REFRACTOMETER: ERMA, JAPAN

IN WIDE RANGES FOR SUGAR & SALT.



PH METER : PEN TYPE @ Rs. 670.00



TDS/CONDUCTIVITY METER: POCKET TYPE @ Rs. 700.00

AVAILABLE IN WIDE RANGES



BLOOD PRESSURE METER
(WRIST) @ Rs. 1015.00

- Terms & Condition

Qty. DISCOUNT: Single Despatch abv.RS.9,000 : 5%; Above. Rs 28000:10%

- > Orders below RS.2000/- will not be accepted.
- > Payment:Against Proforma or Bank/VPP/COD.
- > Delivery:Ex-stock subject to prior sales.
- > All prices FOR AHMEDABAD,
- > Taxes extra 2% C.S.T. against 'C' Form or 5% vat tax.

We do not take any responsibility for breakage in transit.

Packing / forwarding charges extra.

Our responsibility ceases once goods leave our premises Prices/Specs. Sub. to change without notice.

All claims to AHMEDABAD Jurisdiction only.
