



BEARING & TOOL CENTRE



Head Office

1st Floor, Vyapar Bhavan, Kadia Kui,
Relief Road, Ahmedabad - 380001.
Ph:- 079 - 22160386, 65254835, 22134835
Mobile : 7819819941, 9375706649

Ahmedabad Branch

GF-B-14, Jayraj Complex, Nr. Soni ni Chawl,
Odhav, Ahmedabad - 382415.
Ph:- 079 - 22890202, 65458950, 65404657, 65400202
Mobile : 7878825197, 7819819938, 9375706648

Website : www.bearingtoolcentre.com, www.bearingtoolscentre.com | Email : info@bearingtoolcentre.com

Our Sister Concern : RELIEF SERVICE CENTRE

Repairs, Removal of Jaw Error, Bore Gauge Extension, Instrument Modifications & Spares

Quotation

66 | Foot rules – Kristeel Shinwa

Size inch/mm	D%	6 / 150	12 / 300	24 / 600	36 / 1000	48 / 1200	72 / 2000	108 / 3000
Code		401 A	401 C	401 E	401 F	401 G	401 J	401 K
Rs.	30	22	52	185	285	585	3100	6700
Calibration Rs.		200	250	350	400	600	800	1000
Catalog.		Page No. -3	Page No. -3	Page No. -3	Page No. -3	Page No. -3	Page No. -3	Page -3

66 – 1 | Foot rules – Signature Series – With Cali. Certi – Kristeel Shinwa

Size inch/mm	D %	12 / 300	24 / 600	36 / 1000
Model		SSC – 12A	SSC – 24B	SSC – 36B
Rs.	30	550	2000	3300
Catalog.		Page No. -3	Page No. -3	Page No. -3

66 – 2 | Contraction (Shrinkage) Rulers – Kristeel Shinwa

Size mm	D%	500	1000	500	1000	500	500	1000
Model		501 D	501 F	502 D	502 F	503 D	601 D	601 F
Rs.	30	1440	1800	1440	1800	1200	1200	1440
Catalog.		Page No.-4	Page No.-4	Page No.-4	Page No.-4	Page No.-4	Page No.-4	Page No.-4
Size mm	D%	500	1000	500	1000	500	1000	
Model		602 D	602 F	603 D	603 F	604 D	604 F	
Rs.	30	1200	1440	1200	1440	1200	1440	
Catalog.		Page No.-4	Page No.-4	Page No.-4	Page No.-4	Page No.-4	Page No.-4	

66 – 3 | Pocket Clip Rule – Kristeel Shinwa

Size inch/mm	D %	6 / 150 (Type A)	6 / 150 (Type B)
Model		1202	1302
Rs.	30	27	27
Catalog.		Page No.-4	Page No.-4

66 – 4 | Fold Rule – Kristeel Shinwa

Size mm	D %	300 – 3 fold	1000 – 6 Fold	1000 – 4 Fold	600 – 2 Fold
Model		1210	1204	1206	1207
Rs.	30	140	550	500	350
Catalog.		Page No.-5	Page No.-5	Page No.-5	Page No.-5

66 – 5 | Rule Stopper 300 mm – Kristeel Shinwa

Size mm	D %	300 mm
Model		3607
Rs.	30	525
Catalog.		Page No.- 6

Terms & Conditions –

- Goods offered - Subject to Prior Sale
- Price Validity: "15 Days from Date of Quotation"
- C.S.T 2% extra against form C. Otherwise 5% without form C For Out of Gujarat Sales only.
- VAT 5% extra for Sales within Gujarat. Prices Ex-Godown Ahmedabad.
- Payment against Proforma Invoice, Packing, Forwarding & Freight extra.
- **Bank Detail** – Kotak Mahindra Bank Ltd.
- **Branch** – Shivranjini
- **Bank IFSC Code** - KKBK 0000 810
- **Bank Account No.** 08102 00000 2689
- Note - While making payment online do mention your Company's name.
- TIN NO 24070901229 , CST No. 24570901229
- We are looking forward to your valued orders.

KRISTEEL MAKE



Model 401 METRIC AND ENGLISH

Front Side : Top edge 1/2mm,

Bottom edge 1/16ths, 1/32nds, 1/64ths.

Reverse Side : Conversion Table inches to mm.

Model No.	Length	Width	Thickness
401 A 5	150mm / 6in	15 mm	0.5 mm
401 C 5	300mm / 12in	25 mm	0.5 mm
401 C 8	300mm / 12in	25 mm	0.8 mm
401 C 10	300mm / 12in	25 mm	1.0 mm
401 E 10	600mm / 24in	30 mm	1.0 mm
401 E 12	600mm / 24in	30 mm	1.2 mm
401 F 12	1000mm / 36in	35 mm	1.2 mm
401 F 15	1000mm / 36in	35 mm	1.5 mm
401 G 15	1200mm / 48in	35 mm	1.5 mm
401 J 20	2000mm / 79in	35 mm	2.0 mm
401 K 20	3000mm / 118in	35 mm	2.0 mm

SIGNATURE SERIES RULES

MODEL SSC

Satin Chrome Antiglare Finish. Manufactured from Hardened and Tempered Japanese Stainless Steel. Permanently marked graduations without enamel paint in graduations. Accuracy to EEC - 1 Standards, i.e. $\pm 0.2\text{mm}$ at 20°C for 1000 mm Rule. Calibration Certificate conforming accuracy to EEC - I International Standard (Euro Norm). Signature of Guarantee. Least count Measurement Chart. Important formula of Statistics with Charts. Area and Volume Charts. Length Conversion Table.

Model No.	Length	Width	Thickness
SSC - 12	300 mm/ 12in	30 mm	1.0 mm
SSC - 24	600 mm/24in	30 mm	1.2 mm
SSC - 36	1000 mm/ 36in	35 mm	1.5 mm


KRISTEEL®
ISO 9001-2000

◆ Accurate ◆ Reliable ◆ Precise

1/4

Stainless Steel Rules

Contraction (Shrinkage) Rules



NORMAL CONTRACTION FOR WOOD PATTERNS

			Model No.
Cast Iron	...1	8	
	1000	500mm -3- Contraction 1%, 1.5%, 2%	501 D
Steel & Brass	...1	17	
	1000	500mm -3- Contraction 1%, 1.5%, 2%	501 F
Aluminium	...1	13	
	1000	500mm -4- Contraction 1.2%, 1.5%, 1.8%, 3%	502 D
C.I.Malleable Iron	...1	10	
	1000	1000mm -4- Contraction 1.2%, 1.5%, 1.8%, 3%	502 F
Steel (Stainless)	...1	20	
	1000	500mm Single Contraction 2.5%	503 D
Manganese	...1	25	
	1000	500mm Single Contraction 1%	601 D
	...1	20	
	1000	500mm Single Contraction 1%	601 F
	...1	20	
	1000	500mm Single Contraction 1.5%	602 D
	...1	25	
	1000	500mm Single Contraction 1.5%	602 F
	...1	25	
	1000	1000mm Single Contraction 1.8%	603 D
	...1	25	
	1000	1000mm Single Contraction 1.8%	603 F
	...1	25	
	1000	500mm Single Contraction 1.8%	604 D
	...1	25	
	1000	500mm Single Contraction 2%	604 F
	...1	25	
	1000	1000mm Single Contraction 2%	604 F

CONTRACTION RULES

Contractions not listed can be supplied upon request. Listed above are contractions that apply to most metals in use today. They must not be taken too literally, but use as a guide only. Each user must judge for himself.

MODEL 1202 (WIDTH – 6mm)



POCKET CLIP RULE - DEPTH GAUGE COMBINATION

METRIC AND ENGLISH

FRONT SIDE: Top edge 1/2 mm, mm,

Bottom edge Inches.

Model No.	Length	Width	Thickness
1202	150mm/6 in	6mm	0.5mm


MODEL 1302 (WIDTH – 12mm)



POCKET CLIP RULE - DEPTH GAUGE COMBINATION
METRIC AND ENGLISH
FRONT SIDE: Top edge 1/2 mm, mm,
Bottom edge Inches.

Model No.	Length	Width	Thickness
1302	150mm/6 in	12mm	0.5mm

FOLDING RULES



FOLDING RULES

METRIC ONLY Top edge 1/2 mm, mm;
Bottom edge 1/2 mm, mm : 6 Fold

MODEL 1204 (METRIC ONLY) – 1000mm, 6 FOLD

Model No.	Length	Folds
1205	1000 mm/36"	6
1206	1000 mm/36"	4
1207	600 mm/24"	2
1208	600 mm/24"	6
1209	600 mm/24"	4
1210	600 mm/12"	3

Rule Stopper Gauge 300 mm / 12" – Kristeel

