



BEARING & TOOL CENTRE



Head Office

1st Floor, Vyapar Bhavan, Kadia Kui,
Relief Road, Ahmedabad - 380001.
Ph:- 079 - 22160386, 65254835, 22134835
Mobile : 7819819941, 9375706649

Ahmedabad Branch

GF-B-14, Jayraj Complex, Nr. Soni ni Chawl,
Odhav, Ahmedabad - 382415.
Ph:- 079 - 22890202, 65458950, 65404657, 65400202
Mobile : 7878825197, 7819819938, 9375706648

Website : www.bearingtoolcentre.com, www.bearingtoolscentre.com | Email : info@bearingtoolcentre.com

Our Sister Concern : RELIEF SERVICE CENTRE

Repairs, Removal of Jaw Error, Bore Gauge Extension, Instrument Modifications & Spares

Quotation

151 | Grease Gun – Groz make

Code	D %	G1R/HD/B	G1F/HD/B	V1R/B	V1R/BL/B	G1R/B/BL/BT	G5R/B
Rs.	22	996	-	659	659	-	947
Catalog		Page No. - 2	Page No. - 2	Page No. - 2	Page No. - 2	Page No. - 3	Page No. - 4
Code		G5F/B	G -16/B	AGG/1R/B	AGG/1F/B	G6P	CTG/01
Rs.	22	-	498	2730	-	310	-
Catalog		Page - 4	Page - 4	Page - 5		Page - 5	

Terms & Conditions –

- Goods offered - Subject to Prior Sale
- Price Validity: "15 Days from Date of Quotation"
- C.S.T 2% extra against form C. Otherwise 5% without form C For Out of Gujarat Sales only.
- VAT 5% extra for Sales within Gujarat. Prices Ex-Godown Ahmedabad.
- Payment against Proforma Invoice, Packing, Forwarding & Freight extra.
- **Bank Detail** – Kotak Mahindra Bank Ltd.
- **Branch** – Shivranjini
- **Bank IFSC Code** - KKBK 0000 810
- **Bank Account No.** 08102 00000 2689
- Note - While making payment online do mention your Company's name.
- TIN NO 24070901229 , CST No. 24570901229
- We are looking forward to your valued orders.

GROZ MAKE



GREASING EQUIPMENT

THE ULTIMATE LEVER GREASE GUN



For those who want to be ahead of the game!

- Large barrel with capacity of 650 gms, 30% more than regular guns thus requiring less frequent re-filling of grease
- **30% Larger Piston Diameter pushes out 50% more grease per stroke, reducing time to grease a joint by half**
- Large Venturi Grease inlet designed for thick & heavy grease, common in India
- Operates with minimal lever action, allowing usage in confined areas
- Solid Aluminum Grease Gun head fitted with loader valve for use with Grease Filler Pump
- Heavy Gauge Drop Resistant Steel Barrel in premium metallic powder coated finish
- Hi Compression spring for removing air pockets from grease
- Works with NLGI 1, 2 & 3 greases
- Fully serviceable with no riveted parts
- Develops: 10,000 PSI



Strong Aluminium Head

Drop Resistant Steel Barrel Capacity: 650 gms



10,000 PSI (690 BAR)



Variable Stroke

DELIVERS

1.5gm / Stroke

Art. Nr.	Details	Box Qty.	List Price (₹)
K4SR/B	150mm rigid steel extension & 3 jaw Super Coupler	10	1,045.00

LEVER GREASE GUN - HEAVY DUTY

- Aluminium head with air bleeder & bulk loader
- Variable stroke feature built-in for usage in confined spaces
- **Resists back pressure, especially useful in chain tightening of earth moving equipment**
- Develops: 10,000 PSI
- Capacity: 500 gms bulk / 400 gms cartridge



Severe Duty Lever Handle

Heavy Duty Aluminium Head

Non-Slip, textured, powder coated finish

Rubber grip for convenience in use



Heavy duty Grease Gun Head incorporates a bulk loader & an air bleeder valve



10,000 PSI (690 BAR)



Variable Stroke

DELIVERS

1gm / Stroke

Art. Nr.	Details	Box Qty.	List Price (₹)
G1R/HD/B	150mm rigid steel extension & 4 jaw coupler	16	662.00
G1F/HD/B	300mm flexible hose & 4 jaw coupler	16	719.00

LEVER GREASE GUN

- 21st century design - ideal combination of superior quality & value price
- Aluminium Die Cast head with built-in air release valve
- Choice of high visibility orange powder coated finish or textured black
- Develops: 6,000 PSI
- Capacity: 500 gms bulk / 400 gms cartridge



V1R/B



6,000 PSI (413 BAR)

DELIVERS

1gm / Stroke



Art. Nr.	Details	Colour	Box Qty.	List Price (₹)
V1R/B	150mm rigid steel extension & 4 jaw coupler	Orange	16	410.00
V1R/BL/B	150mm rigid steel extension & 4 jaw coupler	Black	16	410.00

CLEAR TUBE LEVER GREASE GUN

NEW

Quick lubricant identification eliminating the risk of mixing incompatible or unspecified lubricants

- Tough & Impact Resistant Polycarbonate tube with die cast aluminum adaptors
- High Tolerance Aluminum Die Cast Grease Gun Head fitted with Bulk Loader & Air Release Valve
- Variable stroke feature built in for use in confined areas
- Develops: 10,000 PSI
- Capacity: 500 gms bulk/ 400 gms cartridge



Drop & Impact Resistant,
Crush Proof Barrel



Variable
Stroke



10,000 PSI
(690 BAR)

DELIVERS

1gm / Stroke

Art. Nr.	Details	Box Qty.	List Price (₹)
G1R/HD/B-CL	150mm rigid steel extension & 4 jaw coupler	16	1,775.00

GROZ

LEVER GREASE GUN - SUPER VALUE

- **Most popular value priced Grease Gun**
- Steel head incorporates a bulk loader valve
- Rubber grip on lever handle for comfortable use
- Powder coated finish
- Develops: 6,000 PSI
- Capacity: 500 gms bulk / 400gms cartridge



6,000 PSI
(413 BAR)

DELIVERS

1gm / Stroke

Art. Nr.	Details	Box Qty.	List Price (₹)
G1R/B/BL/BT	With 150mm rigid steel extension & 4 jaw coupler	16	443.00

MINI LEVER GREASE GUN

NEW

- Compact tool box size Grease Gun
- Aluminium Die Cast Gun Head
- Develops: 6,000 PSI
- Capacity: 120cc bulk/ 85 gms grease cartridge



6,000 PSI
(413 BAR)

DELIVERS

0.55gm / Stroke

Art. Nr.	Details	Box Qty.	List Price (₹)
G14R/B	150mm steel extension and 4 jaw coupler	30	339.00



GREASING EQUIPMENT

PISTOL GREASE GUN

- One Hand Operation
- Aluminum Die cast head with steel block nut
- Ideal for greasing fittings with limited access
- Develops: 5,000 PSI
- Capacity: 500 gms bulk / 400 gms cartridge



5,000 PSI
(345 BAR)

DELIVERS

0.5gm / Stroke

Art. Nr.	Details	Box Qty.	List Price (₹)
G5R/B	With 100mm rigid steel extension & 4 jaw coupler	16	630.00
G5F/B	With 300mm flexible hose & 4 jaw coupler	16	683.00

MINI PISTOL GREASE GUN – PROFESSIONAL

- Toolbox Size Deluxe Mini Pistol Grease Gun
- Aluminum cast head with front & top discharge ports
- Ideal for greasing in tight spaces such as CNC machines
- Develops: 3,500 PSI
- Capacity: 120 gms bulk/ 85 gms grease cartridge



3,500 PSI
(240 BAR)

DELIVERS

0.30 gm / stroke

Art. Nr.	Details	Box Qty.	List Price (₹)
G-16/B	100mm rigid steel extension & 4 jaw coupler	30	331.00

CLEAR TUBE PISTOL GREASE GUN

NEW

Quick lubricant identification eliminating the risk of mixing incompatible or unspecified lubricants

- One Hand Operated Grease Gun designed for use in confined spaces or where access to grease nipple is limited
- Tough & Impact Resistant Polycarbonate tube with die cast aluminum adaptors
- Heavy Duty Aluminum Die Cast Grease Gun Head fitted with steel block nut
- Super strong pistol grip handle designed to prevent fingers from "pinching"
- Develops: 5,000 PSI
- Capacity: 500 gms bulk/ 400 gms cartridge



Clear Tubes provide visibility to remaining grease in the tube and air pockets, in case of Bulk Grease usage

Drop & Impact Resistant, Crush Proof Barrel



5,000 PSI
(345 BAR)

DELIVERS

0.5gm / Stroke

Art. Nr.	Details	Box Qty.	List Price (₹)
G5RF/B-CL	100mm steel extension, 300mm flexible hose and professional 4 jaw coupler	16	1,775.00

AIR OPERATED GREASE GUN – CONTINUOUS


- Continuous flow of grease with press of the trigger
- Air Inlet Pressure: 60 - 120 PSI (4-8 BAR).
- For use in factory maintenance, fleet, trucks etc.
- Develops: 4,800 PSI
- Capacity: 500 gms bulk / 400 gms cartridge



Art. Nr.	Details	Box Qty.	List Price (₹)
AGG/1R/B	150mm rigid steel extension & 4 jaw coupler	4	1,780.00
AGG/1F/B	300mm flexible hose & 4 jaw coupler	4	1,832.00

PUSH TYPE GREASE GUNS

- Toolbox size, spring loaded Push type Grease Guns
- Steel body fitted with universal connector
- Ideal for greasing of Impact Wrenches, Chain Saws, Trailers, Pallet Trucks etc.
- Develops: 1,000 PSI



Art. Nr.	Capacity	Box Qty.	List Price (₹)
G6P	30 gms	30	200.00
G7P	125 gms	20	235.00

Key
◆ New



GREASE CARTRIDGE



- 400 gms of Premium Lithium Complex Red Grease
- NLGI Grade II
- Operating Temperature: - 40°C to 149°C
- Non messy, totally clean, offers highest convenience in use
- Useful in automotive, industrial, construction & agricultural applications
- For use with Groz Grease Guns



Art. Nr.	Capacity	Box Qty.	List Price (₹)
CTG/01	400 gms	10	305.00

GREASE GUN COUPLERS

- High Performance Couplers
- Available in 3 or 4 jaw construction. Jaws are made from hardened spring steel
- Incorporate a spring loaded ball check mechanism
- Threaded 1/8"BSPT(F)
- Available in 3 types: Standard, Professional & Heavy Duty



Art. Nr.	Type	Pressure Rating	Nr. of Jaw	Box Qty.	List Price (₹)
HC/11/4/B	Standard	3,000 PSI	4	500	36.00
HC/14/3/B	Professional	6,000 PSI	3	500	49.00
HC/14/4/B	Professional	6,000 PSI	4	500	49.00
HC/12/3/B	Heavy Duty	10,000 PSI	3	500	83.00
HC/12/4/B	Heavy Duty	10,000 PSI	4	500	83.00
HC/11/4/B-ST54	Set of 54 Standard 4 jaw couplers	3,000 PSI	4	1	1,865.00
HC/14/4/B-ST54	Set of 54 Professional 4 jaw couplers	6,000 PSI	4	1	2,535.00



GREASING EQUIPMENT

▶ BUTTON HEAD COUPLERS

- For greasing of button head grease fittings
- Zinc Die cast body
- Mostly used on heavy machinery & contractors equipment
- 3 Types: Push-On, Hook-On & Swivelling



For Hand Operated Grease Guns Only



Art. Nr.	Type	Pressure Rating	For Button Head Fitting Size	Box Qty.	List Price (₹)
BHC/10/B	Heavy Duty Swivelling	3,000 PSI	16mm	20	194.00
HOC/1/B	Fixed Hook On	3,000 PSI	16mm	50	132.00
PCN/1/B	Fixed Push On	3,000 PSI	16mm	50	132.00
PCN/3/B	Fixed Push On	6,000 PSI	16mm	20	184.00
PCN/2/B	Fixed Push On	7,500 PSI	22mm	20	305.00

▶ 360° SWIVEL COUPLER

- Ideal for greasing of difficult & hard to reach fittings
- Swivels in full 360° circle & locks at any 45° position
- Hardened Spring Steel Jaws
- 3 jaw construction with ball check
- Hardened coupler body withstands high pressure applications without deformation



7,000 PSI (483 BAR)



For Hand Operated Grease Guns Only



Art. Nr.	Box Qty.	List Price (₹)
HC/SW/3/B	10	667.00

▶ 4 WAY GREASE FITTING TOOLS

- Dual purpose tool for removing worn & broken grease fittings and re-tapping holes for installing new fittings
- Built-in hardened tap for re-tapping holes
- Works well with straight & angled fittings



Art. Nr.	Installs Fittings	Tap Rethreads	Box Qty.	List Price (₹)
ESO/1	M6 X 1, MB X 1	1/4" 5AE (LT)	10	404.00
ESO/2	1/8" BSPT, MB X 1, M10 X 1	1/8" NPT	10	520.00

▶ GREASE FITTING THREAD TESTER

- Great tool box accessory to sort out mixed fittings
- Aluminium construction with mounting holes



Designed to check the following threads:

Thread Type	Size		
NPT	1/8"	1/4"	3/8"
METRIC	M6 X 1	M6 X 0.75	
METRIC	M8 X 1	M8 X 1.25	
METRIC	M10 X 1	M10 X 1.5	
BSPT	1/8"	1/4"	
UNF/ANF	1/4"	5/16"	3/8"
BSW	1/4"	5/16"	1/2" 3/8"
BSF	3/16"	1/4"	5/16"

Art. Nr.	Box Qty.	List Price (₹)
THT/01	5	830.00

GREASE GUN HOSES

- For greasing fittings with difficult access
- Thermoplastic Construction, Fully Flexible
- Zinc plated steel end connections threaded 1/8" BSPT (M) are hydraulically crimped to the hose



For Hand Operated Grease Guns Only



Working Pressure: 3,500 PSI
Burst Pressure: 10,000 PSI

Art. Nr.	Length (end to end)	Box Qty.	List Price (€)
GHC-12/B	300mm (12")	30	74.00
GHC-18/B	450mm (18")	20	89.00
GHC-20/B	500mm (20")	10	105.00

GREASE GUN STEEL EXTENSIONS

- Steel construction
- Zinc plated finish
- High strength rolled 1/8" BSPT(M) threads on both ends



For Hand Operated Grease Guns Only



Working Pressure: 6,000 PSI
Burst Pressure: 12,000 PSI

Art. Nr.	Length (end to end)	Type	Box Qty.	List Price (€)
GBP/6/B	150mm (6")	Bent	50	23.00
GSP/4/B	100mm (4")	Straight	20	17.00

GREASE INJECTOR NEEDLE

- Used for lubrication in tight spaces such as universal joints & sealed bearings
- Fitted with a standard grease fitting for quick connect
- 38mm long X 18 gauge thickness - stainless steel needle



For Hand Operated Grease Guns Only

Art. Nr.	Box Qty.	List Price (€)
GIN/01	24	105.00



GREASE FITTINGS

- Head profile as per DIN 71412
- Heat treated greasing end
- Zinc Plating exceeds ASTM B117
- Fittings have heat treated springs for increased life



6,000 PSI
413 (BAR)



Grease Fitting - Straight



Angled Grease Fitting - 45°



Angled Grease Fitting - 90°

Art. Nr.	Description	Hex Size	Overall Length	Box Qty.	List Price (€)
6.0 x 1.0mm Taper Threads					
GFT/6/1	Straight	7mm	16mm	100	5.24
GFT/6/1/45	45°	9mm	21mm	50	10.85
GFT/6/1/90	90°	9mm	18mm	50	11.20
8.0 X 1.0mm Taper Threads					
GFT/8/1	Straight	9mm	16mm	100	6.55
GFT/8/1/45	45°	9mm	21mm	50	10.85
GFT/8/1/90	90°	9mm	18mm	50	11.20
10.0 X 1.0mm Taper Threads					
GFT/10/1	Straight	11mm	16mm	100	8.85
GFT/10/1/45	45°	11mm	21mm	50	12.55
GFT/10/1/90	90°	11mm	18mm	50	12.85
10.0 mm X 1.5 mm Taper Threads					
GFT/10/1.5	Straight	11mm	18mm max.	100	10.60
GFT/10/1.5/45	45°	11mm	21mm max.	50	13.40
GFT/10/1.5/90	90°	11mm	18mm max.	50	13.40
1/8" X 28 BSPT - Taper Threads					
GFT/R/1-8/28	Straight	11mm	16mm	100	8.85
GFT/R/1-8/28L	Straight	11mm	20mm	100	10.20
GFT/R/1-8/28/45	45°	11mm	21mm	50	12.95
*GFT/R/1-8/28/45L	45°	11mm	26.3mm	50	15.00
GFT/R/1-8/28/90	90°	11mm	18mm	50	12.95
*GFT/R/1-8/28/90L	90°	11mm	21.4mm	50	15.00
1/4" X 19 BSPT - Taper Threads					
GFT/R/1-4/19	Straight	9/16"	17.5mm	50	18.35
*GFT/R/1-4/19L	Straight	15.24mm	23.5mm	50	22.45
GFT/R/1-4/19/45	45°	9/16"	22.5mm	25	21.95
GFT/R/1-4/19/90	90°	9/16"	22mm	25	22.45

Key
● New