



BEARING & TOOL CENTRE



Head Office

1st Floor, Vyapar Bhavan, Kadia Kui,
Relief Road, Ahmedabad - 380001.
Ph:- 079 - 22160386, 65254835, 22134835
Mobile : 7819819941, 9375706649

Ahmedabad Branch

GF-B-14, Jayraj Complex, Nr. Soni ni Chawl,
Odhav, Ahmedabad - 382415.
Ph:- 079 - 22890202, 65458950, 65404657, 65400202
Mobile : 7878825197, 7819819938, 9375706648

Website : www.bearingtoolcentre.com, www.bearingtoolscentre.com | Email : info@bearingtoolcentre.com

Our Sister Concern : RELIEF SERVICE CENTRE

Repairs, Removal of Jaw Error, Bore Gauge Extension, Instrument Modifications & Spares

Quotation

35 | Hook Type Depth Caliper – Insize Make

Size (mm)	0 – 150	0 – 200	0 – 300
Rs.	3236	3833	4537
Model	1248-150	1248-200	1248-300
Catalog	Page No.- 2	Page No.- 2	Page No.- 2

35 – 1 | Hook Type Digital Depth Caliper – Insize Make

Size (mm)	0 – 150	0 – 200	0 – 300	0 – 150	0 – 200
Rs.	5258	6435	13040	5596	6619
Model	1142-150A	1142-200A	1142-300A	1144-150A	1144-200A
Catalog	Page No.- 2	Page No.- 2	Page No.- 2	Page No.- 3	Page No.- 3

35 – 2 | Hook Depth Vernier Caliper [Least Count – 0.05 mm] – with out fine

Range-mm	W	C	D %	0-150	0 – 200	0-300
MitutoyoRs. – No Fine Adj	12	N	5	8222	10780	13914
Code				527-401	527-402	527-403
Catalog				Page No.- 3	Page No.- 3	Page No.- 3

35 - 3 | Hook Depth Vernier Caliper [Least Count – 0.02 mm] – with fine

Range-mm	W	C	D %	0-150	0 – 200	0-300
MitutoyoRs. – No Fine Adj	12	N	5	9123	11852	15103
Code				527-411	527-412	527-413
Catalog				Page No.- 3	Page No.- 3	Page No.- 3

*** W – Warranty , C – Certificate , D- Discount

Terms & Conditions –

- Goods offered - Subject to Prior Sale
- Price Validity: "15 Days from Date of Quotation"
- C.S.T 2% extra against form C. Otherwise 5% without form C For Out of Gujarat Sales only.
- VAT 5% extra for Sales within Gujarat. Prices Ex-Godown Ahmedabad.
- Payment against Proforma Invoice, Packing, Forwarding & Freight extra.
- **Bank Detail** – Kotak Mahindra Bank Ltd.
- **Branch** – Shivranjini
- **Bank IFSC Code** - KKBK 0000 810
- **Bank Account No.** 08102 00000 2689
- Note - While making payment online do mention your Company's name.
- TIN NO 24070901229 , CST No. 24570901229
- We are looking forward to your valued orders.

INSIZE MAKE

VERNIER HOOK DEPTH GAGE


WITH MOUNTING HOLES FOR EXTENSION BASE

- Made of stainless steel
- Satin chrome plating finish on reading surface
- Optional accessory: extension base (code 6141)



1248-1501

extension base (optional)




Graduation 0.05mm

Code	Range	Accuracy	L
1248-150	0-150mm	±0.05mm	266mm
1248-200	0-200mm	±0.05mm	316mm
1248-300	0-300mm	±0.08mm	416mm

Graduation 0.02mm

Code	Range	Accuracy	L
1248-1501	0-150mm	±0.03mm	266mm
1248-2001	0-200mm	±0.03mm	316mm
1248-3001	0-300mm	±0.04mm	416mm




DIGITAL DOUBLE HOOK DEPTH GAGE

DATA OUTPUT

- Resolution: 0.01mm/0.0005"
- Buttons: on/off, zero, mm/inch
- Automatic power off, move the digital unit to turn on power
- Meet DIN862
- Battery CR2032
- Data output
- Made of stainless steel
- Optional accessory: data output cable (code 7306-20, 7302-SPC5A/SPC5B, 7305-SPC2A)




1144-150A



Code	Range	Accuracy	L	d
1144-150A	0-150mm/0-6"	±0.03mm	233	100
1144-200A	0-200mm/0-8"	±0.03mm	283	100
1144-300A	0-300mm/0-12"	±0.03mm	383	150

- Resolution: 0.01mm/0.0005"
- Buttons: on/off, zero, mm/inch
- Automatic power off, move the digital unit to turn on power
- Battery CR2032
- Data output
- Made of stainless steel
- Optional accessory: data output cable (code 7306-20, 7302-SPC5A/SPC5B, 7305-SPC2A)



DIGITAL HOOK DEPTH GAGE


DATA OUTPUT



1142-150A

(mm)

Code	Range	Accuracy	L	d
1142-150A	0-150mm/0-6"	±0.03mm	230	100
1142-200A	0-200mm/0-8"	±0.03mm	280	100
1142-300A	0-300mm/0-12"	±0.04mm	380	150



MITUTOYO MAKE

Vernier Depth Gage

SERIES 527 — Hook End Type

FEATURES

- The end of the main scale is hook-shaped to allow depth and thickness measurements of a projected portion or lip in a hole, in addition to standard depth measurement.
- With fine adjustment models are available.
- Optional wider extension base are available.



SPECIFICATIONS

Metric


Range	Order No.	Vernier reading	Accuracy
0 - 150mm	527-401	0.05mm	±0.05mm
0 - 200mm	527-402	0.05mm	±0.05mm
0 - 300mm	527-403	0.05mm	±0.08mm

Metric

with fine adjustment

Range	Order No.	Vernier reading	Accuracy
0 - 150mm	527-411	0.02mm	±0.03mm
0 - 200mm	527-412	0.02mm	±0.03mm
0 - 300mm	527-413	0.02mm	±0.04mm

DIMENSION



Technical Data

Accuracy: Refer to the list of specifications.
 Graduation: 0.05mm or 0.02mm
 Base size: 100 x 6.5mm (W x T)

Optional Accessory

—: Extension base (see page 179.)

