



BEARING & TOOL CENTRE



Head Office

1st Floor, Vyapar Bhavan, Kadia Kui,
Relief Road, Ahmedabad - 380001.
Ph:- 079 - 22160386, 65254835, 22134835
Mobile : 7819819941, 9375706649

Ahmedabad Branch

GF-B-14, Jayraj Complex, Nr. Soni ni Chawl,
Odhav, Ahmedabad - 382415.
Ph:- 079 - 22890202, 65458950, 65404657, 65400202
Mobile : 7878825197, 7819819938, 9375706648

Website : www.bearingtoolcentre.com, www.bearingtoolscentre.com | Email : info@bearingtoolcentre.com

Our Sister Concern : RELIEF SERVICE CENTRE

Repairs, Removal of Jaw Error, Bore Gauge Extension, Instrument Modifications & Spares

Quotation

1 | Foot rules – Kristeel Shinwa



Size inch/mm	D %	6 / 150	12 / 300	24 / 600	36 / 1000	48 / 1200	72 / 2000	108 / 3000
Code		401 A	401 C	401 E	401 F	401 G	401 J	401 K
Rs.	30	22	52	185	285	585	3100	6700
Calibration Rs.	30	200	250	300	350	400	500	600

2 - Straight Edge – Flat Section – Engineers Steel – Grade Inspection – Luthra make



Size - mm	C	300 x 50 x 8	450 x 50 x 8	600 x 50 x 8	1000 x 50 x 10	1200 x 55 x 10
Hardened Rs.	Y	1450	1850	2550	4600	5700
Unhardened Rs.	Y	700	1100	1350	2550	3100
Size - mm		1500 x 65 x 12	2000 x 65 x 12	2500 x 65 x 14	3000 x 85 x 18	4000 x 100 x 20
Hardened Rs.	Y	6850	8950	25500	36750	--
Unhardened Rs.	Y	3500	5100	12750	20500	32500

4 – Surface Plate – Granite – Grade 0 – Make - Graph Datum Calibration Cert. Traceable to CMTI , Bangalore – As per IS 7327 - 2003



Size - mm	300 x 300 x 50	400 x 400 x 60	630 x 400 x 80	630x 630x 80	1000 x 630 x 150
Flatness - micron	--	4.5	5.0	5.0	6.0
Rs. of Plate	1606	2488	4032	5953	13513
Rs. of Stand	--	--	3402	3706	5040
Weight in kg		30	65	100	295
Size - mm	1000 x 1000 x 150	1200 x 900 x 150	1200 x 1200 x 150	1600 x 1000 x 200	2000 x 1000 x 200
Flatness - micron	7.0	8.0	8.0	8.0	9.5
Rs. of Plate	20740	23630	31500	41220	55650
Rs. of Stand	6130	6590	9770	8440	10170

Note – Forwarding charges + 15% vat for Granite surface plate or 2% against C form.

**5 - Surface Plate – Cast Iron – Grade – Inspection – Make Luthra Calibration Cert. Traceable to NPL .
New Delhi , AS per IS 2285 - 2003**

Size – inches	12 x 12	12 x 18	18 x 18	18 x 24	24 x 24
Rs. of Plate (Grade 'I')	2400	3700	4700	7650	10250
Rs. of Plate (Grade '0')	2750	4250	5400	8800	11750
Rs. of Stand	2300	2300	2300	2800	3050
Size – inches	24 x 30	24 x 36	36 x 36	36 x 48	
Rs. of Plate (Grade 'I')	14750	18350	35000	44000	
Rs. of Plate (Grade '0')	17000	21100	40250	50500	
Rs. of Stand	3550	4150	5300	5700	

NOTE : Stands For Surface Plate Above 1000 X 1000 Will Be Made By 65 X 65mm Angle.

Note – 5 % discount on surface plate only. + forwarding charges + 5% vat or 2% against C form.

**6 - Surface Plate – Cast Iron – Grade – Inspection – Make Luthra Calibration Cert. Traceable to NPL . New Delhi
, AS per IS 2285 – 2003**

Size – mm	250 x 250	400 x 400	400 x 630	630 x 630	750 x 600	1000 x 630	1000 x 1000
Rs. of Plate (Grade 'I')	2150	4250	7500	10850	14750	19750	40000
Rs. of Plate (Grade '0')	2500	4900	8650	12500	17000	22750	46000
Rs. of Stand	--	2300	2800	3050	3550	4150	5300
Size – mm	1200 x 600	1200 x 900	1200 x 1200	1000 x 1600	1000 x 2000	1200 x 1800	
Rs. of Plate (Grade 'I')	35250	44000	65500	85500	107500	129000	
Rs. of Plate (Grade '0')	40500	50500	75250	98250	123500	148250	
Rs. of Stand	5000	5700	8450	7300	8800	8900	

Note – 5 % discount + forwarding charges + 5% vat or 2% against C form.

7 - Feeler Gauge / Thickness gauge - Mitutoyo



Feeler - mm	0.05 - 1	0.05 - 1	0.05 - 1	0.05 - 1	0.05 - 1	0.05 - 0.8	0.05 - 0.8	0.03 - 0.5	0.03 - 0.5
Leaves	10	28	20	13	13	10	10	13	13
Length- mm	100	150	150	100	150	100	150	100	150
Rs.	2360	2720	1855	1126	1450	973	973	811	1207
Code	184-313	184-303	184-304	184-305	184-301	184-306	184-308	184-307	184-302

*** Calibration charge will be Rs.40 per leaf.**

8 - Feeler Gauge / Thickness gauge –Atul / Globe / Rohit / Kristeel



Feeler-mm	0.03 - 1	0.05 - 1	1 - 2	0.01	0.02	0.03 – 1.00	0.05 – 1	0.05 – 1
Inch	--		--					0.002 – 0.025
Leaves	26	20	21	1	1	1	26	20
Length-mm	150	100	150	300	300	300	300	300
Make	Globe	Atul	Sudershan	Rohit	Rohit	Rohit	Rohit	Globe
Rs.	400	250	3600	250	200	40	670	600

9 | Combination Set



Range-mm	W	C	D %	Page No	300	2 pc.	600
Insize Rs.	6	N			6210		
Code				2	2278-180		
Kristeel Rs.		N	30		2675	615	--
Code no.				3	1516C	1516A	
Aerospace Rs.		N	10		2000		--
M & W Rs.	6	N			2500		4600
Calibration Rs.					1000		1500

10 | Outside Micrometer | Least count 0.01 mm



Range-mm	W	C	D %	0-25	25-50	50-75	75-100
Insize Rs.	6	Y		1172	1344	1504	1667
Code				3203-25A	3203-50A	3203-75A	3203-100A
Aerospace Rs.		N	10	350	500	650	730
Advance Rs.		N	10	700	800	850	950
M & W Rs.	6	N		1000	1150	1300	1400
Mahr Rs.	12	N		1560	2030	2360	2630
Baker Rs.	12	Y	15	1500	1990	2140	2360
Code				MMC 25	MMC 50	MMC 75	MMC 100
Precision Rs.	12	Y	20	1150	1375	1600	1750
Mitutoyo Rs.	12	N	5	2071	2698	3138	3451
Code				103-137	103-138	103-139	103-140
Calibration Rs.				250	250	250	250

*** W – Warranty , C – Certificate , D- Discount

11 - Inside Micrometer – [L.c. 0.01mm]

Jaw Type / Caliper Type

Rod Type

Tubular / Extension Type



Range-mm	W	C	D%	5 - 30	25 - 50	25 - 50 R	50 - 200R	50 - 300	50 - 300R	50 - 500	50 - 1000	50 - 1500
Aerospace Rs.		N	10	1940	2310	3000	3300	3000	-	4130	10200	
M & W Rs.	6	N		2600	3300	4000	5200	4800	5800	6000	13000	15500
Calibration Rs.				200	250	250	300	450	500	600	800	1200

11 - 1 | Inside Micrometer – [L.c. 0.01mm]

Range-mm	W	C	D%	5 - 30	25-50	50-75	75-100	100-125	125-150
Insize Rs.	6	N		3452	4543	5286	5938		
Code (3220)				30	50	75	100		
Mitutoyo Rs.	12	N	5	10717	11258	14428	16148	17643	19732
Code				145-185	145-186	145-187	145-188	145-189	145-190
Calibration Rs.				200	250	250	275	300	325
Range-mm	W	C	D%	150-175	175-200	200-225	225-250	250-275	275-300
Insize Rs.	6	N							
Code (3220)									
Mitutoyo Rs.	12	N	5	21677	23623	27063	29450	31845	34088
Code				145-191	145-192	145-217	145-218	145-219	145-220
Calibration Rs.				350	375	400	425	450	475

12 | Vernier Caliper [Simple] | Least count 0.02 mm / 0.001 inch

Without Fine Adjustment

With Fine Adjustment



Range-mm	W	C	D %	0-150	0-200	0-300
Insize Rs. With Fine	6	N		1388	2010	3595
Code				1233-130	1233-180	1233-280
Insize Rs. No Fine	6	N		1221	2127	3953
Code				1205-1502	1205-2002	1205-3002
Aerospace Rs.	-	N	10	350	500	820
M & W Rs.	6	N		1100	1450	2700
Baker Rs. – No fine	12	Y	15	1860	2970	5990
Code				VC 10	VC 20	VC 30
Baker Rs. – With Fine	12	Y	15	2130	3150	6210
Code				VCF 10	VCF 20	VCF 30
Kristeel Make		Y	30	1400	-	1825
Mitutoyo Rs.- with fine	12	N	5	2887	3640	7530
Code				532-119	532-120	532-121
Mitutoyo Rs.- No fine	12	N	5	2234	2949	6463
Code				530-312	530-118	530-119
Calibration Rs.				250	325	350

13 – Height Gauge [Simple 0.02 mm]



Range-mm	W	C	D %	0-300	0-450	0-600	0-1000	0-1500
Insize Rs.	6	N		10670	15302	16374		
Code				1250-300	1250-450	1250-600	1250-1000	
Aerospace Rs.		N	10	3500	5500	6000	21500	45000
M & W Rs.	6	N		5200	8300	9200	29000	
Kristeel Rs.		N	30	7200	10300	15450		
Code				HGW – 12	HG - 18	HG – 24		
Precision Rs.	12	Y	20	9300				
Mitutoyo Rs.	12	N	5	18574	36144	46184	107428	240694
Code				514-103	514-105	514-107	514-109	514-170
NABL Traceable Rs				300	380	560	940	
NABL Accrediat Rs.				400	500	750	1250	

14 – Bevel Protractor



Range-mm	W	C	D %	Simple	Dial	Digital
Least count				5 min	5 min	1 min
Insize Rs.	6	N		4994	7517	21952
Code				2372-360	2373-360	2172-360A
Kristeel Rs.		N	30	2700		---
Code				UBP		
Aerospace Rs.		N	10	1940	3630	15555
M & W Rs.	6	N		3500		
Mitutoyo Rs.	12	N	5	13366		55018
Code				187-901		187-502
NABL Traceable Rs				260	260	260
NABL Accrediat Rs.				350	350	350

15 - Screw Pitch Gauge – Mitutoyo



Pitch - mm	0.35 - 6	0.4 - 7	0.4 - 7	4 - 42	4 - 42	4 - 60	0.4 - 7 + 4 - 42
Leaves	22	21	18	30	30	28	21 + 30
Type	mm	Mm	Mm	Unified	Whitworth	whitworth	Combined
Rs.	1378	1378	1324	1324	1324	1378	3017
Code	188 -130	188 -122	188 -121	188 -111	188 -101	188 -102	188-151

16 - Screw Pitch Gauge - Kristeel – Shinwa

Gauges	D%	Thread / Screw Pitch Inch & mm	Acme Screw Pitch 29 ½ Deg	29° Screw Thread Tool Gauge
Pitch		0.25 to 6 mm + G 62 to G 2 . 5 inch	10 n to 1 n	1 to 10 TPI. (14 sizes)
Leaves		24 + 28	16	14
Rs.	30	290	2645	345
Code		SPG	APG	STTG – 29'

17 –Kristeel - Gauges



Wire & Sheet Metal Gauge	Disc %	0 - 36	
		Round	Rect
	30	Rs.230	Rs.230
Code		1505	1506
Calibration Rs.		1000	1000

18 Slip Gauges



Make	W	D %	Material	C	Traceability	Grade	88 pc	83 pc	87 pc	112 pc
Aerospace Rs./Link Rs.		10	Steel	Yes	No	Grade – II		7000	8750	11220
M & W Rs.	6		Steel	Yes	No	Grade – II		8000	10000	14000
M & W Rs.	6		Steel	Yes	No	Grade – I			19500	25500
Mitutoyo Rs.	12	5	Steel	Yes	No	Inspection			94125	125500
Code						Inspection			516-966	516-939
Mitutoyo Rs.	12	5				Zero			125500	163150
Code									516-946	516-938
Calibration Rs. per pc							50	50	50	50
Mitutoyo Image Page No									4	4

TUNGSTEN CARBIDE SLIP GAUGE SET					Effective from : 31.08.2013
Metric Sets IS: 2984 & ISO: 3650					
Set No.	Grade: 'OO' (Reference) Rs.	Calibration Grade: 'K' Rs.	Grade: 'O' (Calibration) Rs.	Grade: 'I' (Inspection) Rs.	
M122/1	221000	203400	158900	138100	
M121/1	219700	202000	157900	137200	
M112/1	188800	173800	135800	118000	
M103/1	180600	166000	129900	112900	
M88/1	133900	123200	96100	83600	
M47/1	94800	87200	68100	59300	
M46/1	89700	82600	64600	56100	
M32/1	49900	45900	36000	31250	
M18/1	20500	18900	14800	12800	
M9/1	10100	9300	7400	6400	
M2/1	2100	2000	1500	1300	
M112/2	179400	165000	129000	112100	
M88/2	127000	117000	91250	79400	
M46/2	--	--	61250	53250	
M32/2	--	--	34150	29650	
M18/2	--	--	14500	12150	
M9/2	--	--	7000	6150	
M2/2	--	--	1500	1350	
INCH SETS TO BS:4311					
SET No.	Grade: 'K'	Grade: 'O'	Grade: 'I'		
E81	117800	84650	73650		
E41	94000	67400	58650		
E36	53150	38250	33250		
E9	10000	7000	6100		
E2	2200	1550	1350		

20 - Plain Snap Gauge (Fixed) – Single Ended / Double Ended – with certificate (IS-8023-1991)



Swastik make Size mm	1-5	5-20	20-30	30-40	40 - 50	50 - 60	60 - 70	70 - 80	80 - 90	90 - 100
Single Ended Rs.	420	340	420	485	550	625	755	865	965	1140
Double Ended Rs.	540	485	525	550	625	965	1070	1270	1355	1520
Swastik make Size mm	100-112	112-140	140-160	160-180	180-200	200-225	225-250	250-275	275-300	
Single Ended Rs.	1310	1520	1680	1860	1995	2130	2520	3030	3240	
Advance make Size mm	1-3	3-10	10-16	16-25	25-32	32-40	40-50	50-63	63-70	70 - 80
Single Ended Rs.	630	580	650	830	960	1060	1300	1380	1460	1570
Double EndedRs.	880	830	940	1170	1350	1490	1800	2020	2140	2300
Advance make Size mm	80-90	90-100	100-112	112-125	125-140	140-160	160-180	180-200	200-225	225-250
Single Ended Rs.	1850	2060	2280	2490	2660	2900	3280	3580	3970	4480
Double EndedRs.	2720	3180								

21 - Plain Snap Gauge – Combination - Single Ended / Double Ended - with certificate – Swastik

Size mm	25 – 50	25 – 50
Step mm	5.0	5.0
No.of pcs.	6	6
Ended	Double	Single
Rs.	3500	2700

22 – Plain Plug Gauges H7 and Other Std – with certificate – Swastik / Advance / Baker make



Size - mm	3 – 9	10 – 19	20 – 29	30 –39	40 – 49	50 – 59	60 – 69	70 – 79	80 – 89
Swastik Rs.	275	310	450	550	625	755	830	965	1205
Advance Rs.	410	480	610	820	970	1160	1750	2200	2400
Calibration Rs.	250	300	350	400	450	500	550	600	650

Size – mm	90 - 99	100 - 119	120-139	140-159	160 – 179	180 – 199	200 - 225	225 - 250	250 - 300
Advance Rs.	2900	2700	2650	2750	2800	2900	3000	3050	3150
Swastik Rs.	1345	1450	1520	1620	1725	1895	2005	2310	2650

Size – mm	275-300	300-325	325-350	350-375	375-400
Advance Rs.	3600	4050	4450	3800	5200

22 - 1 | Reversible Pin Type Plug Gauge – Swastik

Size mm	0.5 – 1	1.01 – 3	3.01 – 10	3-6	6-12
Swastik Rs.	300	345	375	-	-
Advance Rs.	500	475	-	550	660

22 – 2 | Plain Rings Gauges – With certificate – Swastik / Advance / Baker make

Rings – mm / inch	5 – 9	10 – 19	20 – 29	30 – 39	40 – 49	50 – 59	60 – 69	70– 79	80- 89	90– 99	100- 109	110– 119
Swastik Rs.	750	600	675	720	790	900	975	1050	1430	1800	2220	2470
Advance Rs.	770	600	660	720	880	1075	-	-	-	-	-	-
Baker Rs.	1290	990	990	990	990	990	1290	1290	1750	1750	261	2610

Rings –mm/In	120–129	130–139	140–149	150–159	160–169	170-179	180-189	190-199	200-212	213-224
Swastik Rs.	2850	3370	4270	4650	5550	5960	7390	9830	-	-
Baker Rs.	3210	3210	3830	4650	5460	5840	6550	6960	8720	9880

Rings –mm/In	200 - 225	225 – 235	235 - 250
Swastik Rs.	12780	15300	17815

Small rings	1 – 1. 50	1. 50 – 2. 50	2. 50 – 5. 00
Baker Rs.	3490	1970	1290

Plain Ring Set size 5 to 50mm – step of 5mm – 10 pc set - Rs. 5600.00

22 – 3 Master Setting Discs - Swastik

Size mm	3 – 10	10 – 20	20 – 40	40 – 60	60 – 80	80 – 100	100 – 120	120 – 135	135 – 150
Swastik Rs.	390	485	590	755	1010	1415	1895	2625	3035
Baker Rs.(only Go)	890	680	800	920	1070	1240	1540	2170	2830

Size – mm	90 - 99	100 - 119	120-139	140-159	160 – 179	180 – 199	200 – 219
Baker Rs. (only Go)	1240	1540	2170	2830	3610	4140	4540

22 – 4 Plain Key Way Gauges – Go + Nogo - With certificate– Swastik

Size mm	1-2	2 – 5	5 – 20	20 – 40	40 - 50	50-80	80-100
Swastik Rs.	415	315	415	485	515	745	790

22 – 5 Plain Plug Gauge – Combination - Single Ended / Double Ended - with certificate – Swastik

Size mm	5 – 25	5 – 55	5 – 55	5 – 55	10 – 50mm
Step mm	2.5	1	5	5	5
No. of pcs.	9	51	11	11	9
Ended	Double	Single	Double	Single	Single
Rs.	3650	14865	5750	3100	4125

22 - 6	Thread Ring gauge – only Go - 20 x 2.5 & 21 x 1.5 mm	Wear block 1 / 2 mm – pair
	Rs.1650 + 1650 thm or quality master make	Rs.1400

23 - Telescopic Gauge / Hole Gauge



Range-mm	Disc %	Telescopic 8 – 150	Hole 3 – 13
Insize Rs.		1715	1139
Code		4206-1	4208-01
Aerospace Rs.	10	1125	1480
M & W Rs.vvv		950	800
Mitutoyo Rs.	5	8722	3485
Code		155-905	154-902

24 – Dial Gauge / Plunger Dial / Dial Indicator – mm



Range-mm	W	C	D%	10	5	20 / 25	30	50	100	1	5	5	12
Least Count				0.01	0.01	0.01	0.01	0.01	0.01	0.001	.001	.002	.002
Insize Rs.	12	Y		1504	1782	2440	3719	6942	17860	4111			
Code				2308-10A	2308-5FA	2302-25	2310-30A	2309-50	2309-100D	2313-1A			
Aerospace Rs. / Asahi		N	10	440	810	1320				1890		1500	
Advance Rs.		N	10	800									
M & W Rs.	6	N		1000	1300	1800	1950	4300		2150			
Kann Rs.	12	Y	10	600	650	1600	1200	1600		1200		1210	
Code				M2	M7	M2/25	M2/30	M2/50		M2/10			
Baker Rs.	12	Y	15	1240	1165	2245		5300		2730		3225	5230
Code				K02	K04	K08		J72		J17A		K12	K14
Precision Rs.	12	Y	20	1100		2500				3000			
Peacock	12	N	5	1880									
Mitutoyo Rs.	12	Y	5	1694	2636	4260	5665	6526	18093	3514	6223		
Code				2046	1044	2050	2052	3058	3062	2109	2119		
Calibration Rs.				300	300	400	450	600	750	300	400	400	500

⇒ 20% Discount only on Ko2 baker model

25 – Lever / Puppet Dial / Dial Test Indicator



Range – mm	W	C	D%	Page No	0.8	0.8	0.8	0.2	0.2	0.14	0.14	0.8
Least count					0.01	0.01	0.01	0.002	0.002	0.001	0.001	0.01
Accessory		N			with	without	without	with	without	With	Without	Without
Insize Rs.	12	Y				2243	2714	4537	4589			
Code				2		2380-08	2381-08	2380-02	2381-02			
Aerospace Rs.		N	10		1920	1240		3600	--	---	---	
Advance Rs.		N	10			1550						
M & W Rs.	6	N				2000			2800			
Baker Rs.	12	Y	15		3710	2940	4120	7350	6725			5400
Code				4-5	302	302A	306A	308	308A			302L
Precision	12	Y	20		2600							
Mitutoyo Rs.	12	N	5		5522	4267		5503		9132	5890	5503
Code (513)				6-7-8-9	517	404A		405E		501T	401E	415E
Calibration					300	300	300	300	300	300	300	300

26 - Magnetic Stand / Dial Gauge Stand

Standard



Universal



With Fine Adjustment



Flexible Stand



Mic. stand



TYPE	W	C	D%	Standard	Std – with fine	Universal	Flexible	Heavy Duty	Mic. stand
Insize Rs.	12	N		967	887	2733	2285		766
Code				6200-60	6201-60	6208-80A	6207-80A		6301
Aerospace Rs.		N	10	530	550	1200	1400		840
M & W Rs.	6	N		900	900		1700		750
Groz Rs.			22		2080	2970			
Code					MB31/F	MB32/F			
Jafuji Rs.		Y	18	1250	1600	2800		2100	
Code				JMB 102	JMB 103	JMB 106		JMB 101	
Mitutoyo Rs. C	12	N	5	1519	1694	12266	3376		
Code				7010	7011	7019 / 7033B	7012		

27 – Dial Vernier Caliper [Least Count – 0.02 mm]



DIAL CALIPER

Range-mm	W	C	D %	0 - 100	0-150	0-200	0-300	0 – 450	0 – 600
Insize Rs.	12	Y			2208	2941	5087		
Code					1312-150A	1312-200A	1312-300A		
Aerospace Rs.		N	10		850	1270	1720	7130	9380
Advance Rs.		N	10		1400	2000	2650		
M & W Rs.	6	N		1200	2100	2800	4100	7500	8500
M & W Titanium Rs.	6	N			2500	3500	4800		
Baker Rs.	12	Y	15		2610	4370	5820		
Code					DC 10	DC 20	DC30		
Precision – Std. Rs.	12	Y	20		2200	3000	4800		
Precision – Premium Rs.	12	Y	20		2700	3400			
Mitutoyo Rs.	12	Y	5		4393	6137	8911		
Code					505-730	505-731	505-745		
Mitutoyo Rs. – inch	12		5		6325	8015			
Code		Y			505-675	505-676			
Calibration Rs.					250	325			

28 | Screw Pitch / Thread Micrometer 0 – 25 mm x 0.01 (0.4 – 7 mm pitch – 6 set)



Make	Cert	AerospaceRs. / QLR	M & W Rs.	MitutoyoRs.
0 – 25 mm	N	3110	3600	11239
Code				126 - 125
25 – 50 mm	N	4150	4200	--
Disc %		10		5

* Mitutoyo price does not include anvil set
 * Price of Aerospace&Yamayo includes 6 pair anvil set.

29 - Assortment of Anvil –Spindle tips – 60 degree threads – Mitutoyo

Size – mm	D %	0.4 - 0.5	0.6 - 0.9	1.0 - 1.75	2.0 – 3.0	3.5 – 5.0	5.5 – 7.0
Size – TPI		64 – 48	44 – 28	24 – 14	13 – 9	8 – 5	4.5 – 3.5
Rs.	5	2513	2513	2513	2513	2513	2513
Code		126-801	126-802	126-803	126-804	126-805	126-806

30 - Depth Micrometer [Least Count – 0.01 mm



Range-mm	W	C	D%	Base L mm	0 – 25	0 – 50	0- 75	0 – 100	0–150	0-200	0 – 300
Insize Rs.	12	N		101.5x17	3100	3605	4340	4636	5908	8490	11511
Code (3240)					25	50	75	100	150	200	300
Insize Rs.		N		63x17	-----	-----	-----	-----	-----	-----	-----
Code (3240)					B25	B50	B75	B100	B150	B200	B300
Insize Rs.		N		101.5x17	4023	4738	5796	6454	7911	9684	12622
Code (3241)					25	50	75	100	150	200	300
Insize Rs.		N		63x17	4023	-----	-----	-----	-----	-----	-----
Code (3241)					B25	B50	B75	B100	B150	B200	B300
M & W Rs.	6	N			3000	4000	-	5000	6500	5500*	8500
Aerospace Rs		N	10	100	1970	1560	--	2440	3130		
Precision Rs.	12	Y	15		2800						
Baker Rs.	12	Y	15		4380						
Code					MMA25-DM						
Mitutoyo Rs.	12	N	5	101.6 x 16	4755	5079	5872	6637	8195		
Code					128-102	129-113	129-114	129-115	129-116		
Mitutoyo Rs.	12	N	5	63.5 X 16	4485	4890	5665	6439	7970		
Code					128-101	129-109	129-110	129-111	129-112		
Calibration Rs.					250	300	350	400	450	600	750

30 - 1 | Digital Depth Micrometer [Least Count – 0.001 mm]

Range-mm	W	C	D %	Base L mm	0 – 50	0 – 150	0 – 300
Insize Rs.	12	N		101.5 x 17	14885	17606	22890
Code (3540)					3540-50	3540-150	3540-300
Insize Rs.	12	N		63 x 17	12719	14940	18825
Code (3540)					3540-B50	3540-B150	3540-B300
Mitutoyo Rs.	12	N	5	101.6 x 16		25415	33187
Code						329-250	329-251
Calibration Rs.					300	450	750

31 – Comparator Stand – Granite and Cast Iron

Cast Iron Comparator Stand Granite Comparator Stand



Graph Datum – Granite - Centrally Mounted – Without Dial					
Size	250 x 150 h 200	250 x 150 h 300	250 x 150 h 200	300 x 300 h 200	300 x 300 h 300
Code	GCS - 1	GCS - 2	GCS - 3	GCS - 4	GCS - 5
Fine Adj.	Yes	Yes	No	Yes	Yes
Rod	Threaded	Threaded	Plain	Threaded	Threaded
Rs.	4070	4400	3630	4680	5040
Size	300 x 200 h 200	300 x 300 h 200	300 x 300 h 300	150 x 150 h 200	
Code	GCS - 6	GCS - 7	GCS - 8	GCS - 9	
Fine Adj.	No	No	No	No	
Rod	Threaded	Threaded	Threaded	Plain	
Rs.	4290	4680	4950	3300	

31 – 1 | Comparator Stand – Cast Iron – Luthra Make - Centrally Mounted – Without Dial

Size	60 Dia	125 x 100	225 x 150	200 x 200	300 x 300
Code	LCS-1C	LCS-2C	LCS-3C	LCS-4C	LCS-5C
Fine Adj. Rs.	2650	3100	4100	5100	6450
Without find Adj. Rs.	1650	2100	3000	3900	5100

*** 15% vat for Granite Stand or 2 % against C form.

*** 5 % vat for Cast Iron stand or 2 % against C form.

34 - Surface Comparison Chart



Make	Comparison Chart - Rubert	Sand Blasting - Rubert	M & W	Insize
Model	30 pc set – No. 130	4 pc set – SA 2.5	30 pc set	ISR-CS130-W
Rs.	3750	11500	4800	14204

35 - Angle Plate – Plain – Grade – Inspection–Make Luthra - with Calibration Cert.

Slotted Angle Plate



Plain Angle Plate



Size – inches	Disc %	4 x 4 x 4	5 x 5 x 5	6 x 6 x 6	8 x 8 x 8	10 x 10 x 10	12 x 12 x 12	18 x 18 x 18
LuthraRs.		800	1400	2200	3200	5950	9000	16750
SamratRs.	45	1350	2100	3450	6300	12000	19500	---

36 - Angle Plate – Slotted – Grade – Inspection – Make Luthra – with Calibration Cert.

L*B*H	Disc %	150 x 100 x 125	150 x 150 x 150	175 x 100 x 125	200 x 150 x 125	250 x 150 x 175	250 x 150 x 175
Rs.		1200	1400	1400	1700	3050	4800
L*B*H	Disc %	300 x 300 x 300	350 x 200 x 250	450 x 300 x 350	400 x 400 x 400	600 x 400 x 450	700 x 420 x 700
Rs.	5	7650	7800	13250	14000	24500	40000

38 –Block and Frame Level / Spirit Level / Master Level , least count 0. 02 mm per meter



	W	C	D %	Block				Frame			
Range-mm				100	150	200	300	100	150	200	300
Insize Rs.	12ss	N			8449	8907	11158	-----	-----	-----	-----
Code					4903-150	4903-200	4903-300	-----	-----	-----	-----
Asahi Rs.		N		3300	3630	4070	7370	5500	6050	6600	---
Aerospace Rs.		N			3000	3410	4150		4760	5490	7930
Milhard Rs	12	Y		4950	4950	5780	7430	7950	9900	12380	
Code				PBL-202	PBL-302	PBL-402	PBL-502	PSL-202	PSL-302	PSL-402	
M & W Rs.	6	N			4500	5200	7500		7000	8000	9800
Mitutoyo Rs.	12	N	5			25163				47155	
Code						960 - 603				960 - 703	
Calibration Rs.				2000	2250	2500	3000	3000	3250	3500	4500

Note:- Aerospace item once sold will not be taken back even if it is Faulty.

***** For Spare Bubble (M& W Make) @ Rs. 2500.00**

Note - Mitutoyo - Made in Mexico, without calibration certificate.

39 - Weld Gauges – Kristeel



Type	Weld Fillet	Bridge Cam	Automatic	Leaf	Hi Lo	Weld Gauge Cum Radius Gauge Set
Model	WG – A	BCWG	AUWG	LTWFG	HLWG	WGRG
Rs.	675	1250	1000	940	3800	900

Kristeel Discount: 30%

Calibration cert – Rs. 1000/- extra.

40 - Weld Gauges Imported / GAL / China


Bridge Cam Gauge

Hi – Low Gauge

Fillet Weld Gauge

V – Wac gauge

Digital Weld Gauge



Type	Bridge Cam	Hi Lo	Hi Lo	Hi Lo	Automatic	Digital	V Wac	Fillet Weld	Weld Gauge	Weld Gauge
Make	GAL USA	GAL USA	GAL USA	Giant	GAL USA	China	GAL USA	GAL USA	Insize	Kristeel
Model	WG-4	Cat # 1	Cat # 2	Cat # 2	W – 2	-	W – 12	W – 10	4835-1	3458
Rs.	10250	10500	3750	6350	3500	3000	4000	4500	2185	2900

Calibration cert -Rs.1000/- extra.

41 - Sine Bar



Size	D %	C	100	125	150	200	250	300
Samrat Rs.	45	N	2400	3000	3900	5700	7500	9300
Unity Rs.	5	Y	3230			4570		6980

Terms & Conditions –

- Goods offered - Subject to Prior Sale
- Price Validity: "15 Days from Date of Quotation"
- C.S.T 2% extra against form C. Otherwise 5% without form C For Out of Gujarat Sales only.
- VAT 5% extra for Sales within Gujarat. Prices Ex-Godown Ahmedabad.
- Payment against Proforma Invoice, Packing, Forwarding & Freight extra.
- **Bank Detail** – Kotak Mahindra Bank Ltd.
- **Branch** – Shivranjini
- **Bank IFSC Code** - KKBK 0000 810
- **Bank Account No.** 08102 00000 2689
- Note - While making payment online do mention your Company's name.
- TIN NO 24070901229 , CST No. 24570901229
- We are looking forward to your valued orders.
- **Note:-** Aerospace item once sold will not be taken back even if it is Faulty.

Terms & Conditions :

Delivery	Immediate
Payment	100% Against Proforma
Courier	To pay

Warranty	Period	Certificate	Repairs
Yes / No	6 mth / 1 yr	Company / NPL / NABL / Extra / At your end	Possible

è **Head Office – 1st Floor , Vyapar Bhavan , Kadia Kui , Relief Road , Ahmedabad - 380001**

Uday G Mehta	Shrikesh U Mehta	Mehul Jadav	Keshav Chavda	Dipak Parmar	Office	Manojbhai Mehta
Proprietor	CEO	Accounts	Marketing	Delivery	Ketan Parmar	Accounts
079 - 22134835	09327004639	09662164764	9375706649	9099780796	079- 22160386	09376125553

è **Branch Office 1 – B – 14 , Jayraj Complex , Soni Ni Chawl Cross Road , Odhav , Ahmedabad - 382415**

Popatlal Jadav	Shailesh Gohil – Office	Laxman Dodia	Kishor Chavda	Bhavik	Harshad
Branch Head	Debtor's Control	Delivery	Account / Purchase	Account / Sales	Any Enquiry
09375706648	09586614165	07383766051	7819819938	09426672568	7878825197

è **Dispatch Department : B – 14 , Jayraj Complex , Soni Ni Chawl Cross Road , Odhav , Ahmedabad - 382415**

Kishor bhai Shah	Naresh Solanki	Godown Landline No.	Laxman Dodia
Dispatch	Dispatch	Dispatch	Delivery
7874411947	07698556024 / 09409230832	079-65400202	07383766051

è **Marketing Persons :**

Harshad Solanki	Rahul Patel	Kinjal Kachhia
For Gujarat	For Gujarat	For Ahmedabad
7819819939	9662519942	7819819940

Tax Details

GST no.	CST no	PAN no	TDS no	IMPORT – EXPORT CODE
24070901229	24570901229	AA ZPM 6978 L	AHMU 01189 G	0807013137
01 / 07 / 2002	04 / 11 / 1981			

Bank Details – In the name of - BEARING & TOOLS CENTRE

Current Account no	Bank Name	Branch	MICR NO	SWIFT CODE	IFSC NEFT code
08102 000 00 2689	Kotak Mahindra Bank Ltd	Shivranjini , Satellite Road	380 485 004	KK BK IN BB	KK BK 0000 810

Associate Concerns

Relief Service centre – Collection / delivery at all branches - For Repair and Servicing of all instruments.
Blue Micron Calibration Centre – 9, Radhakrishna Estate , Rakhial , Ahmedabad – Calibration traceable to NPL / NABL

Ø **Prices Are Nett & Subject To Change Without Prior Notice. * All Claims Are Subject To Ahmedabad Jurisdiction Only. * We Do Not Take Any Responsibility Of Breakage Or Loss Of Parcel In Transit.**