



BEARING & TOOL CENTRE



Head Office

1st Floor, Vyapar Bhavan, Kadia Kui,
Relief Road, Ahmedabad - 380001.
Ph:- 079 - 22160386, 65254835, 22134835
Mobile : 7819819941, 9375706649

Ahmedabad Branch

GF-B-14, Jayraj Complex, Nr. Soni ni Chawl,
Odhav, Ahmedabad - 382415.
Ph:- 079 - 22890202, 65458950, 65404657, 65400202
Mobile : 7878825197, 7819819938, 9375706648

Website : www.bearingtoolcentre.com, www.bearingtoolscentre.com | Email : info@bearingtoolcentre.com

Our Sister Concern : RELIEF SERVICE CENTRE

Repairs, Removal of Jaw Error, Bore Gauge Extension, Instrument Modifications & Spares

Quotation

165 Linear Scale / Insize Make

Code No	Particulars	Catalog	Amount (Rs.)
ISL-A1-50	LINEAR SCALE, length 50mm, resolution 1 µm	Page No. 3	21171
ISL-A1-100	LINEAR SCALE, length 100mm, resolution 1 µm	Page No. 3	21171
ISL-A1-150	LINEAR SCALE, length 150mm, resolution 1 µm	Page No. 3	21171
ISL-A1-200	LINEAR SCALE, length 200mm, resolution 1 µm	Page No. 3	21171
ISL-A1-250	LINEAR SCALE, length 250mm, resolution 1 µm	Page No. 3	21171
ISL-A1-300	LINEAR SCALE, length 300mm, resolution 1 µm	Page No. 3	21171
ISL-A1-350	LINEAR SCALE, length 350mm, resolution 1 µm	Page No. 3	21171
ISL-A1-400	LINEAR SCALE, length 400mm, resolution 1 µm	Page No. 3	21171
ISL-A1-450	LINEAR SCALE, length 450mm, resolution 1 µm	Page No. 3	21171
ISL-A1-500	LINEAR SCALE, length 500mm, resolution 1 µm	Page No. 3	21171
ISL-A1-550	LINEAR SCALE, length 550mm, resolution 1 µm	Page No. 3	21757
ISL-A1-600	LINEAR SCALE, length 600mm, resolution 1 µm	Page No. 3	22344
ISL-A1-650	LINEAR SCALE, length 650mm, resolution 1 µm	Page No. 3	22931
ISL-A1-700	LINEAR SCALE, length 700mm, resolution 1 µm	Page No. 3	23517
ISL-A1-750	LINEAR SCALE, length 750mm, resolution 1 µm	Page No. 3	24104
ISL-A1-800	LINEAR SCALE, length 800mm, resolution 1 µm	Page No. 3	24691
ISL-A1-850	LINEAR SCALE, length 850mm, resolution 1 µm	Page No. 3	24985
ISL-A1-900	LINEAR SCALE, length 900mm, resolution 1 µm	Page No. 3	25277
ISL-A1-950	LINEAR SCALE, length 950mm, resolution 1 µm	Page No. 3	26158
ISL-A1-1000	LINEAR SCALE, length 1000mm, resolution 1 µm	Page No. 3	27038
ISL-A5-50	LINEAR SCALE, length 50mm, resolution 5 µm	Page No. 3	19411
ISL-A5-100	LINEAR SCALE, length 100mm, resolution 5 µm	Page No. 3	19411
ISL-A5-150	LINEAR SCALE, length 150mm, resolution 5 µm	Page No. 3	19411
ISL-A5-200	LINEAR SCALE, length 200mm, resolution 5 µm	Page No. 3	19411
ISL-A5-250	LINEAR SCALE, length 250mm, resolution 5 µm	Page No. 3	19411
ISL-A5-300	LINEAR SCALE, length 300mm, resolution 5 µm	Page No. 3	19411
ISL-A5-350	LINEAR SCALE, length 350mm, resolution 5 µm	Page No. 3	19411
ISL-A5-400	LINEAR SCALE, length 400mm, resolution 5 µm	Page No. 3	19411
ISL-A5-450	LINEAR SCALE, length 450mm, resolution 5 µm	Page No. 3	19411
ISL-A5-500	LINEAR SCALE, length 500mm, resolution 5 µm	Page No. 3	19411
ISL-A5-550	LINEAR SCALE, length 550mm, resolution 5 µm	Page No. 3	19411
ISL-A5-600	LINEAR SCALE, length 600mm, resolution 5 µm	Page No. 3	19411
ISL-A5-650	LINEAR SCALE, length 650mm, resolution 5 µm	Page No. 3	19411
ISL-A5-700	LINEAR SCALE, length 700mm, resolution 5 µm	Page No. 3	19411
ISL-A5-750	LINEAR SCALE, length 750mm, resolution 5 µm	Page No. 3	19411
ISL-A5-800	LINEAR SCALE, length 800mm, resolution 5 µm	Page No. 3	19411
ISL-A5-850	LINEAR SCALE, length 850mm, resolution 5 µm	Page No. 3	20877

ISL-A5-900	LINEAR SCALE, length 900mm, resolution 5 µm	Page No. 3	22344
ISL-A5-950	LINEAR SCALE, length 950mm, resolution 5 µm	Page No. 3	23224
ISL-A5-1000	LINEAR SCALE, length 1000mm, resolution 5 µm	Page No. 3	24104
ISL-B5-50	LINEAR SCALE, length 50mm, resolution 5 µm	Page No. 3	19411
ISL-B5-100	LINEAR SCALE, length 100mm, resolution 5 µm	Page No. 3	19411
ISL-B5-150	LINEAR SCALE, length 150mm, resolution 5 µm	Page No. 3	19411
ISL-B5-200	LINEAR SCALE, length 200mm, resolution 5 µm	Page No. 3	19411
ISL-B5-250	LINEAR SCALE, length 250mm, resolution 5 µm	Page No. 3	19411
ISL-B5-300	LINEAR SCALE, length 300mm, resolution 5 µm	Page No. 3	19411
ISL-B5-350	LINEAR SCALE, length 350mm, resolution 5 µm	Page No. 3	19411
ISL-B5-400	LINEAR SCALE, length 400mm, resolution 5 µm	Page No. 3	19411
ISL-B5-450	LINEAR SCALE, length 450mm, resolution 5 µm	Page No. 3	19411
ISL-B5-500	LINEAR SCALE, length 500mm, resolution 5 µm	Page No. 3	19411
ISL-B5-550	LINEAR SCALE, length 550mm, resolution 5 µm	Page No. 3	19411
ISL-B5-600	LINEAR SCALE, length 600mm, resolution 5 µm	Page No. 3	19411
ISL-B5-650	LINEAR SCALE, length 650mm, resolution 5 µm	Page No. 3	19411
ISL-B5-700	LINEAR SCALE, length 700mm, resolution 5 µm	Page No. 3	19411
ISL-B5-750	LINEAR SCALE, length 750mm, resolution 5 µm	Page No. 3	19411
ISL-B5-800	LINEAR SCALE, length 800mm, resolution 5 µm	Page No. 3	19411
ISL-B5-850	LINEAR SCALE, length 850mm, resolution 5 µm	Page No. 3	20877
ISL-B5-900	LINEAR SCALE, length 900mm, resolution 5 µm	Page No. 3	22344
ISL-B5-950	LINEAR SCALE, length 950mm, resolution 5 µm	Page No. 3	23224
ISL-B5-1000	LINEAR SCALE, length 1000mm, resolution 5 µm	Page No. 3	24104
ISL-B5-1100	LINEAR SCALE, length 1100mm, resolution 5 µm	Page No. 3	25864
ISL-B5-1200	LINEAR SCALE, length 1200mm, resolution 5 µm	Page No. 3	28798
ISL-B5-1300	LINEAR SCALE, length 1300mm, resolution 5 µm	Page No. 3	31732
ISL-B5-1400	LINEAR SCALE, length 1400mm, resolution 5 µm	Page No. 3	34665
ISL-B5-1500	LINEAR SCALE, length 1500mm, resolution 5 µm	Page No. 3	37599
ISL-B5-1600	LINEAR SCALE, length 1600mm, resolution 5 µm	Page No. 3	40533
ISL-B5-1700	LINEAR SCALE, length 1700mm, resolution 5 µm	Page No. 3	43466
ISL-B5-1800	LINEAR SCALE, length 1800mm, resolution 5 µm	Page No. 3	46399
ISL-B5-1900	LINEAR SCALE, length 1900mm, resolution 5 µm	Page No. 3	49333
ISL-B5-2000	LINEAR SCALE, length 2000mm, resolution 5 µm	Page No. 3	60318

*** W – Warranty for 6 months

Terms & Conditions –

- Goods offered - Subject to Prior Sale
- Price Validity: "15 Days from Date of Quotation"
- C.S.T 2% extra against form C. Otherwise 5% without form C For Out of Gujarat Sales only.
- VAT 5% extra for Sales within Gujarat. Prices Ex-Godown Ahmedabad.
- Payment against Proforma Invoice, Packing, Forwarding & Freight extra.
- **Bank Detail** – Kotak Mahindra Bank Ltd.
- **Branch** – Shivranjini
- **Bank IFSC Code** - KKBK 0000 810
- **Bank Account No.** 08102 00000 2689
- Note - While making payment online do mention your Company's name.
- TIN NO 24070901229 , CST No. 24570901229
- We are looking forward to your valued orders.


INSIZE MAKE

LINEAR SCALE




ISL-A1-300

Series ISL-A1 and ISL-A5



Series ISL-B5



STANDARD DELIVERY

Main unit	1pc
'L' shape support	1pc
Anti-dust cover	1pc
Plain base	1pc (for L ≥ 1500mm)
Mounting accessories	1 package



Effective length (L)	Code		
	Series ISL-A1	Series ISL-A5	Series ISL-B5
50mm	ISL-A1-50	ISL-A5-50	ISL-B5-50
100mm	ISL-A1-100	ISL-A5-100	ISL-B5-100
150mm	ISL-A1-150	ISL-A5-150	ISL-B5-150
200mm	ISL-A1-200	ISL-A5-200	ISL-B5-200
250mm	ISL-A1-250	ISL-A5-250	ISL-B5-250
300mm	ISL-A1-300	ISL-A5-300	ISL-B5-300
350mm	ISL-A1-350	ISL-A5-350	ISL-B5-350
400mm	ISL-A1-400	ISL-A5-400	ISL-B5-400
450mm	ISL-A1-450	ISL-A5-450	ISL-B5-450
500mm	ISL-A1-500	ISL-A5-500	ISL-B5-500
550mm	ISL-A1-550	ISL-A5-550	ISL-B5-550
600mm	ISL-A1-600	ISL-A5-600	ISL-B5-600
650mm	ISL-A1-650	ISL-A5-650	ISL-B5-650
700mm	ISL-A1-700	ISL-A5-700	ISL-B5-700
750mm	ISL-A1-750	ISL-A5-750	ISL-B5-750
800mm	ISL-A1-800	ISL-A5-800	ISL-B5-800
850mm	ISL-A1-850	ISL-A5-850	ISL-B5-850
900mm	ISL-A1-900	ISL-A5-900	ISL-B5-900
950mm	ISL-A1-950	ISL-A5-950	ISL-B5-950
1000mm	ISL-A1-1000	ISL-A5-1000	ISL-B5-1000
1100mm		ISL-A5-1100	ISL-B5-1100
1200mm			ISL-B5-1200
1300mm			ISL-B5-1300
1400mm			ISL-B5-1400
1500mm			ISL-B5-1500
1600mm			ISL-B5-1600
1700mm			ISL-B5-1700
1800mm			ISL-B5-1800
1900mm			ISL-B5-1900
2000mm			ISL-B5-2000
2100mm			ISL-B5-2100
2200mm			ISL-B5-2200
2300mm			ISL-B5-2300
2400mm			ISL-B5-2400
2500mm			ISL-B5-2500
2600mm			ISL-B5-2600
2700mm			ISL-B5-2700
2800mm			ISL-B5-2800
2900mm			ISL-B5-2900
3000mm			ISL-B5-3000
3100mm			ISL-B5-3100
3200mm			ISL-B5-3200

SPECIFICATION

Code	Series ISL-A1		Series ISL-A5		Series ISL-B5	
L1 (mm)	L+30(L<950)	L+50(L≥ 950)	L+30(L<950)	L+50(L≥ 950)	L+30(L<950)	L+50(L≥ 950)
L2 (mm)	L+132(L<950)	L+152(L≥ 950)	L+132(L<950)	L+152(L≥ 950)	L+136(L<950)	L+156(L≥ 950)
L3 (mm)	L+149(L<950)	L+169(L≥ 950)	L+149(L<950)	L+169(L≥ 950)	L+154(L<950)	L+174(L≥ 950)
Resolution	1μm		5μm		5μm	
Max. response speed	50m/min		90m/min		60m/min	
Scale grating pitch	20μm					
Scale reference point pitch	50mm					
Accuracy	±(5+5L/1000)μm L is the effective length in mm					
Cable length	3.5m (L: 50-950mm), 5m (L: 1000-1500mm), 10m (L: 1600-3200mm)					