

FRANCHISE / DEALERSHIP INQUIRY SOLICITED



BEARING & TOOL CENTRE

PRICE LIST 2017-18



MEASURING & TESTING INSTRUMENTS

Creating Distribution Network



BEARING & TOOL CENTRE

HEAD OFFICE :
1st Floor, Vyapar Bhavan, Kadia Kui, Relief Road, Ahmedabad - 380 001.
Ph.: 079 - 2213 4835, 2216 0386 M.: 93757 06649, 78198 19941

AHMEDABAD BRANCH :
B-14, Ground Floor, Jayraj Complex,
Nr. Soni Ni Chawl, Odhav, Ahmedabad - 382 415.
Ph.: 079-2289 0202, 2297 1776, M.: 93757 06648, 78198 19938

BARODA BRANCH :
108, First Floor, Brij Industries, Plot No. A-2-10,
GIDC, Makarpura, Susan Char Rasta, Baroda - 390 010.
M.: 96248 99954

Sister Concern : RELIEF SERVICE CENTRE (For Repairs & Spares)

bearingtoolscentre
 BearingTools
 +BearingToolCentreAhmedabad

www.bearingtoolscentre.com
www.verniermicrometerdial.com
www.measuringtestinginstrument.com
www.bearingtoolcentre.com
www.bearingtoolcentre.in

info@bearingtoolcentre.com

BEARING & TOOL CENTRE, A Proprietorship concern established in 1981, with 29 teammates , 110 partner dealers (20 active dealers Fuelling Growth) and sales of 12 Crore INR in the year 2015 -16 and 17 Crore in the year 2016-17, within and outside India.

Vision :

Establish ourselves as **Promoter and Distributor of Brands** which provide **Value for Money Products** in the field of Dimension & Testing at National Level.

Process to achieve our Vision :

We create awareness through Industrial Exhibitions, Websites, E-Commerce websites, & mails to update the visitors / customers and stay connected with them. This generates demand and we fulfill the same, by timely supply through our distribution channel at reasonable prices.

Values :

Provide Solution & Serve without Expectations.

Success Story :

- ◆ We are at presently working with the Brand mention in the index to create brand value and demand.
- ◆ Our contribution in promoting brands like **Kann, Metrix+, MGW, Peacock, Ultra** And **Utek** have made them more popular.

The Reasons of Success are Mentioned Below :

- ◆ Do Official Business.
- ◆ Fixed Pricing. No Regret Prices and Immediate Quotes.

Looking For :

We are interested in tying up with National and International Brands that are looking for some assistance to develop their market in India.



Calibration Lab



Sales



Account



Display

INDEX		
BRAND	INSTRUMENT	Page No.
AEROSPACE	Measuring	07
ARUN	Hardness	25
BAKER / SWASTIK	Dial & Gauges	09-10
C P	Deburring Tool	21
GROZ	Vice, Pumps, Grease gun	18
KANN / ADIS	Dial & Thickness Gauge	08
KRISTEEL	Scales & Gauges	13-14
LUTRON / EUROLAB	Testing	20
MASTER METROLOGY	Thread & Air Gauges	12
METRIX+	Testing	19
MITUTOYO	Measuring	03-04
M G W	Measuring	05-06
PEACOCK	Dial Gauges	02
NABL CALIBRATION	Calibration Charges	27
LUTHRA / SUPER	Surface Plate & Comparator stand	23
SPECIAL PRODUCT	Attachment	24
TOPTUL	Torque Wrenches	15-16
TORQUE MASTER	Torque Wrenches & Multipliers	22
ULTRA	Vices, Angle Plates	17
UNIVERSAL	Thread Gauge	11
μTEK / NIGATA SEIKI	Measuring	22



Office



Godown



Marketing



Staff Members



Inside Showroom



PROMOTER

PEACOCK®

Warranty Against Manufacturing Defect 12 Months.

5% Discount

DIAL INDICATOR - STANDARD

0.01mm

1	Code No	mm	₹	Qty.
	107	10	2190	
	57	5	2404	




0.001mm

2	Code No	mm	₹	Qty.
	5B	1	4437	
	25	2	8716	

ONE REVOLUTION

0.001mm

3	Code No	mm	₹	Qty.
	15Z	0.16	7312	



0.01mm

4	Code No	mm	₹	Qty.
	15DZ	0.16	9154	

LONG TRAVEL

0.01mm

5	Code No	mm	₹	Qty.
	207	20	5245	
	307	30	8233	
	507	50	11131	



MINIATURE DIAL GAUGE

0.01mm

6	Code No	mm	₹	Qty.
	47	4	3662	



BACK PLUNGER DIAL GAUGE

0.01mm

7	Code No	mm	₹	Qty.
	196A	5	5054	



CYLINDER GAUGES

(CC Series) (Std. Type) Price without Dial Indicator

8	Code No	mm	₹	Qty.
	CC-02	06-10	15365	
	CC-01	10-18	13748	
	CC-1	18-35	9278	
	CC-2	35-60	9603	
	CC-3C	50-150	11535	
	CC-4	100-160	20656	
	CC-5	160-250	22700	
	CC-6	250-400	39874	



CYLINDER GAUGES

(CG Series) (Blind Bore Type) Price without Dial Indicator

9	Code No	mm	₹	Qty.
	CG-01	10-18	23351	
	CG-1	18-35	11502	
	CG-2	35-60	11726	
	CG-3	50-100	13074	
	CG-3C	50-150	13860	
	CG-4	100-160	41255	
	CG-5	160-250	57688	
	CG-6	250-400	72884	



APPLIED CONTACT POINTS

Without Dial

10	Code No	mm	Angle	₹	Qty.
	XZ-1	1.2	45	13411	
	XZ-2	1.2	60	12962	



LEVER TYPE DIAL INDICATOR

Without Change Lever, Miniature Bearing Used 0.01mm

11	Code No	mm	₹	Qty.
	PCN-1B	0.8	5526	
	PCN-1L	1.0	5863	



0.002mm

12	Code No	mm	₹	Qty.
	PCN-2B	0.2	7716	

0.001mm

13	Code No	mm	₹	Qty.
	PCN-S	0.14	6874	

SPECIAL TYPE TEST INDICATORS

Non-electrifying & Complete Anti Magnetic (U Series) 0.01mm

14	Code No	mm	₹	Qty.
	PCN-1LU	1.0	9075	
	PCN-1BU	0.8	7627	



0.001mm

15	Code No	mm	₹	Qty.
	PCN-SU	0.14	9359	

SPECIAL TYPE TEST INDICATORS

Super Low Measuring Force (E Series) 0.01mm

16	Code No	mm	₹	Qty.
	PC-1BE	0.8	5818	
	PC-1LE	1.0	7267	



INSIDE DIAL CALIPER

(LB Series) 0.01mm

17	Code	mm	Throat Depth mm	₹
	LB-3	10-30	50	23902
	LB-4	10-30	100	21857
	LB-5	20-40	150	25879
	LB-6	30-50	80	23812
	LB-8	100-120	90	22216
	LB-9	20-40	130	22598



0.1mm

18	Code	mm	Throat Depth mm	₹
	LB-1	10-90	125	21565
	LB-2	10-90	180	22430

OUTSIDE DIAL CALIPER

(LA Series) 0.1mm

19	Code	mm	Throat Depth mm	₹
	LA-1	10-18	120	15197
	LA-2	18-35	240	24216
	LA-3	50-100	400	32910
	LA-11	0-50	125	25396
	LA-13	0-130	235	26260
	LA-21	0-80	220	30113
	LA-23	0-80	300	33202
	LA-24	0-100	600	92698



DIAL THICKNESS GAUGES

0.01mm

20	Code No	mm	₹	Qty.
	G	0-10	3313	
	G2	0-20	11074	
	G3	0-30	13063	
	G4	0-65	14085	



DIAL PIPE GAUGES

0.01mm

21	Code No	mm	₹	Qty.
	P-1	0 - 10	3426	
	P-2	0 - 15	9367	
	P-3	0 - 15	27900	



DIAL THICKNESS GAUGES

0.001mm

22	Code No	mm	₹	Qty.
	G 6C	0-1	10884	



DIAL THICKNESS GAUGES

(Roller Type) 0.01mm

23	Code No	mm	₹	Qty.
	HR-1	0-15	31393	



DIAL SHEET GAUGES

0.01mm

24	Code No	mm	₹	Qty.
	K-1	0-20	79747	
	K-3	0-20	93226	



DIAL THICKNESS GAUGES

T.D - Throat Depth 0.01mm

25	Code No	mm	T.D.	₹	Qty.
	H	0-10	120	3729	
	H-2	0-10	170	13658	



CONSTANT PRESSURE THICKNESS GAUGES

0.001mm

26	Code No	mm	₹	Qty.
	FFG-1	2	25575	



DIAL DEPTH GAUGES

0.01mm

27	Code No	mm	₹	Qty.
	T1-W	0-220	11322	



DIGITAL DEPTH GAUGES

28	Code No	mm	₹	Qty.
	T1-205	20 x 0.001	45995	
	T1-257	20 x 0.01	33662	



LINEAR GAUGES

29	Code No	mm	₹	Qty.
	D-10	10 x 0.01	19330	
	D-10HS	10 x 0.001	47377	



SIGNAL GAUGE

(Popular in Bearing Industry) 0.01mm

30	Code No	mm	₹	Qty.
	S-7	1.0(±0.5)	25115	



• For Requirement of spares visit <http://www.peacockzaki.jp/eng.htm>

• In Case of Complaint / Repairs, Contact **Reliance Calibration Laboratory**

• SK Quench Hardened Stem Does Not Allow Mal-Function Due to Excess Fastening,

• Water Proof, Dust - Proof & Shock Proof Mechanism. Metal Bezel. • One Side Rack Good for Spindle Strength.



5% Discount

Warranty Against Manufacturing Defect 12 Months.

VERNIER CALIPER
Without Fine - 0.02mm / 0.001"

1	Code No	mm	₹	Qty.
	530-312	0-150	2234	
	530-118	0-200	2949	
	530-119	0-300	6463	

VERNIER CALIPER
With Fine - 0.02mm / 0.001"

2	Code No	mm	₹	Qty.
	532-119	0-150	2887	
	532-120	0-200	3640	
	532-121	0-300	7530	

VERNIER CALIPER
0.02mm / 0.001"

3	Code No	mm	₹	Qty.
	160-119	0-450	21380	
	160-103	0-600	21524	
	160-106	0-1000	42905	
	160-112	0-1500	94032	
	160-115	0-2000	124535	

DIAL VERNIER CALIPER
L.C. (0.02mm)

4	Code No	mm	₹	Qty.
	505-730	0-150	4393	
	505-731	0-200	6137	
	505-745	0-300	8911	

DIAL VERNIER CALIPER
L.C. (0.01mm)

5	Code No	mm	₹	Qty.
	505-732	0-150	4832	
	505-733	0-200	6626	

DIGIMATIC VERNIER CALIPER
0.01mm / 0.0005 inch

6	Code No	mm	₹	Qty.
	500-196	0-150	7216	
	500-197	0-200	8785	
	500-754	0-300	19453	
	500-505	0-450	42905	
	500-506	0-600	46795	
	500-507	0-1000	84918	

DEPTH VERNIER CALIPER
With Fine - 0.02mm

7	Code No	mm	₹	Qty.
	527-101	0-150	5773	
	527-102	0-200	6394	
	527-103	0-300	8862	
	527-104	0-600	31242	
	527-105	0-1000	33637	

DEPTH VERNIER CALIPER
Without Fine - 0.02mm

8	Code No	mm	₹	Qty.
	527-121	0-150	5431	
	527-122	0-200	5431	
	527-123	0-300	7295	

DIGIMATIC DEPTH VERNIER
L.C. (0.01mm)

9	Code No	mm	₹	Qty.
	571-211	0-150	19588	
	571-212	0-200	21975	
	571-203	0-300	25415	

INSIDE DIAL CALIPER
L.C. (0.02mm)

10	Code No	mm	₹	Qty.
	209-106	10-35	13455	
	209-107	35-55	15851	
	209-108	55-75	18687	

HEIGHT GAUGE
L.C. (0.02mm)

11	Code No	mm	₹	Qty.
	514-103	0-300	18574	
	514-105	0-450	36144	
	514-107	0-600	46184	
	514-109	0-1000	107428	
	514-170	0-1500	240694	

DIAL HEIGHT GAUGE
Double Column - 0.01mm

12	Code No	mm	₹	Qty.
	192-130	0-300	27610	
	192-131	0-450	41415	
	192-132	0-600	51455	
	192-133	0-1000	125500	

DIGIMATIC HEIGHT GAUGE
Single Column - Made in China - 0.01mm

13	Code No	mm	₹	Qty.
	570-312-302	0-300	22967	
	570-313	0-450	35768	
	570-314-304	0-600	40160	

DIGITAL HEIGHT GAUGE
Double Column - 0.01mm / 0.005 Inch

14	Code No	mm	₹	Qty.
	192-630	0-300	47941	
	192-631	0-450	66264	
	192-632	0-600	67268	
	192-633	0-1000	124245	

OUTSIDE MICROMETER
L.C. (0.01mm)

15	Code No	mm	₹	Qty.
	103-137	0-25	2071	
	103-138	25-50	2698	
	103-139	50-75	3138	
	103-140	75-100	3451	
	103-141	100-125	4800	
	103-142	125-150	5250	

COUNTER MICROMETER

16	Code No	mm	₹	Qty.
	193-101	0-25 x 0.01	5020	
	193-102	25-50 x 0.01	6484	
	193-111	0-25 x 0.001	5146	
	193-112	25-50 x 0.001	6574	

ADJUSTABLE OUTSIDE MICROMETER
L.C. (0.01mm)

17	Code No	mm	₹	Qty.
	104-171	0-50	6755	
	104-139	0-100	12257	
	104-135	0-150	14085	
	104-161	50-150	13383	
	104-136	150-300	20777	
	104-140	100-200	14500	
	104-141	200-300	17940	

ADJUSTABLE OUTSIDE MICROMETER
L.C. (0.01mm)

18	Code No	mm	₹	Qty.
	104-142	300-400	22425	
	104-143	400-500	24821	
	104-144	500-600	31548	
	104-145	600-700	34835	
	104-146	700-800	41265	
	104-147	800-900	32079	
	104-148	900-1000	56657	

OUTSIDE MICROMETER
L.C. (0.001")

19	Code No	mm	₹	Qty.
	103-177	0-1	2513	
	103-178	1-2	3197	
	103-179	2-3	3665	
	103-180	3-4	3990	
	103-181	4-5	4800	
	103-182	5-6	5250	

DIGIMATIC MICROMETER
L.C. (0.001mm)

20	Code No	mm & inch	₹	Qty.
	293-821	0-25	7530	
	293-240	0-25	7844	
	293-241	25-50	9162	
	293-242	50-75	11170	
	293-243	75-100	12048	
	293-250	100-125	21975	
	293-251	125-150	22425	
	340-251	0-150	33637	
	340-252	150-300	43652	

INSIDE MICROMETER
Jaw Type - 0.01mm

21	Code No	mm	₹	Qty.
	145-185	5-30	10717	
	145-186	25-50	11258	
	145-187	50-75	14428	

INSIDE MICROMETER
Interchangeable Rod Type - 0.01mm

22	Code No	mm	₹	Qty.
	141-101	25-50	6295	
	141-025	50-63	3783	
	141-205	50-200	8204	
	141-206	50-300	10582	

POINT MICROMETER
L.C. (0.01mm)

23	Code No	mm	Degree	₹	Qty.
	112-153	0-25	15°	5647	
	112-154	25-50	15°	7070	
	112-201	0-25	30°	5368	
	112-202	25-50	30°	5935	

Series 103 up to 100 mm, 505, 500, 293, 2046, 2109 come with **MITUTOYO INSPECTION CERTIFICATES.**

Prices Subject to Revision without prior Info. Prices may Fluctuate During Shortage. **Calibration Charges Extra.**

NABL Calibration For any New Instrument Purchase from us @ Rs. 200/-. Except for Item In set (Eg. Feeler / Slip Gauge Etc.)

In case of Complain, to be sent Directly to **MITUTOYO SOUTH ASIA, DELHI** for Repairs.



5 % Discount

Warranty Against Manufacturing Defect 12 Months.



TUBULAR INSIDE MICROMETER
Extension Rod Type - 0.01mm

24	Code No	mm	₹	Qty.
	137-011	50-63	4242	
	137-201	50-150	6980	
	137-202	50-300	9672	
	137-203	50-500	11483	
	137-204	50-1000	16742	
	137-205	50-1500	21380	



DIGIMATIC INSIDE MICROMETER
Jaw Type - 0.001mm

25	Code No	mm	₹	Qty.
	345-250	5-30	29405	
	345-251	25-50	31395	



DEPTH MICROMETER
Base - 101 mm - 0.01mm

26	Code No	mm	₹	Qty.
	128-102	0-25	4755	
	129-113	0-50	5079	
	129-114	0-75	5872	
	129-115	0-100	6637	
	129-116	0-150	8195	



TUBE MICROMETER
0.01 mm, S- Spherical, F- Flat

27	Code No	mm	₹	Qty.
	115-115	0-25 (S-F)	3242	
	115-215	0-25 (S-S)	3449	
	115-302	0-25 (Type A)	3936	
	115-308	0-25 (Type B)	3936	
	115-315	0-25 (Type C)	4737	
	115-316	0-25 (Type D)	4737	
	295-215	0-25 (S-S Counter)	6890	
	395-271	0-25 x 0.001mm	20182	



DISK MICROMETER
0.01 mm

28	Code No	mm	₹	Qty.
	123-101	0-25	6232	
	123-102	25-50	6637	
	123-103	50-75	7088	
	123-104	75-100	7520	



SCREW THREAD/ PITCH MICROMETER

29	Code No	mm	₹	Qty.
	126-125	0-25 Without Anvils	11239	
	126-801	0.4-0.5	2513	
	126-802	0.6-0.9	2513	
	126-803	1-1.75	2513	
	126-804	2-3	2513	
	126-805	3.5-5	2513	
	126-806	5.5-7	2513	



MAGNETIC STAND

30	Code No	Type	₹	Qty.
	7010	Std.	1519	
	7011	Std. with fine	1694	
	7019	Universal	12266	
	7012	Flexible	3376	



PRECISION BLOCK & FRAME LEVEL
Made in Mexico - 0.02mm/ per meter

31	Code NO.	Length(mm)	Type	₹	Qty.
	960-603	200	Block	25163	
	960-703	200 x 200	Frame	47155	



BEVEL PROTRACTOR

32	Code No	0-360°	₹	Qty.
	187-901	Mechanical - 5 min.	13366	
	187-502	Digital - 1'(0.01°)	55018	



BORE GAUGE
Without Dial Indicator

33	Code No	mm	₹	Qty.
	511-209	6-10	6087	
	511-201	10-18.5	7279	
	511-701	18-35	6714	
	511-702	35-60	6965	
	511-703	50-150	7907	
	511-704	100-160	13203	
	511-705	160-250	13931	
	511-706	250-400	18660	



DIAL INDICATOR
0.001mm

34	Code No	mm	₹	Qty.
	2109	1	3514	
	2119	5	6223	



DIAL INDICATOR
0.01mm

35	Code No	mm	₹	Qty.
	2046	10	1694	
	1044	5	2636	
	2050	20	4260	
	2052	30	5665	
	3058	50	6526	
	3062	100	18093	



DIGIMATIC DIAL GAUGE

36	Code No	mm	₹	Qty.
	543-681	10 x 0.01	8015	
	543-390	12.5 x 0.001	16001	
	543-551	25 x 0.001	28865	



DIAL TEST INDICATOR
With Accessory

37	Code No	mm	LC	₹	Qty.
	513-517	0.8	0.01	5522	
	513-501T	0.14	0.001	9132	



LEVER / DIAL TEST INDICATOR
Without Accessory

38	Code No	mm	₹	Qty.
	513-404A	0.8 x 0.01	4267	
	513-405E	0.2 x 0.002	5503	
	513-401E	0.14 x 0.001	5890	
	513-415E	1.0 x 0.01	5503	



DIAL THICKNESS GAUGE

39	Code No	mm	₹	Qty.
	7301	10 X 0.01 mm	3188	
	7327	1 x 0.001 mm	7142	
	547-401	10 x 0.001 mm	18998	



SURFACE ROUGHNESS TESTER

40	Code No	Model No.	₹	Qty.
	178-561-2E	SJ210	121500	



TELESCOPIC GAUGE

41	Code No	mm	₹	Qty.
	155-905	8-150	8772	



HOLE GAUGE

42	Code No	mm	₹	Qty.
	154-902	3-13	3485	



DIAL SNAP GAUGE
Without Dial Indicator

43	Code No	mm	₹	Qty.
	201-101	0-25	15995	
	201-102	25-50	16445	
	201-103	50-75	17346	
	201-104	75-100	17940	




RADIUS GAUGE

44	Code No	mm	₹	Qty.
	186-105	1-7	1540	
	186-106	7.5-15	1954	
	186-107	15.5-25	3557	
	186-110	0.4-6	2179	
	186-902	0.5-13	7160	




SCREW PITCH GAUGE

45	Code No	Range	Leaf	₹	Qty.
	188-122	0.4-7 mm	21	1378	
	188-101	4-42	30	1324	
	188-151	0.4-7+4-42	21+30	3017	



FEELER GAUGE
0.05 - 1 mm

46	Code No	Length (mm)	Leaf	₹	Qty.
	184-313	100	28	2360	
	184-303	150	28	2720	
	184-301	150	13	1450	



SLIP GAUGE 1 mm Base Block Sets

47	Code No	87 pcs	₹	Qty.
	516-946	0 Grade	125500	
	516-966	Inspection Grade	94125	



48	Code No	112 pcs	₹	Qty.
	516-938	0 Grade	163150	
	516-939	Inspection Grade	125500	



TECKLOCK INSIDE DIAL CALIPER

49	Code No	mm	Mea.Depth	₹	Qty.
	IM-880	20 - 35	50	14000*	
	IM-881	30 - 62	70	14000*	
	IM-882	55 - 153	90	15300*	



RSK PRECISION BLOCK LEVEL

50	Code No	mm	Sensitivity	₹	Qty.
	541-1502	150	0.02 mm/mtr.	8500*	
	542-2002	200	0.02 mm/mtr.	9350*	
	542-3002	300	0.02 mm/mtr.	12200*	

* 7327 = 7301 + 2109, * 547-401 = 7301 + 543-390

*RSK & TeckLock Prices are approximate & Nett.

* Note : We Guarantee 100% Original & Genuine Mitutoyo Product At All Times.

PROMOTER



5 % Discount

Warranty Against Manufacturing Defect 6 Months.




VERNIER CALIPER

With Fine 0.02mm / 0.001" Inch

1	Code	Range (mm / Inch)	₹	Qty.
	VCF 150	0-150 / 6"	1,100	
	VCF 200	0-200 / 8"	1,450	
	VCF 300	0-300 / 12"	2,700	
	VCF 450	0-450 / 18"	6,500	
	VCF 600	0-600 / 24"	6,800	
	VCF 1000	0-1000 / 40"	16,000	

HEAVY DUTY LONG JAW VERNIER CALIPER

(0.02mm / 0.001")




2	Code	Range (mm / Inch)	₹	Qty.
	VCL 450	0-450 / 0-18"	3,600	
	VCL 600	0-600 / 0-24"	4,200	
	VCL 1000	0-1,000 / 0-40"	9,500	
	VCL 1500	0-1,500 / 0-60"	24,000	
	VCL 2000	0-2,000 / 0-80"	40,000	



HEAVY DUTY LONG JAW SOLID TYPE VERNIER CALIPER

(0.02mm / 0.001")

3	Code	Range (mm / Inch)	₹	Qty.
	VCLS 300	0-300 / 0-12"	3,300	
	VCLS 450	0-450 / 0-18"	4,600	
	VCLS 600	0-600 / 0-24"	5,800	
	VCLS 1000	0-1,000 / 0-40"	12,500	
	VCLS 1500	0-1,500 / 0-60"	28,000	
	VCLS 2000	0-2,000 / 0-80"	49,000	



DIAL CALIPER DIN STANDARD

(0.01mm)

4	Code	Range(mm)	₹	Qty.
	DCF 150	0-150	2,400	
	DCF 200	0-200	3,000	

(0.02mm)

5	Code	Range(mm)	₹	Qty.
	DC 150	0-150	2,100	
	DC 200	0-200	2,800	
	DC 300	0-300	4,100	
	DC 450	0-450	7,500	
	DC 600	0-600	8,500	

(0.001")

6	Code	Range(Inch)	₹	Qty.
	DCS 6	6"	2,400	
	DCS 8	8"	3,000	

JIS STANDARD (TIN COATED)

(0.02 mm)

7	Code	Range(mm)	₹	Qty.
	DCJ 150	0-150	2,500	
	DCJ 200	0-200	3,500	
	DCJ 300	0-300	4,800	



VERNIER DEPTH GAUGE

(0.02MM / 0.001")

8	Code	Range (mm)	₹	Qty.
	VDG 150	0-150	900	
	VDG 200	0-200	1,150	
	VDG 300	0-300	1,400	
	VDG 600	0-600	3,400	



DIGITAL VERNIER DEPTH GAUGE

(0.01mm / 0.0005")

9	Code	Range (mm / Inch)	₹	Qty.
	DDG 150	0-150 / 0-6"	2,900	
	DDG 200	0-200 / 0-8"	3,600	
	DDG 300	0-300 / 0-12"	5,000	



DIGITAL ELECTRONIC CALIPER

(0.01MM / 0.0005")

10	Code	Range (mm / Inch)	₹	Qty.
	DIG 100	0-100 / 4"	1,800	
	DIG 150	0-150 / 6"	2,600	
	DIG 200	0-200 / 8"	3,400	
	DIG 300	0-300 / 12"	5,000	
	DIG 600	0-600 / 24"	12,500	
	DIG 1000	0-1000 / 40"	26,000	


11	Code	Range (mm / Inch)	₹	Qty.
	DIG 67 / 6	0-150 / 6"	4,800	
	DIG 67 / 8	0-200 / 8"	6,500	
	DIG 67 / 12	0-300 / 12"	11,500	



GEAR TOOTH VERNIER

(0.02mm)

12	Code	Range (mm)	₹	Qty.
	GTV	Module 1-26	3,800	



TEXTILE CALIPER (PRISM JAW)

(1/28" / 0.05mm)

13	Code	Range (mm / Inch)	₹	Qty.
	VCP 150	150 mm / 6"	3,000	



VERNIER HEIGHT GAUGE

(0.02mm / 0.001")

14	Code	Range (mm)	₹	Qty.
	HG 300	0-300	5,200	
	HG 450	0-450	8,300	
	HG 600	0-600	9,200	
	HG 1000	0-1000	29,000	



DOUBLE COLUMN HEIGHT GAUGE

DIGIT DIAL TYPE (0.01mm)

15	Code	Range (mm)	₹	Qty.
	HGDD 300	0-300	8,500	
	HGDD 600	0-600	17,500	



ELECTRONIC DIGITAL HEIGHT GAUGE

HEAVY DUTY SINGLE COLUMN

(0.01mm / 0.0005")

16	Code	Range (mm/Inch)	₹	Qty.
	HGS 300	0-300 / 12"	10,000	
	HGHD 450	0-450 / 18"	15,000	
	HGHD 600	0-600 / 24"	23,000	
	HGHD 1000	0-1000 / 40"	27,000	



ELECTRONIC DIGITAL HEIGHT GAUGE

DOUBLE COLUMN (0.01mm / 0.0005")

17	Code	Range (mm / Inch)	₹	Qty.
	HGD 300	0-300 / 12"	17,000	
	HGD 450	0-450 / 18"	24,000	
	HGD 600	0-600 / 24"	27,000	



OUTSIDE MICROMETER

(0.01mm)

18	Code	Range (mm)	₹	Qty.
	OM 25	0-25	1,000	
	OM 50	25-50	1,150	
	OM 75	50-75	1,300	
	OM 100	75-100	1,400	
	OM 125	100-125	1,650	
	OM 150	125-150	1,850	
	OM 175	150-175	2,200	
	OM 200	175-200	2,500	
	OM 225	200-225	2,700	
	OM 250	225-250	3,000	
	OM 275	250-275	3,200	
	OM 300	275-300	3,800	



(0.001")


Code	Range	₹	Qty.
OM 1	0 - 1"	1,000	
OM 2	1 - 2"	1,150	
OM 3	2 - 3"	1,300	
OM 4	3 - 4"	1,400	
OM 5	4 - 5"	1,650	
OM 6	5 - 6"	1,850	
OM 7	6 - 7"	2,200	
OM 8	7 - 8"	2,500	



ADJUSTABLE OUTSIDE MICROMETER

(0.01mm)

19	Code	Range (mm)	₹	Qty.
	OMA150	0-150	7,000	
	OMA 5150	50-150	6,900	
	OMA 200	100-200	8,200	
	OMA 300	150-300	8,800	
	OMA 2300	200-300	8,200	



LARGE OUTSIDE ADJUSTABLE MICROMETER

TUBULAR TYPE (0.01mm)

20	Code	Range (mm)	₹	Qty.
	OMA 400	300-400	10,000	
	OMA 500	400-500	11,500	
	OMA 600	500-600	12,500	
	OMA 700	600-700	16,000	
	OMA 800	700-800	18,000	
	OMA 900	800-900	22,000	
	OMA 1000	900-1000	24,500	
	OMA 1200	1000-1200	46,000	
	OMA 1400	1200-1400	58,000	
	OMA 1600	1400-1600	70,000	



21	Code	Range (mm)	₹	Qty.
	OMI 400	300-400	13,000	
	OMI 500	400-500	14,000	
	OMI 600	500-600	15,500	
	OMI 700	600-700	19,000	
	OMI 800	700-800	22,000	
	OMI 900	800-900	25,000	
	OMI 1000	900-1000	28,500	



DIGIT OUTSIDE COUNTER MICROMETER

(0.01mm)

22	Code	Range (mm)	₹	Qty.
	OMC 25	0-25	2,000	
	OMC 25V	0-25	2,400	
	OMC 50	25-50	2,800	




Resolution 0.001 mm
OMC 25 V

Code	Range (mm / Inch)	₹	Qty.
OMC 75	50-75	3,000	
OMC 100	75-100	3,400	
OMC 1	0-1"	2,600	

* Taxes Extra


Warranty Against Manufacturing Defect 6 Months.

DIGIMATIC OUTSIDE MICROMETER
(0.001mm / 0.0005")




23 Code	Range (mm / Inch)	₹	Qty.
OMDIG 25	0-25 / 0-1"	4,250	
OMDIG 50	25-50 / 1-2"	4,600	
OMDIG 75	50-75 / 2-3"	5,500	
OMDIG 100	75-100 / 3-4"	6,200	
OMDIG 125	100-125 / 4-5"	7,400	
OMDIG 150	125-150 / 5-6"	8,400	

DIGIMATIC MICROMETER WITH INTERCHANGEABLE ANVILS
(0.001mm / 0.0005")




24 Code	Range (mm / Inch)	₹	Qty.
OMAD 150	0-150 / 0-6"	14,500	
OMAD 300	150-300 / 6-12"	17,500	

SCREW THREAD MICROMETER
(0.01mm)



25 Code	Range (mm)	₹	Qty.
STM 25	0-25	3,600	
STM 50	25-50	4,200	


BALL TYPE TUBE MICROMETER
(0.01mm)



26 Code	Range (mm)	₹	Qty.
SBM 25	0-25	1,250	
SBM 50	25-50	1,600	
DBM 25	0-25	1,500	
DBM 50	25-50	1,800	
TBM 25	0-25	1,800	


SB : Single Ball
DB : Double Ball

DISC MICROMETER
(0.01mm)




27 Code	Range (mm)	₹	Qty.
FM 25	0-25	2,800	
FM 50	25-50	3,300	
FM 75	50-75	3,700	
FM 100	75-100	4,000	
FM 125	100-125	4,600	
FM 150	125-150	5,500	

UNIVERSAL BEVEL PROTRACTOR
(5 min.)




28 Code	Blade Length (mm)	₹	Qty.
BP 12	150 & 300	3,500	

COMBINATION SET
(Set of 4 pieces)




29 Code	Range	₹	Qty.
CS 300	180°	2,500	
CS 600	180°	4,600	

JAW TYPE INSIDE MICROMETER (0.01mm)




30 Code	Range (mm)	₹	Qty.
IMJ 30	5-30	2,600	
IMJ 50	25-50	3,300	

TUBULAR INSIDE MICROMETER
(0.01mm)




31 Code	Range (mm)	₹	Qty.
IMT 300	50 - 300	4800	
IMT 500	50 - 500	6000	
IMT 1000	50 - 1000	13000	
IMT 1500	50 - 1500	15500	

DEPTH MICROMETER
(0.01mm)



32 Code	Range (mm)	₹	Qty.
DEM 25	0-25	3,000	
DEM 50	0-50	4,000	
DEM 100	0-100	5,000	
DEM 150	0-150	6,500	
DEMS 200	0-200*	5,500	
DEM 300	0-300	8,500	


MAGNETIC STANDS



33 Code	₹	Qty.
MBSHS	2,500	
MBSS	1,400	
UMB	1,000	
MBHS	2,500	
MBHG	2,500	
MBST	900	
MBFA	900	
MBFT	1,700	
MBL	3,000	

Base For MBL ₹ 2,000
Size : 120 L x 55 H x 50 W

DIAL INDICATOR
(0.01mm)




34 Code	Range(mm)	Dial Dia.(mm)	₹	Qty.
DG 05	0-5	40	1,300	
DG 10	0-10	58	1,000	
DG 25	0-25	58	1,800	
DG 30	0-30	58	1,950	
DG 50	0-50	75	4,300	

(0.001mm)

Code	Range(mm)	Dia. (mm)	₹	Qty.
DG 01	0-1	58	2,150	

DIGIMATIC INDICATOR
(0.01mm / 0.0005")




35 Code	Range(mm/Inch)	₹	Qty.
DDG 01	0-12 / 0-0.5"	3,000	

(0.001mm / 0.0005")


36 Code	Range(mm/Inch)	₹	Qty.
DDG 001	0-12 / 0-0.5"	4,800	

BORE GAUGE (0.01mm) (With Dial)




37 Code	Range (mm)	₹	Qty.
BG 10	6-10	4,800	
BG 18	10-18.5	4,500	
BG 35	18-35	3,800	
BG 60	35-60	3,800	
BG 160	50-160	4,200	
BG 250	160-250	5,000	
BG 450	250-450	5,500	
BG 600	400-600	12,000	
BG 800	600-800	13,000	

DIAL TEST INDICATOR



38 Code	Range (mm)	Resolution (mm)	₹	Qty.
DTI 01	0.8	0.01	2,000	
DTI 002	0.2	0.002	2,800	

INTERNAL DIAL CALIPER GAUGE
METRIC (0.01mm)



39 Code	Range (mm)	₹	Qty.
IDC 25*	5 - 25	8,400	
IDC 35	15 - 35	5,200	
IDC 55	35 - 55	5,800	
IDC 75	55 - 75	6,400	
IDC 95	75 - 95	7,000	
IDC 115	95 - 115	8,000	

BLOCK LEVEL

Sensitivity : 0.02 mm/m (mm)


40 Code	Range	₹
PLB 150	150	4,500
PLB 200	200	5,200
PLB 300	300	7,500

FRAME LEVEL

Sensitivity : 0.02 mm/m (mm)


Code	Range	₹
PLF 150	150X150	7,000
PLF 200	200X200	8,000
PLF 300	300X300	9,800

OIL DIP TAPE



41 Code	Width (mts)	₹	Code	Width (mts)	₹
M.S	10	1,100	M.S	30	1,500
S.S	10	1,650	S.S	30	2,700
M.S	15	1,150	M.S	50	2,300
S.S	15	1,850	S.S	50	6,000
M.S	20	1,250	M.S	100	5,000
S.S	20	2,200	S.S	100	10,000


PRECISION TRY SQUARE



DIN 875 (mm)			Code	Range	₹
42 Code	Range	₹	BE 75	75	1,000
TS 100	100	1,200	BE 100	100	1,600
TS 150	150	1,800	BE 150	150	2,400
TS 200	200	2,400	BE 200	200	3,000
TS 300	300	4,800	BE 300	300	6,000

TS - Try Square
BE - Belvel Edge

STEEL GAUGE BLOCKS (SLIP GAUGES)
(GRADE 2)




43 Code	Blocks set	₹
SG 112	112	14,000
SG 103	103	12,500
SG 87	87	10,000
SG 83	83	8,000
SGIN 83	83	8,500

DIGITAL MEASURE TAPE
(0.1 mm)




44 Code	Range (mtr)	₹	Qty.
DMT 5	5	3000	

PORTABLE METALHARDNESS TESTER




45 Code	Range (HLD)	₹	Qty.
MHT - 1	200 - 900	32,000	

ULTRASONIC THICKNESS TESTER



46 Code	Range (mm)	Resolution (mm)	₹	Qty.
UTG-2841	1.0~300	0.01	18,000	
UTG-3941	1.0~200	0.1	15,000	

GLOSSMETER



47 Code	Angle	₹	Qty.
GM - 60	60°	28,500	
GM - 2680	20° / 60° / 85°	36,000	

* Taxes Extra



10 % Discount

VERNIER CALIPER
Without Fine - 0.02mm / 0.001"

1	Code No	Range(mm)	₹	Qty.
	A6VC	0-150	350	
	A8VC	0-200	500	
	A12VC	0-300	820	
	A18VC	0-450	1700	
	A24VC	0-600	1800	
	A40VC	0-1000	5000	
	A60VC	0-1500	16900	
	A80VC	0-2000	21900	
	A120VC	0-3000	65000	

DIAL VERNIER CALIPER
0.02mm

2	Code No	Range(mm)	₹	Qty.
	A6DVC	0 - 150	850	
	A8DVC	0 - 200	1270	
	A12DVC	0 - 300	1720	
	A18DVC	0 - 450	7130	
	A24DVC	0 - 600	9380	
	A40DVC	0 - 1000	21900	

DIGIMATIC VERNIER CALIPER
0.01mm / 0.0005 inch

3	Code No	Range(mm)	₹	Qty.
	A6DIGVC	0-150	700	
	A8DIGVC	0-200	1200	
	A12DIGVC	0-300	1720	
	A18DIGVC	0-450	6400	
	A24DIGVC	0-600	6800	
	A40DIGVC	0-1000	13800	

DEPTH VERNIER CALIPER
With Fine - 0.02mm

4	Code No	Range(mm)	₹	Qty.
	A6DEPVC	0-150	700	
	A8DEPVC	0-200	810	
	A12DEPVC	0-300	910	
	A24DEPVC	0-600	3000	
	A40DEPVC	0-1000	9380	

HEIGHT GAUGE
0.02mm

5	Code No	Range(mm)	₹	Qty.
	A12HG	0-300	3500	
	A18HG	0-450	5500	
	A24HG	0-600	6000	
	A40HG	0-1000	21500	
	A60HG	0-1500	45000	

DIAL HEIGHT GAUGE
Double Column - 0.01mm

6	Code No	Range(mm)	₹	Qty.
	A12DHGDC	0-300	19000	

DIGITAL HEIGHT GAUGE
Double Column - 0.01mm / 0.005 Inch

7	Code No	Range(mm)	₹	Qty.
	A12DIGHGDC	0-300	16000	
	A24DIGHGDC	0-600	25000	

DIGIMATIC HEIGHT GAUGE
Single Column - 0.01mm

8	Code No	Range(mm)	₹	Qty.
	A12DIGHG	0 - 300	7250	
	A24DIGHG	0 - 600	13150	
	A40DIGHG	0 - 1000	40000	

OUTSIDE MICROMETER
0.01mm

9	Code No	Range(mm)	₹	Qty.
	A025OM	0-25	350	
	A2550OM	25-50	500	
	A5075OM	50-75	650	
	A75100OM	75-100	730	
	A100125OM	100-125	950	

ADJUSTABLE OUTSIDE MICROMETER
0.01mm

10	Code No	Range(mm)	₹	Qty.
	A0150ADJOM	0-150	3630	
	A150300ADJOM	150-300	4880	
	A100200ADJOM	100-200	3500	

DIGIMATIC MICROMETER
0.001mm

11	Code No	Range(mm)	₹	Qty.
	A025DIG	0 - 25	2470	
	A2550DIG	25 - 50	3310	
	A5075DIG	50 - 75	5380	
	A75100DIG	75 - 100	6000	
	A0150DIG	0 - 150	13750	
	A150300DIG	150 - 300	16130	

COUNTER MICROMETER

12	Code No	Range(mm)	₹	Qty.
	A025C	0-25x0.01	1100	
	A2550C	25-50x0.01	1300	
	AM025C	0-25x0.001	1500	
	AM2550C	25-50x0.001	1700	

INSIDE MICROMETER
Jaw Type - 0.01mm

13	Code No	Range(mm)	₹	Qty.
	A530IM	5-30	1940	
	A2550IM	25-50	2310	

TUBULER INSIDE MICROMETER

14	Code No	Range(mm)	₹	Qty.
	A530TIM	50-600		
	A2550TIM	50-1000		

DISK MICROMETER
0.01mm

15	Code No	Range(mm)	₹	Qty.
	ADM025	0-25	1560	
	ADM2550	25-50	1940	
	ADM5075	50-75	2130	
	ADM75100	75-100	2380	

DEPTH MICROMETER
0.01mm

16	Code No	Range(mm)	₹	Qty.
	A025DM	0 - 25	1970	
	A0100DM	0 - 100	2440	
	A0150DM	0 - 150	3130	
	A0200DM	0 - 200	5500	
	A0300DM	0 - 300	8130	

BORE GAUGE (With Dial)
L.C. (0.01mm)

17	Code No	Range(mm)	₹	Qty.
	A610BG	6-10	4625	
	A1018BG	10-18.5	4250	
	A1835BG	18-35	3345	
	A3560BG	35-60	3400	
	A50160BG	50-160	3500	
	A160250BG	160-250	4250	
	A250450BG	250-450	5500	

DIAL INDICATOR
0.01mm

18	Code No	Range(mm)	Dial Dia.	₹	Qty.
	A05DI	0 - 5	40	810	

0.001mm

19	Code No	Range(mm)	Dial Dia.	₹	Qty.
	A01DI	0 - 1	58	1900	

DIAL TEST INDICATOR

20	Code No	Range(mm)	L.C.(mm)	₹	Qty.
	A08DIT	0,8	0,01	1250	
	A02DIT	0,2	0,002	2500	
	A14DIT	0,14	0,001	3250	

DIGITAL INDICATOR
0.01mm

21	Code No	Range(mm)	₹	Qty.
	A10DI	10	1750	
	A25DI	25	4320	

0.001mm

22	Code No	Range(mm)	₹	Qty.
	A12001DI	12.5	4200	
	A25001DI	25	6000	

BEVEL PROTRACTOR

23	Code No	Type	₹	Qty.
	ABP	Simple	1940	
	ABPD	Dial	3630	
	ABPDI	Digital	15555	

COMBINATION SET

24	Code No	Range(mm)	₹	Qty.
	ACS	300	2000	

SLIP GAUGE
Grade 2

25	Code No	Slip Set	₹	Qty.
	A83SL	83	7000	
	A87SL	87	8750	
	A112SL	112	11220	

MAGNETIC STAND

26	Code No	Type	₹	Qty.
	AMS	Standard	530	
	AMSF	Std. with fine	550	
	AMSU	Universal	1200	
	AMSF	Flexible	1400	

* Note :- Rates Subject to Change Without Prior Notice.
◆ No Warranty Even if Faulty. Logo may or may not be there.

* Taxes Extra

KANN



10 % Discount

6 Months Warranty against Manufacturing Defect. Manufacturer's Calibration Certificate with all Gauges.



DIAL GAUGE
L.C. : 0.01 mm

1	Model No.	mm	₹	Qty.
	M2	10	600	



LONG TRAVEL DIAL GAUGE

Bezel dia. 57 mm L.C. : 0.01 mm

2	Model No.	mm	₹	Qty.
	M2/30	30	1200	
	M2/50	50	1600	



LARGE FACE LONG TRAVEL DIAL GAUGE

Bezel dia. 80 mm L.C. : 0.01 mm

3	Model No.	mm	₹	Qty.
	M6/10	10	900	
	M6/30	30	1500	
	M6/50	50	1900	



DIAL GAUGE
L.C. : 0.1 mm

4	Model No.	mm	₹	Qty.
	M10A	10	650	
	M10C	30	700	
	M10D	30	800	



ONE REVOLUTION DIAL GAUGE

Bezel dia. 57 mm

5	Model No.	mm	L.C.	₹	Qty.
	M2/1	0.80	0.01	600	
	M2/2	1.60	0.01	1000	
	M2/14	0.16	0.001	1600	
	M2/16	0.10	0.001	1600	



ONE REVOLUTION DIAL GAUGE

Bezel dia. 80 mm

6	Model No.	mm	L.C.	₹	Qty.
	M2/12	0.16	0.01	1800	
	M2/15	0.10	0.001	1800	



MICRON DIAL GAUGE

Bezel dia. 57 mm

7	Model No.	mm x L.C	₹	Qty.
	M2/10	1 x 0.001	1200	
	M2/5/1	5 x 0.002	1200	
	M8	5 x 0.005	1100	



DIAL GAUGE FOR HARDNESS TESTING MACHINE

19	Model No.	A-80	AS-80	AH-80	A-92	AS-92	RASN	RASN-T	O'
	Dial Dia-	80	80	80	92	92	95	95	57
	Description	Rockwell with B&C Scale	Rockwell	Brinell	Rockwell with B&C Scale	Rockwell	Rockwell with B&C Scale	Rockwell	Optical
	M.R.P. ₹	1400	1400	1400	1400	1400	1400	1400	700



DIAL GAUGE FOR AIR GAUGE UNIT

Dial Dial : 150 mm L.C: 0.01 mm

8	Model No.	mm	₹	Qty.
	M1	1	2150	



SURFACE PROFILE GAUGE

L.C: 0.001 mm

9	Model No.	mm	₹	Qty.
	SPG1	+/-0.5	2900	



DIAL GAUGE

Bezel Dia. 57 mm L.C. : 0.001 inch

10	Model No.	inch	₹	Qty.
	Z/2	0.4"	850	
	Z2/25	1"	1200	



ELECTRONIC DIAL THICKNESS GAUGE

11	Model No.	mm	L.C.	₹	Qty.
	ETG1	12	0.01	2650	
	ETG2	12	0.001	4300	



DIAL THICKNESS GAUGE

Anvil Dia 10 mm

12	Model No.	mm	L.C.	₹	Qty.
	TG1	10	0.01	950	
	TG2	1	0.001	1500	
	TG3	10	0.1	1000	

Anvil Dia 20 mm Rs. 200 Extra



13	Model No.	mm	L.C.	₹	Qty.
	TG7	30	0.1	1500	
	TG8	25	0.01	1600	

Anvil Dia 10 mm Deep Throat 30 mm

Anvil Dia 20 mm Rs. 200 Extra

(Ceramic Tip)



DTG with ADJUSTABLE MEASURING FORCE

Anvil Dia 10 mm Deep Throat 30 mm

14	Model No.	mm	L.C.	₹	Qty.
	TG50	50	0.1	6000	

Anvil Dia 20 mm Rs. 200 Extra

TG50 - Pressure can be adjusted according to the material - Leather, Sponge, Metal etc.



DEEP THROAT THICKNESS GAUGE
(150MM THROAT DEPTH)

15	Model No.	mm	L.C.	₹	Qty.
	TG16	10	0.01	2450	
	TG17	10	0.1	2450	
	TG18	30	0.01	2800	
	TG19	30	0.1	2800	

Anvil Diameter -10 mm -Model No will be TG16/10.
Anvil Diameter -20 mm -Model No will be TG16/20.



DEEP THROAT THICKNESS GAUGE
(300MM THROAT DEPTH)

16	Model No.	mm	L.C.	₹	Qty.
	TG 11	10	0.1	2750	
	TG 12	10	0.01	2750	
	TG 13	30	0.1	3000	
	TG 14	30	0.01	3000	

Anvil Diameter -10 mm -Model No will be TG11/10.
Anvil Diameter -20 mm -Model No will be TG11/20.



PIPE THICKNESS GAUGE

Also Available in Electronic version. ETG6
L.C. : 0.01 mm

17	Model No.	mm	₹	Qty.
	TG6	10	1600	



PEARL GAUGE

L.C. : 0.01 mm

18	Model No.	mm	₹	Qty.
	TG10	10	500	
	TG20	20	600	



RUBBER HARDNESS TESTER

Shore-A for a Soft Rubber

1	Model	Type	₹	Qty.
	SAB	1 Pointer	2200	
	SAB	2 Pointer	2450	
	SAE	2 Pointer	2750	



Shore-D for Hard Rubber (Teflon, Plastic)

2	Model	Type	₹	Qty.
	SD B	1 Pointer	3600	
	SD E	2 Pointer	4150	



Basic Export (SAE & SDE)

Note : Net Price & No Warranty



BAKER

All Instruments with 6 Months Warranty. All Instrument with BAKER Calibration Certificate.

15 % Discount



DIAL INDICATOR
0.01mm

Code No	mm	₹	Qty.
K40	5	1680	



DIAL INDICATOR
0.1mm

Code No	mm	₹	Qty.
K05	10	1130	
K06	25	1580	

DIAL INDICATOR
0.01mm

Code No	mm	₹	Qty.
KZ	0.8	1300	
K02	10	1200	
K04	5	1130	
K08	25	2180	
J72	50 (Model-88)	5050	

DIAL INDICATOR
0.002mm

Code No	mm	₹	Qty.
K10	2	2625	
K12	5	3130	
K14	12	5075	

DIAL INDICATOR
0.001mm

Code No	mm	₹	Qty.
K17S	1	2730	

DIAL INDICATOR
0.001 Inch

Code No	inch	₹	Qty.
K52	0.5	1560	

DIAL INDICATOR
0.0001 Inch

Code No	mm	₹	Qty.
K62	0.2	3460	
K64	0.5	5580	



DIGITAL DIAL INDICATOR
0.01mm / 0.0005"

Code No	mm / inch	₹	Qty.
V1	12.5/0.5"	7100	
V2	25/1"	8900	
V3	50/2"	14500	

DIGITAL DIAL INDICATOR
0.001mm / 0.00005"

Code No	mm / inch	₹	Qty.
W1	12.50/0.5"	15900	
W2	25/1"	17700	
Md001	12.5 / 0.5"	22000	

0.01mm



DIAL BORE GAUGES
0.01mm

Code No	mm	₹	Qty.
K639	10-18	6470	
K703	18-50	6330	
K803	50-150	6330	

DIAL BORE GAUGES
0.001inch

Code No	inch	₹	Qty.
K641	0.4"-0.7"	6610	
K761	0.7"-2.0"	7860	
K861	2.0"-6.0"	7860	



BACK PLUNGER DIAL GAUGES
0.01mm

Code No	mm	₹	Qty.
F02	2.0	1775	



DIAL DEPTH GAUGE
0.01mm

Code No	mm	₹	Qty.
K158/3	0-200	2620	



DIAL THICKNESS GAUGE
0.01mm

Code No	mm	Throat Depth (mm)	₹	Qty.
K130/3	10	30	1960	
K142/3	10	100	2310	



DIAL THICKNESS GAUGE
0.002mm

Code No	mm	Throat Depth (mm)	₹	Qty.
K130/6	2	30	3300	
K130/7	5	30	3650	



PUSH DOWN TYPE
0.1mm

Code No	mm	Throat Depth (mm)	₹	Qty.
K138/0	25	50	3220	



PUSH DOWN TYPE
0.01mm

Code No	mm	Throat Depth (mm)	₹	Qty.
K138/3	25	50	3450	
K138/3L	25	50	3730	
K145/3	10	200	2810	
K150/3L	25	200	4230	



DIGITAL DIAL THICKNESS GAUGE
0.001mm / 0.00005 inch

Code No	mm	Throat Depth (mm)	₹	Qty.
K130/D	12.5	30	17350	
K142/D	12.5	30	17550	



PUSH DOWN TYPE
0.001mm / 0.00005 inch

Code No	mm / inch	Throat Depth (mm)	₹	Qty.
K138/D	25/1"	50	20050	
K145/D	12.5/5"	200	18050	
K150/D	25/1"	200	20550	



LEVER TYPE DIAL GAUGE
Model-29 With Accessory-0.01mm

Code No	mm	₹	Qty.
302	0.8	3600	
302L	0.8	5240	

LEVER TYPE DIAL GAUGE
Model-29 Without Accessory-0.01mm

Code No	mm	₹	Qty.
302A	0.8	2850	
302AL	0.8	4440	

L= 33mm Long Stylus



LEVER TYPE DIAL GAUGE
Model-38 With Accessory-0.01mm

Code No	mm	₹	Qty.
306	0.8	4000	
306L	0.8	5730	

LEVER TYPE DIAL GAUGE
Model-38 Without Accessory-0.01mm


Code No	mm	₹	Qty.
306A	0.8	3250	
306AL	0.8	4870	

L= 33mm Long Stylus




VERNIER CALIPER
Without Fine-0.02mm/0.001inch

Code No	mm	₹	Qty.
VC 10	150/6"	2190	
VC 20	200/8"	3490	
VC 30	300/12"	6990	



VERNIER CALIPER
With Fine-0.02mm/0.001inch

Code No	mm / inch	₹	Qty.
VCF 10	130/5"	2500	
VCF 20	180/7"	3700	
VCF 30	280/11"	7300	



DIAL CALIPER
0.02mm

Code No	mm / inch	₹	Qty.
DC10	150/6"	2530	
DC 20	200/8"	4240	
DC 30	300/12"	5650	



DIGITAL CALIPER
0.01mm/0.0005inch

Code No	mm	₹	Qty.
SDN 10	150/6"	4300	
SDN 20	200/8"	5700	
SDN 30	300/12"	7500	



DIGITAL CALIPER
IP 67 Coolant Proof,
Data Output 0.01mm / 0.0005 inch

Code No	mm / inch	₹	Qty.
ZD 10	150/6"	6975	
ZD 20	200/8"	9265	
ZD 30	300/12"	11560	



DIGITAL HEIGHT GAUGE
0.01mm/0.0005"

Code No	mm / inch	₹	Qty.
DH300	300/12"	19050	
Dh600	600/24"	34050	



OUTSIDE MICROMETER
0.01mm

Code No	mm	₹	Qty.
MMC25	0-25	1460	
MMC50	25-50	1930	
MMC75	50-75	2080	
MMC100	75-100	2290	
MMC125	100-125	2770	
MMC150	125-150	3120	
MMC175	150-175	3810	
MMC200	175-200	4580	

0.001mm

OUTSIDE MICROMETER
0.001mm

Code No	mm	₹	Qty.
MMC25-1	0-25	1610	
MMC50-1	25-50	2180	
MMC75-1	50-75	2420	
MMC100-1	75-100	2800	
MMC125-1	100-125	3510	
MMC150-1	125-150	3740	

ADJUSTABLE OUTSIDE MICROMETER
0.01mm



Code No	mm	₹	Qty.
MM400	300-400	21140	
MM500	400-500	24050	
MM600	500-600	27200	
MM700	600-700	32350	
Mm800	700-800	37610	
MM900	800-900	42330	
Mm1000	900-1000	48500	




DEPTH MICROMETER

Code No	mm	₹	Qty.
MMA25-DM	0-25 x 0.01	4250	
MMA25-DM1	0-25 x 0.001	4450	



Basic Thread Terms



15 % Discount

METRIC THREAD GAUGES

Right Hand		Thread Plugs D/E Go Not Go	Thread Rings Go Not Go
Normal Diameter	Pitch	Class 6H ₹	Class 6G ₹
3	0.50	1070	1160
	0.35	1570	1730
4	0.70	1070	1160
	0.50	1570	1730
5	0.80	1070	1160
	0.50	1070	1730
6	1.00	1070	1160
	0.75	1570	1730
8	1.25	1070	1160
	1.00	1070	1160
10	1.50	1100	1200
	1.25	1070	1160
12	1.75	1100	1200
	1.50	1100	1200
14	2.00	1480	2040
	1.50	1240	1320
16	2.00	1480	2040
	1.50	1240	1320
18	2.50	1990	2270
	1.50	1550	1990
20	2.50	1990	2900
	1.50	1550	1990
22	2.50	1990	2900
	1.50	1550	1990
24	3.00	1990	3040
	1.50	1550	2330
30	3.50	3770	3890
	1.50	2320	3210

- PLUGS** • Add 25% on class other than 6H
• For LH, add 50% on RH
- RINGS** • Add 40% on class other than 6G up to 24 mm
• Add 25% on class other than 6G from 25 mm
• For LH, Add 50% on RH Up to 24 mm.
• For LH, Add 100% on RH From 25 mm, MOQ 3no

I.S.O PARALLEL PIPE THREAD GAUGES (B.S.P.)

Right Hand		Thread Plugs D/E Go Not Go	Thread Rings Class A & Class B Not Go Class B
Normal Diameter	Thread Per Inch	Class General ₹	Class B ₹
G 1/8	28	1520	2470
G 1/4	19	1520	2470
G 3/8	19	1520	2470
G 1/2	14	1910	3630
G 3/4	14	1910	3630
G 1	11	3080	4850
G 1.1/4	11	3080	4850
G 1.1/2	11	3080	4850
G 2	11	3600	6090
G 2.1/2	11	4010	6090
G 3	11	4990	7630

UNIFIED THREAD GAUGES

Right Hand		Thread Plugs D/E Go Not Go	Thread Rings Go Not Go
Normal Diameter	Threads Per Inch	Class 2B ₹	Class 2A ₹
1/4	20 UNC	1280	1680
	28 UNF	1280	1680
5/16	18 UNC	1280	1680
	24 UNF	1280	1680
3/8	16 UNC	1280	1680
	24 UNF	1280	1680
7/16	14 UNC	1320	1840
	20 UNF	1280	1680
1/2	13 UNC	1320	1840
	20 UNF	1280	1680
5/8	11 UNC	2180	2920
	18 UNF	1850	1960
	20 UN	2790	3920
3/4	24 UNEF	2790	3920
	10 UNC	2180	2920
7/8	16 UNF	1850	1960
	9 UNC	2960	2920
1	12 UN	2790	4610
	16 UN	2790	4610
1	8 UNC	2960	4870
	12 UNF	1850	3070

- PLUGS** • Add 25% on class other than 2B Plug.
• For LH, add 50% on RH plug.
- RINGS** • Add 40% on class other than 2A up to 1".
• Add 25% on class other than 2A from 1"1/16"
• For LH, Add 50% Up to 1" & 100% On Above 1" On RH.

B.S.P.T. TAPER THREAD GAUGES

Normal Diameter	Threads Per Inch	Plug System B ₹	Ring System- B ₹
1/8	28	6350	13100
1/4	19	5120	12220
3/8	19	5120	10480
1/2	14	5120	8300
3/4	14	5120	8300
1	11	7260	12050
1.1/4	11	7260	12050
1.1/2	11	7260	12050
2	11	10840	15050

N.P.T. TAPER THREAD GAUGES

Right Hand		N.P.T. L1 Basic Step		N.P.T. L1 Steps Limit	
Normal Diameter	Thread Per Inch	Plugs ₹	Rings ₹	Plugs ₹	Rings ₹
1/8	27	3340	4970	3640	5950
1/4	18	2770	4510	3040	5430
3/8	18	2770	4510	3040	5430
1/2	14	2770	3940	3040	4720
3/4	14	2770	3940	3040	4720
1	11.1/2	3710	6070	4110	7260
1.1/4	11.1/2	3710	6070	4110	7260
1.1/2	11.1/2	3710	6070	4110	7260
2	11.1/2	5420	7520	5950	9020

METRIC THREAD GAUGES

Right Hand		Plugs -6 D/E Go Not Go	Rings -6 G Go Not Go
Normal Diameter	Pitch	Class 6H ₹	Class 6G ₹
7	1.00	1070	1160
9	1.25	1080	1160
10	1.00	1070	1160
12	1.25	1070	1160
12	1.00	1070	1160
26	1.50	1920	2510
27	3.00	2540	3730
35	1.50	2320	3210
36	4.00	3770	3890
36	1.50	2320	3210
40	3.00	3130	3890
40	1.50	2320	3210
42	4.50	4490	5080
42	1.50	2670	4020
45	4.50	4490	5080
45	1.50	2670	4020
48	5.00	5260	5080
50	3.00	3790	4670

UNIFIED THREAD GAUGES

Right Hand		Thread Plugs D/E Go Not Go	Thread Rings Go Not Go
Normal Diameter	Threads Per Inch	Class 2 B ₹	Class 2 A ₹
2	56 UNC	2460	4010
4	40 UNC	1280	1680
6	32 UNC	1280	1680
8	32 UNC	1280	1680
10	24 UNC	1280	1680
10	32 UNF	1280	1680
1/2	28 UNEF	1890	3360
7/8	14 UNF	1850	1960
1	14 UNS	2800	4610
1.1/6	8 UN	4440	6230
1.1/8	7 UNC	4440	6230
1.1/4	7 UNC	4400	6230

I.S.O PARALLEL PIPE THREAD GAUGES (B.S.P.)

Right Hand		Thread Plugs D/E Go Not Go	Thread Rings Class A & Class B Not Go Class B
Normal Diameter	Thread Per Inch	Class General ₹	Class B ₹
5/8	14 BSP	1910	3630
7/8	14 BSP	1910	3630
1.1/8	11 BSP	3080	4850
1.3/8	11 BSP	3080	4850
1.3/4	11 BSP	3600	5780

MASTER SETTING RINGS


Size mm	₹	Size mm	₹
05 - 10	750	100 - 110	2220
10 - 20	600	110 - 120	2470
20 - 30	675	120 - 130	2850
30 - 40	720	130 - 140	3370
40 - 50	790	140 - 150	4270
50 - 60	900	150 - 160	4650
60 - 70	975	160 - 170	5550
70 - 80	1050	170 - 180	5960
80 - 90	1430	180 - 190	7390
90 - 100	1800	190 - 200	9830

SWASTIK GAUGES & TOOLS


5% Discount

PLAIN PLUG GAUGES

Taper Lock		S.E. Go & Notgo Sets	
Size mm	₹	Size mm	₹
03 - 10	275	70 - 80	965
10 - 20	310	80 - 90	1205
20 - 30	450	90 - 100	1345
30 - 40	550	100 - 120	1450
40 - 50	625	120 - 140	1520
50 - 60	755	140 - 160	1620
60 - 70	830	160 - 180	1725



Basic Thread Terms



PROMOTER

Master Metrology

20% Discount

ALL GAUGES WITH COMPANY CALIBRATION CERTIFICATE

METRIC THREAD GAUGES

Right Hand		Plugs	Rings
		D/E Go & NoGo	Go Or NoGo
Diameter	Pitch	Class 6H ₹	Class 6G ₹
3	0.50	670	860
	0.35	1035	1360
4	0.70	670	830
	0.50	1035	1290
5	0.80	670	830
	0.50	1000	1290
6	1.00	670	830
	0.75	1000	1290
8	1.25	670	830
	1.00	670	830
10	1.50	670	830
	1.25	670	830
12	1.75	670	830
	1.50	670	830
14	2.00	830	1060
	1.50	770	860
16	2.00	830	1060
	1.50	770	900
18	2.50	1090	1560
	1.50	930	1090
20	2.50	1090	1970
	1.50	930	1220
24	3.00	1130	2090
	1.50	950	1300
30	3.50	2230	2510
	1.50	1440	2250
32	2.00	1440	2230
	1.50	1440	2230
33	3.50	2230	2540
	3.00	1850	2540
36	4.00	2230	2540
	3.00	1850	2540
39	4.00	2230	2540
	3.00	1830	2540
40	3.00	1830	2540
	2.00	1440	2250
42	4.50	2520	3380
	4.00	2520	3380
45	4.50	2580	3380
	4.00	2580	3380
48	5.00	3050	3370
	4.00	2590	3370
50	3.00	2150	3050
	2.00	1725	2780
52	5.00	3310	4370
	4.00	3170	4025
55	4.00	3170	4000
	3.00	2540	4000
56	5.50	3300	4370
	4.00	3170	4000
58	4.00	3180	4000
	3.00	2520	4000
60	5.50	3310	4370
	4.00	3170	4000
62	4.00	3170	4000
	3.00	2520	4000
64	6.00	3970	5030
	4.00	3170	4000
65	4.00	3170	4000
	3.00	2520	4000
68	6.00	3970	5030
	4.00	3170	4000
70	6.00	3970	5030
	4.00	3170	4000
72	6.00	3970	5030
	4.00	3170	4000
75	4.00	3170	4000

UNIFIED THREAD GAUGES

Right Hand		Plugs	Rings
		D/E Go & NoGo	Go Or NoGo
Diameter	Pitch	Class 2B ₹	Class 2A ₹
4	40 UNC	830	1590
	48 UNF	830	1590
5	40 UNC	830	1590
	48 UNF	830	1590
6	32 UNC	830	1200
	40 UNF	830	1200
1.1/16"	12 UN		
	16 UN		
	18 UNEF		
8	32 UNC	770	1200
	36 UNF	770	1200
10	24 UNC	740	1200
	32 UNF	740	1200
12	24 UNC	740	1200
	28 UNF	740	1200
	32 UNEF		
1.3/16"	12 UN		
	16 UN		
1/4"	20 UNC	740	1130
	28 UNF	740	1130
	32 UNEF		
5/16"	18 UNC	740	1130
	24 UNF	740	1130
	32 UNEF		
3/8"	16 UNC	740	1130
	24 UNF	740	1130
	32 UNEF		
7/16"	14 UNC	740	1130
	20 UNF	740	1130
1/2"	13 UNC	740	1130
	20 UNF	740	1130
	28 UNEF		
9/16"	12 UNC	930	1530
	18 UNF	930	1460
	20 UN		
	24 UNEF		
5/8"	11 UNC	930	1460
	18 UNF	930	1265
	20 UN	-	-
	24 UNEF	-	-
1.7/16"	8 UN	-	-
	12 UNC	-	-
3/4"	10 UNC	1440	2185
	16 UNF	1060	1460
	20 UNEF	1440	2380
7/8"	9 UNC	1460	2185
	14 UNF	1060	1460
	20 UNEF	1460	2380
1"	8 UNC	1660	3120
	12 UNF	1060	1460
	16 UN	-	-
1.1/8"	7 UNC	2380	3770
	12 UNF	1530	2250
1.1/4"	7 UNC	2380	3840
	12 UNF	1620	2645
	18 UNEF	-	-
1.1/2"	6 UNC	2645	4230
	8 UN	2320	3440
	12 UNF	1590	2645
1.3/4"	5 UNC	3170	4760
	8 UN	2645	3970
	12 UN	1990	2910
1.7/8"	8 UN	2645	3970
	12 UN	1990	3050
	16 UN	1990	3050
2"	4.5 UNC	3420	5290
	8 UN	2645	3970

BSW / BSF THREAD GAUGES

Right Hand		Plugs	Rings
		D/E Go & NoGo	Go Or NoGo
Diameter	Pitch	₹	₹
1/8"	40 BSW	2320	4470
3/16"	24 BSW	1725	2980
	32 BSF	1790	4500
1/4"	20 BSW	1480	2940
	26 BSF	1480	2940
5/16"	18 BSW	1460	2910
	22 BSF	1460	2910
3/8"	16 BSW	1460	2910
	20 BSF	1460	2910
7/16"	14 BSW	1460	2910
	18 BSF	1460	2910
1/2"	12 BSW	1460	2910
	16 BSF	1460	2910
5/8"	11 BSW	1460	2910
	14 BSF	1460	2910
3/4"	10 BSW	2450	5820
	12 BSF	1460	4440
7/8"	9 BSW	2450	5820
	11 BSF	1460	4440
1"	8 BSW	3120	5820
	10 BSF	2645	5820
1.1/8"	7 BSW	-	-
	9 BSF	-	-
1.1/4"	7 BSW	-	-
	9 BSF	-	-
1.1/2"	6 BSW	-	-
	8 BSF	-	-

G-SERIES (FORMERLY BSP-F) THREAD GAUGES (BSP)

Right Hand		Plugs	Rings
		D/E Go & NoGo	Go (A or B) Or NoGo (B)
Diameter	Pitch	Class General ₹	Class B ₹
G 1/16	28	2590	3910
G 1/8	28	1060	2620
G 1/4	19	1060	2230
G 3/8	19	1060	2230
G 1/2	14	1060	3050
G 5/8	14	1320	3050
G 3/4	14	1320	3050
G 7/8	14	1320	3050
G 1	11	1850	3910
G 1.1/8	11	1850	3910
G 1.1/4	11	1850	3910
G 1.3/8	11	1850	3910
G 1.1/2	11	1850	3910
G 2	11	2185	4760
G 2.1/2	11	2450	5290
G 3	11	3170	6610
G 4	11	3970	8200
G 5	11	5960	10320
G 6	11	8870	12960

Rates for Special Class & Left Hand

	Class Other Than	Plug	Ring
mm	6H LH	+25%	+25%
UN UNC UNF UNEF	2A 2B LH	+25%	+25%

Note : Add above % on the Price of the Corresponding Size. MOQ for LH Gauges will be 3 Nos.

N.P.T. TAPER GAUGES

Right Hand		N.P.T. L1 Basic Step		N.P.T. L1 Steps Limit	
Diameter	Threads per inch	Plugs	Rings	Plugs	Rings
1/16	27	2170	3970	2290	4760
1/8	27	2170	3970	2290	4760
1/4	18	1790	3580	2060	4230
3/8	18	1790	3580	2060	4230
1/2	14	1790	3050	2060	3580
3/4	14	1790	3050	2060	3580
1	11.1/2	2170	4500	2450	5430
1.1/4	11.1/2	2170	4500	2450	5430
1.1/2	11.1/2	2170	4500	2450	5430
2	11.1/2	2170	4500	2450	5430
2.1/2	8	3440	5550	3840	6610
3	8	3440	5550	3840	6610
3.1/2	8	3440	5550	3840	6610
4	8	5290	8460	5690	9790
4.1/2	8	5820	-	6490	-
5	8	5820	-	6790	-
6	8	6080	-	6880	-
8	8	-	-	-	-

Note : For NPTF Taper Thread Gauges Add 20%

B.S. CYCLE P THREAD GAUGES

Right Hand		Plugs	Rings
		D/E Go & NoGo	Go Or NoGo
Diameter	Pitch	₹	₹
1/8"	40	-	-
5/32"	32	-	-
3/16"	32	-	-
7/32"	26	1460	2450
1/4"	26	1460	2450
9/32"	26	1460	2450
5/16"	26	1460	2590
3/8"	26	1460	2590
7/16"	26	1530	2710
1/2"	26	1560	2710
9/16"	26	1560	2910
5/8"	26	1620	3120
11/16"	26	1660	3120
3/4"	26	1790	3120
1"	26	1850	3240
1.1/4"	26	-	-
1.1/2"	26	-	-
1"	24	-	-
1.370"	24 RH	-	-

B.S.P. T TAPER THREAD GAUGES

Right Hand R/RC		Plugs	Rings
		D/E Go & NoGo	Go Or NoGo
Diameter	Pitch	₹	₹
R 1 / 16	28	3120	-
R 1 / 8	28	3050	6460
R 1 / 4	19	2520	5290
R 1 / 2"	14	2320	4300
R 3 / 4"	14	2320	4300
R 1"	11	2850	6490
R 1.1 / 4"	11	2850	6510
R 3 / 8	11	-	-
R 1 / 2"	11	2850	6510
R 2"	11	2850	6510
R 2.1 / 2"	11	4230	7935
R 3"	11	4230	7935
R 4"	11	6150	11370
R 5"	11	7670	-
R 6"	11	7810	-

Warranty Against Manufacturing Defect 12 Months.



FOOT RULE

W - Width, T- Thickness

1	Code	Length mm/ inch	W - mm	T- mm	₹	Qty.
	401A	150 mm /6"	15	0.5	22	
	401C	300 mm /12"	25	0.5	52	
	401E	600 mm /24"	30	1.0	185	
	401F	1000 mm /36"	35	1.2	285	
	401G	1200 mm /48"	35	1.5	585	
	401J	2000 mm /79"	35	2.0	3100	
	401K	3000 mm /118"	35	2.0	6700	



POCKET CLIP RULE

W - Width, T- Thickness

2	Code	Length mm/ inch	W - mm	T- mm	₹	Qty.
	1202	150 mm /6"	6	0.5	27	
	1302	150 mm /6"	12	0.5	27	



SIGNATURE SERIES RULES

WITH CALIBRATION CERTI.
UPTO 1000 MM L.C. 0.5 MM

3	Code	Length mm/ inch	W - mm	T- mm	₹	Qty.
	SSC-12	300 mm /12"	30	1	550	
	SSC-24	600 mm /24"	24	1.2	2000	
	SSC-36	1000 mm /36"	35	1.5	3300	



FLEXIBLE METRIC STEEL RULE

4	Code	Length - mm	W - mm	T- mm	₹	Qty.
	701A	150	13	0.5	35	
	701B	200	13	0.5	40	
	701C	300	15	0.5	65	
	701D	600	20	0.5	200	
	701E	1000	25	0.5	300	



DEPTH GAUGE

5	Code	mm	Type	₹	Qty.
	1503DG1	150	Depth Gauge	180	



BRASS CALIPER GAUGE

6	Code	mm	Reading	₹	Qty.
	1504CG	100	Outside & Inside	210	



VERNIER CALIPER

Without Fine - 0.02mm / 0.001"

7	Code	mm	₹	Qty.
	3805	0-150	1290	
	3806	0-200	1650	
	3807	0-300	3590	



VERNIER CALIPER

With Fine - 0.02mm / 0.001"

8	Code	mm	₹	Qty.
	2914	0-150	1400	
	2915	0-200	1825	
	3746	0-300	3900	



DIGIMATIC VERNIER CALIPER

0.01mm / 0.0005 inch

9	Code	mm	₹	Qty.
	2916	0-150	3100	
	2917	0-200	4100	
	3747	0-300	5100	

All Vernier with KRISTEEL Calibration Certificate



DIGITAL HEIGHT GAUGE

0.01mm

10	Code	mm	₹	Qty.
	3792	150	5500	
	2918	300	13250	
	2919	600	23500	



HEIGHT GAUGE

0.02mm

11	Code	mm	₹	Qty.
	HGW12	300	7200	
	HG-18	450	10300	
	HG-24	600	15450	



SCREW CUTTING GAUGE

12	Code	Acme	Ang. Thread	₹	Qty.
	1508	14 1/2°	47 1/2°, 55° & 60°	65	



UNIVERSAL GAUGE

Combination of Twist Drill Gauge
Grinding Gauge, Centre Gauge & Hexagon

13	Code	Degree	₹	Qty.
	1509	90°, 55° & 60°	110	



TWIST DRILL GAUGE

14	Code	Acute Angle of 118°	₹	Qty.
	1510	Up to 50 mm / 2" Dia	80	



BORE GAUGE

0.1 mm

15	Code	Length- mm / inch	₹	Qty.
	1511A	1-15	155	
	1511B	15-30	185	
	1511C	30-45	245	
	1511D	1/16" to 1x1 /16"	880	
	3850	1151A + 1302	185	

(1511 D) 1/64"



1512-26L

RADIUS GAUGE

1512
A,B,C,D

16	Code	mm	₹	Qty.
	1512A	1-7	245	
	1512B	7.5-15	270	
	1512C	15.5-25	280	
	1512D	25.5-40	375	
	1512-26L	0.5-13,26 pc.set, Step 0.5	2100	



TAPER GAUGE

17	Code	L - mm	W - mm	₹	Qty.
	1514	165	5	260	



COMBINATION TRY & METER SQUARE

0-180 x 1°

18	Code	Pc	₹	Qty.
	1516A	2	615	
	1516C	4	2675	



UNIVERSAL BEVEL PROTECTOR

0 to 360° x 5 min

19	Code	Blade - mm	₹	Qty.
	UBP	150 & 300	2700	



CENTRE SQUARE

20	Code	To Mark Centre	₹	Qty.
	CS	of Any Round Object	405	



CIRCUMFERENCE & DIAMETER GAUGE

SP - Single Pc 0.1 mm

21	Code	Circumference - mm	Dia (mm)	₹	Qty.
	1515A	60-950	20-300	1400	
	1515ASP	60-950	20-300	1500	
	1515B	940-2200	300-700	1700	
	1515BSP	940-2200	300-700	1825	
	1515C	2190-3460	700-1100	2600	
	1515D	3450-4720	1100-1500	4000	
	1515E	4710-5980	1500-1900	6000	
	1515F	5970-7230	1900-2300	8580	
	1515G	7220-8490	2300-2700	12000	
	1515H	8480-9740	2700-3100	18000	
	1515 I	9730-10910	3100-3500	19800	
	1515J	10980-12950	3500-3900	21780	
	1515K	12250-13510	3900-4300	25050	
	1515L	13510-14760	4300-4700	27550	
	1515M	14760-16020	2300-2700	28930	
	1515N	16020-17280	5100-5500	30375	
	1515 O	17280-18540	5500-5900	31895	
	1515P	18540-19790	5900-6300	35085	



ENGINEER'S SQUARE

22	Code	L - mm	W - mm	₹	Qty.
	ESG4	100	70	255	
	ESG6	150	100	320	
	ESG8	200	130	495	
	ESG12	300	175	675	
	ESP4	100	70	400	
	ESP6	150	100	475	
	ESP8	200	130	775	
	ESP12	300	175	850	




WIRE & SHEET METAL GAUGE

23	Code	Type	₹	Qty.
	1505	S.W.G. Round	230	
	1506	Rectangular	230	
	SWF	Ferrous	290	
	SWF	Non Ferrous	290	



CENTRE GAUGE

24	Code	mm	₹	Qty.
	1507A	55°	65	
	1507B	60°	65	



SCREW PITCH GAUGE

25	Code	Leaves	Degree	Measures	₹	Qty.
	SPG	30	55° & 60°	4 - 42 & 3.5-60	290	
	SPG-SS	30	55° & 60°	4 - 42 & 3.5-60	1200	
	APG	16		10 n to 1 n	2645	
	TSPG	8	30	4 to 12 mm	1400	



ENGINEER'S KIT

Consist of - 2 pc combination try and Meter square,
Bore gauge, Universal Gauge, Degree Protractor cum depth gauge,
Screw Cutting Gauge, Radius Gauge, Round wire Gauge,
and Caliper Gauge.

26	Code	Type	₹	Qty.
	Ek1	8 Different Gauges	1440	



Authorised Dealer

**KRISTEEL
Shinwa®**

30% Discount

Warranty Against Manufacturing Defect 12 Months.



WELD GAUGE

27	Code	Measures	₹	Qty.
	WG-A	Bore, Angle, Depth, Height	675	
	LTWFG	11 Fillet Sizes Concave & Convex	940	

Bridge Cam-BCWG

Automatic-AUWG



28	Code	Measures	₹	Qty.
	BCWG	Angle 0- 60°, Excess Weld Metal, Fillet Weld Leg Length, Throat Length, Misalignment, Hole Size for Butt Weld, Linear Length Up to 60 mm	1375	
	AUWG	Tolerance of Convexity + Reinforcement + Concavity + Under Fil	950	



Hi Lo - HLWG

29	Code	Measures	₹	Qty.
	HLWG	Internal Misalignment, Pipe Wall Thickness, Fit-up Gap, Gauge Bevel on end, Fillet Weld Size, Crown Height of Butt	3100	



VWAC GAUGE

30	Code	Butt mm	Porosity	₹	Qty.
	GWVG	6 x 0.5	25 x 1 mm	1100	



POCKET TYPE FILLET WELD GAUGE

31	Code	Scale	₹	Qty.
	PTFWG	5mm to 18 mm	600	



WELD CUM RADIUS GAUGE SET

32	Code	Leaves	Range	₹	Qty.
	WGRG	12	0 to 13 mm	900	



PIPE PIT GAUGE

0-13 mm, 110 mm long Scale in Inch & mm

33	Code	Measures	₹	Qty.
	PPG	Depth of Pit & Pipe Thickness	2500	



AG - 18



ANGLE GAUGE

34	Code	Degree	Leaves	₹	Qty.
	AG	1-45	20	335	
	AG-18 pcs	5-90	18	730	



60°-120° COUNTERSINK ANGLE GAUGE

35	Code	₹	Qty.
	AGCG	430	

Degree -60, 82, 90, 100, 110 and 120. Accuracy - within 15 minutes



MARKING GAUGE

36	Code	Length - mm	₹	Qty.
	MG	300	355	



TDG



3459

TYRE DEPTH GAUGE

37	Code	Depth - mm	₹	Qty.
	TDGS	50 x 0.1	240	
	TDGB	100 x 0.1	490	
	3459	20 x 0.01	2490	



RAKE ANGLE GAUGE

Measures : Rake Angle For Broaches & Sets Blade Angle of Shearing Machine

38	Code	Degree	₹	Qty.
	RAG	0-30°	605	



DEGREE SET SQUARE

39	Code	Degree Set Square	₹	Qty.
	SS-A	30-60-90	440	
	SS-B	45-50-90	440	



FEELER GAUGE

A - 13 Blades - 0.05 to 1 mm, Length - 100 mm, B - 27 Blades, 0.001" to 0.025" (inch/mm combine)

40	Code	Blades	₹	Qty.
	FG-13	13	250	
	FG-27	27	450	



FOLDING RULE WITH ANGLE

41	Code	Length	Degree	Step	₹	Qty.
	1211	600mm	0-120	0.5°	805	



29° SCREW THREAD TOOL GAUGE

42	Code	₹	Qty.
	STTG-29	345	

Use to set quick Change Gear Box to Required No. of TPI & Also to set Compound Rest 14.5° to the Right



GEAR TOOTH PITCH GAUGE

DP = Diametrical Pitch
Mmp = Metric Module Pitch

43	Code	Pressure Angle	DP	MMP	Leaf	₹	Qty.
	2722	14.5	6-80	--	15	1840	
	2813	20	6-80	--	15	1840	
	3115	14.5	--	0.35-4.5	16	1670	
	2666	20	--	0.35-4.5	16	1670	
	3121	14.5	2-5	--	7	1100	
	3122	20	2-5	--	7	1100	
	3123	14.5	--	5-12	8	1300	
	3124	20	--	5-12	8	1300	



HOOK RULE CUM DRILL POINT GAUGE ASSEMBLY

44	Code	₹	Qty.
	HRDPG	345	

Can be used 15 mm Ruler, Hook Rule, Drill Point Angle up to 118° Drill Cutting Length up to 5", Fixed Snap Gauge Etc.



PIPE SIZER


45	Code	7 Leaf	₹	Qty.
	PSIZER	1/2" to 2-1/2"	570	



DELUX CNC TOOL SETTING GAUGE WITH ANGLE SCALE

46	Code	₹	Qty.
	DCTSG	635	
	CTSG	345	

Helps Turning, Boring & Facing Tool Find Centre Line of Work piece



MULTI USE RULE & GAUGE

47	Code	Size	₹	Qty.
	MURG	4	345	

Checking 59° Angle Drill Point, Center Finder & Divider, Shows Tap & Drill Sizes



SPINDLE TURNER'S GAUGE

48	Code	Diameter	₹	Qty.
	STG	Up to 6"	635	


V - PULLEY GAUGE SET Code- PG

49	Type	34' Ø - mm	38' Over Ø - mm	₹	Qty.
	A	65-140	140	500	
	B	110-180	180		
	C	180-250	250		
	D	300-400	400		



SHEAVE GAUGE

50	Code	Leaves	Range	₹	Qty.
	3639	8	1/2 to 1/4	350	
	3237	1/4, 3/16, 1/2, 5/8, 3/4, 7/8, 15/16		175	



WET FILM THICKNESS GAUGE

1 MIL = 0.0254 mm

51	Code	Scale	₹	Qty.
	WFTG-3126	1 to 80 Mil Scale	350	



CHAMFER GAUGE

52	Code	Leaves	Range	₹	Qty.
	3125	18	0.5 to 5 mm	725	



HEAVY DUTY DEGREE PROTRACTOR

53	Code	Inch	₹	Qty.
	DP-HD6	6	525	
	DP-HD8	8	745	



GONIOMETER

54	Code	Half Round	Base	₹	Qty.
	3278	Set of 3897, 98, 99		600	
	3897	4.5"	180°	190	
	3898	8"	180°	250	
	3899	10"	360°	350	



DEGREE PROTRACTOR

55	Code	Type	Degree	₹	Qty.
	1501	D Head	180	230	
	1502	Square Head	180	230	



DEGREE PROTRACTOR CUM DEPTH GAUGE

56	Code	Type	Degree	₹	Qty.
	1501 A	D Head	180	255	
	1502 B	Square Head	180	255	



Master Tool Sets



Wrenches & Torque Wrenches



Hand Sockets, Bit Sockets & Accessories



Impact Sockets, Bit Sockets, Accessories & Air Wrench



Hexagon & Star Keys

TOPTUL®
THE MARK OF PROFESSIONAL TOOLS

10% Discount

DR. Impact Wrench 1



Code No.	Inch	FT-LB	Rs.	Qty.
KAAA 1220	3/8"	200	11016	
KAAA 1640	1/2"	600	12243	
KAAA 1650	1/2"	500	14577	
KAAA 1645	1/2"	450	14766	
KAAB 2475	3/4"	750	27350	
KAAB 3218	1"	750	48270	

DR. Air Ratchet Wrench 2



Code No.	Inch	FT-LB	Rs.	Qty.
KAAF 1605	1/2"	-	5847	
KAAE 1202	3/8"	-	5620	

Air Dir Grinder RPM : 22000 3



Code No.	Inch	FT-LB	Rs.	Qty.
KAKA 0822	1/4"	-	4048	

Air Hammer Heavy Duty 4



Code No.	MM	FT-LB	Rs.	Qty.
KAHA 3217	171	-	5704	

Angle Nozzle Air Blow Gun 5



Code No.	Inch	FT-LB	Rs.	Qty.
KAGA 1904	4	-	312	
KAGA 1910	10	-	412	

Socket Sets 6



Code No.	Inch	Pcs.	Rs.	Qty.
GCAI 1701	3/4"	17	11438	
GCAI 6001	3/8"	60	6067	
GCAD 1404	1"	14	28912	
GCAD 4602	1/2"	46	9594	
GCAD 3902	3/8"	39	7737	
GCAD 3402	1/4&1/2"	34	7107	
GCAD 7202	1/4"	72	6253	
GAAI 5502	1/2"	55	9574	

Socket Set Allen and Torx 7



Code No.	Inch	MM	Rs.	Qty.
GAAD 1007	1/2"	4 to 19	1768	
GAAD 0903	1/2"	20-60T	1554	
GAAD 0905	1/2"	4 to 17	1900	
GAAD 0906	1/2"	20-60T	1803	
GAAD 2403	3/8"	6 to 19	3589	
GDAI 0701	1/2"	30-70T	2258	
GDAI 0702	1/2"	4 to 14	2263	

Socket Rail 8



Code No.	Inch	MM	Rs.	Qty.
GAAG 1005	1/2"	4 to 19	1747	
GAAG 0703	1/2"	5 to 16M	1381	
GAAG 0901	1/2"	10to24E	1103	
GAAG 0902	1/2"	4 to 17	1956	
GAAG 0807	1/2"	20-55T	1923	
GAAG 1002	1/2"	5to16M	2011	
GAAG 1003	1/2"	5-16M	2580	
GAAQ 1103	1/2"	10 to 22	930	
GAAQ 1106	1/2"	10 to 22	1707	

Tool Kit 9



Code No.	Pcs.	Packing	Rs.	Qty.
GCAI 130B	130	Blow Mold	15404	
GCAI 150B	150	Blow Mold	23042	
GCAI 094R	94	Blow Mold	9648	
GCAI 8002	80	Blow Mold	13963	
GCAI 108R	108	Blow Mold	10465	
GCAI 106B	106	Blow Mold	12924	
GCAZ 0003	65	Metal	22111	
GNP 043A	43	Pouch	7385	

Plier 10



Code No.	Inch	Rs.	Qty.
DEBB 2206	6"	724	
FBB 2206	6"	729	
DBBB 2208	8"	980	
DDBA 2210	10"	1074	
DAAQ 1A10	10"	609	

C-Clamp Locking Pliers 11



Code No.	Inch	Rs.	Qty.
DMAA 1A11	11"	1159	
DMAA 1A18	18"	2254	

CIRCLIP Plier 12



Code No.	Inch	Rs.	Qty.
DC A00/A01	5"	698	
DC J00/J01	5"	698	
DCAA 1205	5"	686	
DCAA 1207	7"	730	
DCAA 1209	9"	882	
DCAA 1212	12"	1840	

Pro Wire Rope Cutter 13



Code No.	Inch	Rs.	Qty.
DNCA 227E	7-1/2"	1498	

Hand Socket 14



Code No.	Inch	Rs.	Qty.
BAEA	1/2"	On Req.	
BAEE	1/2"	On Req.	
BAEA	1/2"	On Req.	
BAEA	1"	On Req.	

Impact Socket 15



Code No.	Inch	Rs.	Qty.
KABA	3/8"	On Req.	
KABA	1/2"	On Req.	
KABA	3/4"	On Req.	
KABA	1"	On Req.	

Screw Driver (L1) 16



Code No.	MM	Rs.	Qty.
FAAB 3E10	0.6x3.5x100	149	
FAAB 5E10	1.0x5.5x100	184	
FAAB 5E15	1.0x5.5x150	208	
FAAB 6E10	1.2x6.5x100	184	
FAAB 6E15	1.2x6.5x150	208	
FAAB 6E20	1.2x6.5x200	265	
FACB 6E25	1.2x6.5x250	282	
FACB 6E30	1.2x6.5x300	333	
FACB 6E40	1.2x6.5x400	357	

Screw Driver (L1) 17



Code No.	MM	Rs.	Qty.
FBAB 0110	PH1x100	184	
FBAB 0210	PH2x100	205	
FBAB 0215	PH2x150	226	
FBAB 0220	PH2x200	266	
FBCB 0225	PH2x250	300	
FBCB 0230	PH2x300	342	
FBCB 0240	PH2x400	345	

Torque Wrench 18



Code No.	Pcs.	Rs.	Qty.
GAAI 0801	8	10968	
GAAI 1001	10	11283	
GAAI 1101	11	13598	

Torque Wrench(Window Display) 19



Code No.	NM	Rs.	Qty.
ANAM 0803	1-25	7805	
ANAM 1205	5-50	7905	
ANAM 1610	10-100	8183	
ANAM 1620	20-200	8724	
ANAM 1630	60-300	9964	
ANAM 1640	80-400	11333	

Torque Ratchet Screwdriver 20



Code No.	Inch	Pcs.	Rs.	Qty.
GAAR 1002	19 in 1		1262	
GAAI 5401	54 in 1		2558	
GAAI 2101	20 in 1	10	2282	

Torque Wrenches 21




Code No.	Inch	NM	Rs.	Qty.
ANAS 0803	1/4"	6-30	6527	
ANAS 1211	3/8"	20-110	6909	
ANAS 1621	1/2"	40-210	7791	
ANAS 1635	1/2"	70-350	8909	
ANAS 2480	3/4"	100-800	34640	

Digital Torque Wrench 22



Code No.	Inch	NM	Rs.	Qty.
DT 100N	3/8"	10-100	18851	
DT 200N	1/2"	20-200	20215	
DTA 200N	1/2" FxM	40-200	3975	

Spanner Set 23




Code No.	Inch	Pcs	Rs.	Qty.
GAAA 1206	6 to 32	12	5269	
GAAA 1201	6 to 32	12	6282	
GAAA 1213	7 to 22	12	2780	
GAAA 1604	7 to 32	16	6015	
GAAA 2604	6 to 32	26	13097	

Spanner Assorted 24



Code No.	Descr.	Pcs	Rs.	Qty.
AEAH Series	Double	-	On Req.	
AAEJ Series	D	-	On Req.	
AAAH Series	Ring	-	On Req.	
AAEB Series	Comb.	-	On Req.	
ABEA Series	Gear	-	On Req.	
AAAR Series	Slodging	-	On Req.	

Socket Wrench 25



Code No.	Descr.	Pcs	Rs.	Qty.
CTDA Series	6PT	T Handle	On Req.	
CTBA Series	Ball Swivel		On Req.	

T Handle Hand Socket 26



Code No.	Inch	Pcs	Rs.	Qty.
CTCK 1630	1/2"	-	258	
CTCA 2451	3/4"	-	1068	
CTCK 3222	1"	-	2926	

L Handle Hand Socket 27



Code No.	Inch	Pcs	Rs.	Qty.
AFAN 1612	1/2"	-	384	
AFAO 2418	3/4"	-	1122	
AFAO 3226	1"	-	4244	

Ratchet Handle 28



Code No.	Inch	Gears	Rs.	Qty.
CJBG 0815	1/4"	36	483	
CJBG 1220	3/8"	36	640	
CJBG 1627	1/2"	36	911	
CHNC 2420	3/4"	24	6614	
CHNC 3232	1"	24	6565	

Bench Vice 29



Code No.	Inch	Pcs.	Rs.	Qty.
DJAC 0106	6"	-	10375	

Hex Key Wrench Set 30



Code No.	Descr.	Pcs.	Rs.	Qty.
GAAL 0911	Long	9	713	
GAAL 0912	Exralong	9	825	
GAAL 0916	Ball Point	9	717	



Master Tool Sets



Wrenches & Torque Wrenches



Hand Sockets, Bit Sockets & Accessories



Impact Sockets, Bit Sockets, Accessories & Air Wrench




Hexagon & Star Keys

TOPTUL®
THE MARK OF PROFESSIONAL TOOLS

10% Discount

Hex Key Wrench

31



Code No.	Inch	MM	Rs.	Qty.
AGBE Series	Extralong	-	On Req.	
AGBL Series	Long	-	On Req.	
AGAI Series	Allen-mm	150	On Req.	
AGHI Series	Allen-inch	150	On Req.	
AGDA Series	T-Handle	3 Way	On Req.	

Bearing Pullers

32



Code No.	Inch	Descr.	Rs.	Qty.
JJAL 0306	6"	3 Jaws	3500	

Screwdriver Bit Single Ended

33



Code No.	Inch	FT-LB	Rs.	Qty.
FSBA 0802	1/4"	25	16	
FSIA 0802	1/4"	50	28	
FSIB 0802	1/4"	100	58	
FSIC 0802	1/4"	150	77	
FSIA 0801	1/4"	50	28	

Metal Snip

34



Code No.	Cut	MM	Rs.	Qty.
SBAC 0125	Left	L-248	704	
SBAC 0225	Right	L-248	704	
SBAC 0325	Straight	L-250	684	

Lever Type Grease Gun

35



Code No.	Descr.	MM	Rs.	Qty.
JJAA 1440	-	-	1217	

Chain Wrench

36



Code No.	Descr.	Inch	Rs.	Qty.
JJAH 0901	Blister	9"	842	

Strap Wrench

37



Code No.	Descr.	Inch	Rs.	Qty.
JJAH 0902	Blister	9"	827	

Magnetic Flexible Handle

38



Code No.	Inch	Descr.	Rs.	Qty.
JJAD 0512	5 x 12"		384	
JJAD 0518	5 x 18"		407	

Feeler Gauge

39



Code No.	MM	Inch	Rs.	Qty.
ICBA 1026	90	26p	546	

Metric Feeler Gauge

40



Code No.	MM	Inch	Rs.	Qty.
ICAA 0020	100	20P	580	

Riveting Pliers

41



Code No.	Descr.	Inch	Rs.	Qty.
JBAA 2448	2.4-4.8	-	1123	

Inspection Mirror

42



Code No.	Descr.	MM	Rs.	Qty.
JJAM 0242	Circle	57	421	
JJAM 0144	Rectangle	307-443	464	

Tweezers Set

43



Code No.	Pcs	MM	Rs.	Qty.
JGAA 0401	4	-	493	

Screw Extractor Set


44



Code No.	Pcs	Inch	Rs.	Qty.
JGAW 0501	5	1/8"	385	
JGAW 0502	5	7/64"	687	

Files Set


45



Code No.	Pcs	Rs.	Qty.
GBAR 0401	4	1771	

Needle File Set


46



Code No.	Pcs	Rs.	Qty.
GNBA 0601	6	709	

Diamond Needle File Set

47



Code No.	Pcs	Rs.	Qty.
GNBA 0501	5	1094	

Door Upholstery Remover

48



Code No.	MM	Rs.	Qty.
JJAE 0812	8x120	312	
JJAE 0612	6x115	363	

Stainless Steel Scraper Set

49



Code No.	Pcs	Rs.	Qty.
JGAT 0302	3	1689	
JGAT 0401	4	1849	

Hose Clamp Pliers

50



Code No.	Pcs	Rs.	Qty.
JDAM 039C	9-1/4"	1201	
JDAM 028E	8-1/2"	961	

Alternator Pulley Remover Kit

51



Code No.	Pcs	Rs.	Qty.
JGAI 1301	13	3374	

Angular Torque Gauge

52



Code No.	Inch	Rs.	Qty.
JDAW 1601	1/2"	1938	

Electricians Scissors

53



Code No.	MM	Rs.	Qty.
SBAA 0414	L-138	1250	

Magnetic Trays

54



Code No.	MM	Rs.	Qty.
JJAF 1506	6"x42mm	652	
JJAF 2414	Rectang.	992	

Slide Hammer Puller Set

55



Code No.	Pcs	Rs.	Qty.
JGAI 1303	13	7334	

Nut Splitter Set

56



Code No.	Pcs	MM	Rs.	Qty.
GAAI 0402	4	-	3227	

Stud Puller Set

57



Code No.	Pcs	MM	Rs.	Qty.
GAAI 0401	4	-	1677	

Miniature Hook & Picks Set

58



Code No.	Pcs	MM	Rs.	Qty.
GAAR 0401	4	-	729	

Ratchet Crimping Tool

59



Code No.	Pcs	MM	Rs.	Qty.
GAAI 0605	6	-	6060	

Tap & Die Set

60



Code No.	Pcs	MM	Rs.	Qty.
JGAI 4001	40	-	4736	

Impact Driver


61



Code No.	Pcs	MM	Rs.	Qty.
GAAD 0602	6	-	1674	
GAAD 0808	8	-	1801	

Drop Forged Coil Spring Compressor

62



Code No.	Opening	MM	Rs.	Qty.
JEAC 0127	270mm	-	74173	
JEAC 0137	370mm	-	4238	

Ball Pen Hammer

63



Code No.	Pcs	MM	Rs.	Qty.
HAAC Series	-	-	On Req.	

Engineers Hammer

64



Code No.	Pcs	MM	Rs.	Qty.
HAAA Series	-	-	On Req.	

Auto Reload Utility Knife

65



Code No.	Pcs	MM	Rs.	Qty.
SCAC 1817	-	-	709	

Utility Knife

66



Code No.	Descr.	MM	Rs.	Qty.
SCAD 1817	Spare Bl.	-	242	
SCAB 2060	Blade	-	173	

Pocket Cutter

67



Code No.	Inch	Pcs	Rs.	Qty.
SBAF 0804	8"	-	1673	

Adjustable Spanners

68



Code No.	MM	Rs.	Qty.
AMAA 2415	6"(150mm)x23.9mm	984	
AMAA 2920	8"(200mm)x28.6mm	1468	
AMAB 2920	8"(200mm)x28.6mm	1082	
AMAB 3325	10"(250mm)x32.8mm	1397	



Uptech Engineering
An ISO 9001: 2015 Company

All Instruments with 6 Months Warranty. All Instrument with ULTRA Calibration Certificate.

10 % Discount

MAGNETIC V BLOCK

1	Code No	Size (mm)	₹	Qty.
	UL - 10101	45x40x50	2750	
	UL - 10102	75x56x75	5545	
	UL - 10103	100x70x95	8720	
	UL - 10104	150x75x100	16050	
	UL - 10105	200x125x150	27350	



Soft Magnetic V Block

2	Code No	Size (mm)	₹	Qty.
	UL - 32001	45x40x55	3300*	
	UL - 32002	75x56x75	6645*	
	UL - 32003	100x70x95	10820*	
	UL - 32004	150x75x100	18200*	
	UL - 32005	200x125x150	30500*	



New All Side are Hardened & Ground

LEAK PROOF MAGNETIC V BLOCKS

3	Code No	Size (mm)	₹	Qty.
	UL - 10108	120x70x95	13000	
	UL - 10109	170x75x100	22500	



H & G V BLOCK WITH CLAMP


4	Code No	Size (mm)	₹	Qty.
	UL - 10202	50x40x40	2010*	
	UL - 10204	100x80x80	4425*	



As Per Tool Room Requirement

V BLOCK WITH CLAMP

5	Code No	Size (mm)	₹	Qty.
	UL - 10501	50x40x40	2010	
	UL - 10502	50x50x50	2050	
	UL - 10503	63x50x50	2350	
	UL - 10504	63x80x80	2870	
	UL - 10505	63x100x100	4500	
	UL - 10506	70x140x140	11000	
	UL - 10507	80x63x63	2870	
	UL - 10508	100x80x80	4425	
	UL - 10509	150x200x200	28000	
	UL - 10510	200x200x200	33000	



As per IS std.

ROLLER BEARING V BLOCK

6	Code No	Size (mm)	₹	Qty.
	UL - 11001	150x80x100	8200	
	UL - 11002	150x60x100	8200	
	UL - 11003	230x100x150	18500	



H&G PRECISION ANGLE PLATE

7	Code No	Size (mm)	₹	Qty.
	UL - 30801	100x100x115	5200	



PARALLEL BLOCKS

8	Code No	Size (mm)	₹	Qty.
	UL - 30101	100x10x5	745	
	UL - 30105	150x10x6	1225	
	UL - 30117	200x20x15	1415	
	UL - 30125	250x15x20	2400	
	UL - 30133	300x25x25	3230	
	UL - 30141	350x30x40	7250	
	UL - 30149	450x50x50	9400	



SINE BAR

9	Code No	Size (mm)	₹	Qty.
	UL - 31301	145x20x40	2550	
	UL - 31302	245x30x40	3200	
	UL - 31303	345x40x50	5000	



TOOL MAKER VICE (ECONOMY MODEL)

10	Code No	Size (mm)	₹	Qty.
	UL - 82801	175 x 63 x 63	5150*	
	UL - 82802	190 x 73 x 73	6900*	
	UL - 82803	235 x 88 x 88	9800*	



PRECISION SCREW TYPE VICE

11	Code No	Size (mm)	₹	Qty.
	UL - 31101	150x50x50	6800*	
	UL - 31102	175x60x55	7825*	
	UL - 31103	190x75x65	9600*	
	UL - 31104	210x95x75	13100*	



GRINDING VICE SCREW TYPE

(Economy Model)

12	Code No	Size (mm)	₹	Qty.
	UL - 82901	155x50x50	3900*	
	UL - 82902	190x63x63	6850*	
	UL - 82903	210x73x73	8400*	
	UL - 82904	250x88x88	13100*	



SINE VICE SCREW TYPE (Economy Model)

13	Code No	Size (mm)	₹	Qty.
	UL - 83001	175x63x95	10100	
	UL - 83002	235x88x125	18400	
	UL - 83003	285x125x154	27850	



H & G PRECISION GRINDING VICE

14	Code No	Size (mm)	₹	Qty.
	UL - 31001	150x48x60	4300	
	UL - 31002	180x63x70	6850	
	UL - 31003	200x73x80	7550	
	UL - 31004	235x96x96	12250	



SINE TABLE

(IS : 5939 - 1970)

15	Code No	Size (mm)	₹	Qty.
	UL - 40101	150x120x65	12150	
	UL - 40102	250x150x65	22150	



MAGNETIC SINE TABLE

(With Micron Fine Pitch Magnetic Chuck)
(IS : 5939 - 1970)


16	Code No	Size (mm)	₹	Qty.
	UL - 40301	150x120x105	17950	
	UL - 40302	250x150x105	29725	



MAGNETIC COMPOUND SINE TABLE

(IS : 5939 - 1970)

17	Code No	Size (mm)	₹	Qty.
	UL - 40401	150x120x155	30525	
	UL - 40202	250x150x155	43615	
	UL - 40403	300x150x155	55500	
	UL - 40404	450x150x155	66800	
	UL - 40405	450x200x155	86500	



HEAVY DUTY DIAL INDICATOR STAND

18	Code No	Size (mm)	₹	Qty.
	UL - 50301	250Lx45W	2500	
	UL - 50302	300Lx100W	4300	



HARDENED & GROUND STRAIGHT EDGE

19	Code No	Size (mm)	₹	Qty.
	UL - 60201	100x15Hx5T	1300	
	UL - 60203	300x35Hx12T	6000	
	UL - 60204	500x50Hx15T	8600	
	UL - 60206	1000x100Hx20T	15200	



MAGNETIC BASES

20	Code No	Size (mm)	₹	Qty.
	UL - 50401	60x50x60	1450	
	UL - 50403	56x70x70	2900	
	UL - 50405	70x48x64	3000	
	UL - 50410	Ø56x20T	650	
	UL - 50411	60x50x60	1150	
	UL - 50412	60x50x60	1400	
	UL - 50413	70x48x64	2315	
	UL - 50415	60x50x60	1715	
	UL - 50416	70x48x64	2600	
	UL - 50417	35 x 30 x 35	1050	



HARDENED & GROUND KNIFE-EDGE STRAIGHT EDGE (IS : 2220 - 1990)

21	Code No	Size (mm)	₹	Qty.
	UL - 60103	100x40x10T	1200	
	UL - 60105	200x50x12T	2380	
	UL - 60107	300x60x12T	2910	
	UL - 60108	500x50x15T	8600	
	UL - 60109	600x60x20T	10350	



HARDENED & GROUND BEVELLED EDGE TRY - SQUARE (IS : 2103-1980)

22	Code No	Size (mm)	₹	Qty.
	UL - 60401	50x35x4T	1150	
	UL - 60402	75x50x4.5T	1550	
	UL - 60403	100x70x5T	2000	
	UL - 60404	150x100x6T	2400	
	UL - 60405	200x140x7T	4800	
	UL - 60406	250x165x8T	5500	
	UL - 60407	300x200x8T	7250	
	UL - 60408	400x250x10T	10000	



PERMANENT MAGNETIC SWEEPER

23	Code No	Size (mm)	₹	Qty.
	UL - 20901	300x150	4650	
	UL - 20902	450x300	6450	
	UL - 20903	600x150	7450	




PERMANENT MAGNETIC CHUCK (Heavy Duty)

24	Code No	Size (mm)	₹	Qty.
	UL - 70904	350x150x65	16500	
	UL - 70905	400x150x65	18500	
	UL - 70906	450x150x70	20725	



PLATE TYPE DEMAGNETISERS (Not a Continuous Duty Type)

25	Code No	Size (mm)	₹	Qty.
	UL - 80101	150 x 100	3400	
	UL - 80102	150 x 150	4000	
	UL - 80103	150 x 225	6050	
	UL - 80104	150 x 300	7050	
	UL - 80105	350 x 350	22100	



COIL TYPE DEMAGNETISERS (Not a Continuous Duty Type)

26	Code No	Size (mm)	₹	Qty.
	UL - 80201	Ø 100 bore	10400	
	UL - 80202	Ø 150 bore	14500	
	UL - 80203	Ø 200 bore	18800	
	UL - 80204	Ø 300 bore	27250	



Note : *Price is valid up to December 2016.
New Prices from January 2017 will be approx 15 % Higher.
*Discount Offered 12.5 %



Upto 20% Discount

VICES

MILLING MACHINE VICE



1	Code	Jaw Width mm	Jaw Opening mm	Jaw Depth mm	₹	Qty
Milling Machine Vices - Fixed Base						
	MMV/F/SP/100	100	100	38	12694	
	MMV/F/SP/150	150	150	45	19512	
	MMV/F/SP/200	200	200	58	33450	
Milling Machine Vices - Swivel Base						
	MMV/SP/100	100	100	38	14718	
	MMV/SP/150	150	150	45	24848	
	MMV/SP/200	200	200	58	41415	

ANGULAR MACHINE VICE



2	Code	Jaw Width mm	Jaw Opening mm	Jaw Depth mm	₹	Qty
	AVM/SP/100	100	100	38	18477	
	AVM/SP/150	150	150	45	30264	
	AVM/SP/200	200	200	58	46194	

DRILL PRESS VICE



3	Code	Jaw Width mm	Jaw Opening mm	Jaw Depth mm	₹	Qty
	DPV/STD/75	75	75	30	2277	
	DPV/STD/100	100	100	38	3393	
	DPV/STD/125	150	150	45	4778	

THREE WAY TILTING VICE



4	Code	Jaw Width mm	Jaw Opening mm	Jaw Depth mm	₹	Qty
	TLT/SP/100	100	100	38	25485	
	TLT/SP/100	150	150	45	38706	

TOOL MAKER STEEL VICE



5	Code	Jaw Width mm	Jaw Opening mm	Jaw Depth mm	₹	Qty
Tool Maker Steel Vice - Screw Less Type						
	TMV/2	50	90	22	6207	
	TMV/23	75	100	35	9394	
Tool Maker Steel Vice - With Screw Type						
	TMV/ST/4	70	75	40	15291	

SINE VICE



6	Code	Jaw Width mm	Jaw Opening mm/Inch	Jaw Depth mm/Inch	₹	Qty
Sine Bar - Screwless Type						
	SNV/6	2.3 (4")	3.3 (4")	6"	18906	
	SNV/150	70	95	150	18906	
Sine Bar - With Screw Type						
	SNV/7	2.3 (4")	3"	7"	24689	
	SNV/175	70	75	175	24689	

PROFESSIONAL MECHANICS VICE



7	Code	Jaw Width mm	Jaw Opening mm	Net Wt. (Kg.)	₹	Qty
	BV/F/75	75	100	5.5	2530	
	BV/F/100	100	125	9.7	3806	
	BV/F/125	125	150	14.7	5167	
	BV/F/150	150	175	18.2	6710	
	BV/F/200	200	200	30.4	10632	

REGULAR INSTRUMENTS

SPRINGS CALIPERS & DIVIDER



8	Inside	Outside	Divider	Size (mm)	₹
	ID/EC/4	OD/EC/4	DD/EC/4	100	160
	ID/EC/6	OD/EC/6	DD/EC/6	150	203
	ID/EC/8	OD/EC/8	DD/EC/8	200	281
	ID/EC/10	OD/EC/10	DD/EC/10	250	352
	ID/EC/12	OD/EC/12	DD/EC/12	300	445

EDGE FINDER



9	Code No	Tip Dia.	Shank Dia.	₹
	EF/12	4 mm	4 mm	946
	EF/13	10 mm	10 mm	946

MACHINIST'S HAMMER - DIN1041



10	Code	Weight (Kg)	Handle Length (mm)	₹	Qty.
	SHID/6/24	2.7	600	3503	
	SHID/6/30	2.7	750	3981	
	SHID/8/24	3.6	600	3981	
	SHID/8/30	3.6	750	4299	
	SHID/14/30	6.3	750	5414	

G CLAMP



11	Code	Capacity (mm)	T.D (mm)	Load (Kg)	₹
	GCL/13D/50	50	42	363	303
	GCL/13D/75	75	44	455	388
	GCL/13D/100	100	59	545	451
	GCL/13D/150	150	75	635	579
	GCL/13D/200	200	80	775	893
	GCL/13D/250	250	90	1000	1388
	GCL/13D/300	300	100	1135	1750

PUMPS

BUCKET GREASE PUMP



12	Code No	Jaw Width	Capacity	₹	Qty.
	VGP/6A	W/o Wheel	6 Kg	5196	
	VGP/6	With Wheel	6 Kg	5568	
	VGP/10A	W/o Wheel	10 Kg	5840	
	VGP/10	With Wheel	10 Kg	6294	
	VGP/15	With Wheel	15 Kg	6846	
	VGP/20	With Wheel	20 Kg	8122	

FOOT OPERATED GREASE PUMP




13	Code No	Capacity	Delivers	₹	Qty.
	FOP/10A	10 Kg	Upto 2GM / Stroke	9059	

AIR OPERATED GREASE RATIO PUMP



14	Code	Load (Kg)	₹	Qty
	BGRP/15	15	19661	
	BGRP/30	30	23893	
	BGRP/50	50	25486	

ROTARY BARREL PUMP



15	Code	Delivers	₹	Qty
	V25/3R/SPL/F	Upto 500 ml/Stroke	2277	

ROTARY BOOSTER PUMPS




16	Code	Delivers	₹	Qty
	RB/3H	Upto 500 ml/Rotation	12356	

V SERIES BUCKET OIL PUMP



17	Code	Capacity	Delivers	₹
	V12	12 (Ltr.)	Upto 125 ml/Stroke	2496
	V16	6 (Ltr.)	Upto 125 ml/Stroke	2843
Bucket With Wheel				
	V12W	10 (Ltr.)	Upto 125 ml/Stroke	2896
	V16W	15 (Ltr.)	Upto 125 ml/Stroke	3191

LEVER ACTION BARREL PUMP



18	Code	Delivers	₹	Qty
	LBP/04/PT	Upto 300 ml/Stroke	1414	

PLASTIC LEVER PUMP



19	Code	Delivers	₹	Qty
	PLP/02	Upto 500 ml/Stroke	4631	

SIPHON PUMP



20	Code	Discharge	Fits	₹	Qty
	SPH/1	6.5 LPM	5-20 litre Pails	182	
	SPH/2	17.5 LPM	210 litre Pails	717	
	SPH/3	21 LPM	210 litre Pails	1103	

NYLON CHEMICAL PUMP



21	Code	Delivers	₹	Qty
	CMP/12	Upto 400 ml/Stroke	2649	

GUN

LEVER GREASE GUN



22	Code	Delivers	₹	Qty
	G1R/HDB	Upto 1 GM/Stroke	996	
	K45R/B	Upto 1.5 GM/Stroke	1601	
	V1R/HD/CP/B	Upto 1 GM/Stroke	713	
	V1R/HD/BL/B	Upto 1 GM/Stroke	781	
	V1R/B	Upto 1 GM/Stroke	659	
	V1R/BL/B	Upto 1 GM/Stroke	659	
	G1R/B/T/EC/BL	Upto 1 GM/Stroke	713	

PISTOL GRIP GREASE GUN



23	Code	Delivers	₹	Qty
	G5R/B	Upto 0.5 GM/Stroke	947	
	G-16/B	Upto 0.4 GM/Stroke	498	

PUSH TYPE GREASE GUN



24	Code	Capacity	₹	Qty
	G6P	30 gms	310	
	G7P	125 gms	364	

AIR BLOW GUN



25	Code	Range	Opera. pressure	₹
Air Flow Gun - Professional				
	ABG/1/1-4F/BSP	10° to 70°	50-235 psi	923
	ABG/3/1-4F/BSP	10° to 70°	50-235 psi	1072
Air Flow Gun - Standard				
	ABG/30/1-4F/BSP	10° to 70°	50-150 psi	509

* Taxes Extra



Metrix+™

10% Discount

All Instruments with 6 Months Warranty, No Warranty On Probe on any make

INFRARED THERMOMETER

C/F Selectable, Backlit LCD

1	Code No	°C	DS	E	₹	Qty.
	MT 2A	-32~320	12:1	0.95	1300	
	MT 4XL	-32~550	12:1	0.95	1700	
	MT 4A	-50~600	12:1	0.10-1	2600	
	MT 11	-50~1100	20:1	0.10-1	6000	
	MT 12A	-50~1150	12:1		5200	
	MT 14	-50~1350	50:1	0.10-1	11500	
	MT 16	-50~1650	50:1	0.10-1	17200	
	MT 18	200~1850	50:1		20000	
	MT 18XL	-18~1850	50:1	0.10-1	28000	
	MT 22	200~2500	80:1	0.10-1	39000	

DIGITAL COATING THICKNESS GAUGE

F = Ferrous, FN = Combine

2	Code No	µM	₹	Qty.
	Coat Measure F	1250	11000	
	Coat Measure FN	1250	14300	
	Coat Scope 27	2000	19200	
	Coat Scope-I	2000	19200	
	Coat Scope 27-4K	4000	26000	
	Coat Scope 27-5K	5000	32000	
	Code No		₹	Qty.
	Coat Scope & FN+USB		4200	
	Spare Calibration Foil set		1800	
	Spare Probe "F"		3200	
	Spare Probe 2 in 1 "F" "nFe"		4300	
	Coat Measure F	1800	3700	
	Coat Measure F+N	1500	4400	

DIGITAL ULTRASONIC THICKNESS GAUGE

Metric / Imperial

3	Code No	Range mm	L.C.	₹	Qty.
	UTG 5	1.2~220	0.1	8500	
	UTM 5	1~200	0.1	11200	
	UTM 9	0.9~35	0.01	14300*	
	UTM 27	0.10~40	0.01	17000	
	UTM 18CT	As Per Probe	0.01	39000	
	Probe for Model 18CT				
	Probe	Range mm	Dia	₹	Qty.
	P 5EE	3-30	12	4500	
	NO 7	0.65-20	6	5000	
	NO 5	01-600	10	4500	
	Probe For UTM 5 & 9	8		3700	
	Probe For UTM 5 & 9	6		4400	
	High Temperature Ceramic Probe			10000	
	USB Adaptor For UTM 5 & 9			4200	
	Software for UTM 18CT			5800	

15% Vat on UTM

METAL HARDNESS TESTER

HL-HRC-HRV-HRA-HB-HV-HS

4	Code No	Hardness	₹	Qty.
	MI 970	170~970 HLD	38600	
	130	170~960 HLD	48600	
	Hardmaster	200~900 HLD	36000	
	Curvature Ring Set		10000	

DIGITAL RUBBER HARDNESS TESTER

Display 4 Digit, 10mm LCD

5	Code No	Hardness	₹	Qty.
	Shore-A	10 - 90 H	15000	
	Shore-D	10 - 90 H	17000	
	Analog Shore-A "Kori/Japan"		10400	

GLOSS METER

Angle 60°, Accuracy 0.1

6	Code No	Range - Gloss Unit	₹	Qty.
	GLS09	0.1 - 200	11200	

DIGITAL STROBOSCOPE

7	Code No	Flash Per Min.	₹	Qty.
	DT 2239	50-12000	8000	
	DT 2259A	50-40000	10000	

DIGITAL MOISTURE METER

NC = Non Contact

8	Code No	Percentage (%)	₹	Qty.
	MM 2A	2 - 70	1750	
	MS -Wa	2 - 50	4000	
	MM-W	1 - 80	6200	
	MM-G	1 - 40	6800	
	GMM-7002A	5 - 30	3750	
	MM-S (NC)	Marble, Granite	6800	

SURFACE ROUGHNESS TESTER

10A=Ra, Rz, Rq, Rt. II 10=Ra, Rz

9	Code No	Range	₹	Qty.
	Microsurf 10A	0.05 - 10 um	56000	
	Surftest 10	0.05 - 10 um	55000	
	Ref. Std (Steel) For 10 & 10A		7000	
	Ref. Std (Glass) For 10		9000	
	Std. Sensor For 10 & 10A		20000	
	Extn. Adaptor For 10 & 10A		9000	

VOLTAGE TESTER (PEN TYPE)

Non-Contact Detection of AC Voltage

10	Code No	Range	FPM	₹	Qty.
	CD2	24v~600v	Phase Seq. & Line Finder	320	
	CX1	24v~600v		600	

POWER GAURD

SINGLE PHASE

11	Code No	₹	Qty.
	PG 08	220v~50Hz	10000

DIGITAL LASER DISTANCE METER

G.D=Group Data, Laser Class 2 Metric / Imperial Conversion

12	Code No	Range	L.C.	G.D.	₹	Qty.
	DM 20A	0.3-20m	1cm	5	2200	
	DM 60	0.3-60m	1mm	30	5400	
	DM 80	0.3-80m	1mm	30	6800	
	DM 100	0.3-100m	1mm	30	8400	

DIGITAL TACHOMETER

C=Contact, NC=Non-Contact, C+NC=Combine

13	Code No	RPM	Type	₹	Qty.
	DT 2234B	2.5-99999	C	1300	
	DT 2235B	0.5-19999	NC	1600	
	TM 4005	0.5-19999	C+NC	3200	

SOUND LEVEL METER

A, C & F Weighting Built In Calibration Signal 94db P C Interface Compatible

14	Code No	RPM	₹	Qty.
	SL400	30-130	2900	
	SL4005		3500	
	Rs232Cable+Software+USBAdaptorForSL4005		3400	

DIGITAL LUX METER

0-2000 1Lux, 2000-19990 10Lux, 20000-50000/100000 100Lux

15	Code No	LUX	Resol	₹	Qty.
	LX 101	1-50000	1/10/100	1400	
	LX 1330A	1-100000	1/10/100	2300	

AC CLAMP METER

Resistance, Capacitance, Continuity, Frequency, Diode, Temperature, APO

16	Code No	Range	ACA	₹	Qty.
	125 A	2000mA-600	3 1/2 1999	900	
	225 A	A 4A-400A	3 1/2 3999	1500	
	1250 A	2A-1000A	3 1/2 1999	1600	
	2250 T	4A-1000A	3 1/2 3999	2200	

ACA/DCA CLAMP METER True RMS

AC/DC Current & Volt, Resistance, Capacitance, Continuity, Frequency, Diode, Temperature, APO

17	Code No	₹	Qty.
	2003A	Auto/Manual Avg-2000A	9800
	2003T rms	Auto/Manual-2000A	10800
	4250TInrush	3 1/2 3999 400A-1000A	3800
	725A	3 1/2 3999 400A-600A	2700

DIGITAL EARTH RESISTANCE TESTER

with Timer set and APO

18	Code No	Ω	₹	Qty.
	DET 1503	20/200/200Ω	10000	

DIGITAL VIBRATION METER

V=Velocity, A=Acceleration, D=Displacement

19	Code No	Description	₹	Qty.
	VM 8200+	V,A,D	15000	
	VM 8200MK II	V,A,D, RPM, Frequency	18400	
	VB 8202A	V,A,D	22000	
	Rs232 Cable +Software + USB Adaptor For VB 8200 MK II		4200	

DIGITAL INSULATION TESTER DIT 918

Large LCD Back light Display AC/DC volt Test 30-600V

20	Code No	GΩ	ACA	₹	Qty.
	DIT 918*	50	100/250/500*	4000	
	DIT 3125+	1000	1000±	26000	
	DIT 3125A-	1000	2500±	29000	
	DIT 954	20	5000±	7200	

DIGITAL MULTIMETER

3 1/2 1999 AC/DC Current & AC/DC Volt, Resistance, Capacitance, Continuity, Frequency, Diode, Temperature, APO

21	Code No	₹	Qty.
	31	660	
	31C	740	
	603	900	
	603A	1050	
	14XL	1500	
	451 XL	2000	
	16 XL	2100	
	18 TRMS	2100	

THERMO HYGRO METER (Non Contact)

Accuracy - ±1°C / 1% RH

22	Code No	Non Contact	°C / %RH	₹	Qty.
	TH 01	Temperature	-50 To +70°C	550	
		Humidity	20% - 90%		
	HT 9	Temperature	-10 To 60°C	4200	
	HT 9A	Temperature	-30 To 80°C	3800	

DIGITAL ANEMOMETER

km/h, ft/min. Knots & Air Temperature

23	Code No	FPM	₹	Qty.
	AVM 03	0.4-30M/S	2900	
	AVM 05 CMM,CFM	0.4-45M/S	3500	
	RS232+Software for AVM05		3400	



Confirm Prices Before Ordering, No Warranty On any LUTRON/ EUROLAB Product.

LUTRON

ANEMOMETER



1	Code No	Range (m/s)	₹	Qty.
	AM 4201	0.4-30.0	6340	
	AM 4202	0.4-30.0	8625	
	AM 4203	0.4-25.0	11215	
	AM 4204	0.2-20.0	14650	
	AM 4206	0.4-25.0	13900	

CLAMP METER



2	Code No	ACA	DCA	₹	Qty.
	DM 6046	1000	600	3625	
	DM 6065C	1000	600	5690	
	CM 9930	2000	1000	8315	
	CM 9940	600	600	4475	

CONDUCTIVITY METER



3	Code No	Range	₹	Qty.
	4301	99.9 uS	8290	
	4302	1.99 mS & 19.99 mS	11540	

DISSOLVED OXYGEN METER



4	Code No	Range (ppm)	₹	Qty.
	DO 5509	0.0 - 20.0	11250	
	DO 5510	0.0 - 20.0	15625	

FORCE GAUGE



5	Code No	Range (Kg)	₹	Qty.
	FG 5000A	5	16800	
	FG 5000A	20	18000	
	FG 5100	100	32420	
	FG 5020	20	24620	

HUMIDITY TEMP. METER



6	Code No	Range (%R.H.)	₹	Qty.
	HT 3600HA	10 - 95	11700	
	HT 305	10 - 95	6425	

LUX METER



7	Code No	Range (Kg)	₹	Qty.
	LX - 101	0 - 50000	2940	
	LX - 102	0 - 50000	4500	
	LX - 105	0 - 50000	9750	
	LX - 1102	0 - 400000	7150	

MOISTURE METER



8	Code No	Range (%)	₹	Qty.
	MS 7000	9 - 30	11210	
	MS 7002	6 - 40	15625	

OXYGEN METER



9	Code No	Range (ppm)	₹	Qty.
	GCO 2008	0 - 1,000	26650	
	GCH 2018	0 - 4,000	29010	

PH METER



10	Code No	Range (PH)	₹	Qty.
	PH - 201	0 - 14	5200	
	PH - 206	0 - 14	6500	
	PH - 222	0 - 14	5850	

PH ELECTRODE



11	Code No	Range (PH)	₹	Qty.
	PE - 03	0 - 13	1950	
	PE - 06	0 - 14	2030	
	PE - 12	0 - 14	2440	

SOUND LEVEL METER

Least count = 0.1 BD



12	Code No	Range	₹	Qty.
	SL 4001	35 - 130	8350	
	SL 4010	30 - 130	6000	
	SL 4011	35 - 130	11250	
	SL 4012	35 - 130	13000	
	SL 4013	30 - 130	17060	
	SL 4022	3 Range	19810	
	VS 02	40 - 140	13810	
	SC 941	---	19310	
	SC 942	2 Range	19940	

STROBOSCOPE



13	Code No	Range (FPM)	₹	Qty.
	DT 2239 A	100 - 10,000	12440	
	DT 2259	100 - 1,00,000	15125	

TACHOMETER



14	Code No	Range (rpm)	Type	₹	Qty.
	DT 1236 L	10,000 - 99,999	P & C	12300	
	DT 2236	10,000 - 99,999	P & C	9750	

P & C = Photo & Contact

VIBRATION METER



15	Code No	Range (Hz)	₹	Qty.
	VB 8200	10 - 1000	26160	
	8201 HA	10 - 1000	16875	
	8203	10 - 1000	34610	
	8204	10 - 1000	39810	

EUROLAB

COATING THICKNESS METER



1	Code No	Range (um)	₹	Qty.
	DT - 156	0 - 1250	10150	

INFRARED THERMOMETER



2	Code No	Range	₹	Qty.
	Penshape	~50 to 300	320	
	8811A	~50 to +550	1650	
	IR 1600	~50 + 1600	8910	
	IR 1850	~50 + 1850	9350	
	IR 2200	~50 + 2200	11660	

INFRARED VIDEO THERMOMETER



3	Code No	Range (°c)	₹	Qty.
	9861	- 50 to 1600	26020	
	9862	- 50 to 2200	27500	

MINI ANEMO METER



4	Code No	Range	₹	Qty.
	AM 4205	0 - 50°	1730	

MOISTURE METER



5	Code No	Range	₹	Qty.
	MD - 2G	5- 40%,moisture of food,cotton, paper etc.	1440	
	MD - 4G	5- 40%,moisture of food,cotton, paper etc.	1500	

MULTI STEM THERMOMETER



6	Code No	Range (C°)	₹	Qty.
	ST9269B	-50 to 300	520	

PH METER



7	Code No	Range	₹	Qty.
	PH - 035	0.00 to 14.0	1730	
	PH - 01	0.00 to 14.0	1300	

TDS METER



8	Code No	Range	₹	Qty.
	Pen Type		740	

THERMOHYGRO METER



9	Code No	Range	₹	Qty.
	M228CTH		520	
	288ATH		650	

UNIVERSAL GRAIN MOISTURE METER



10	Code No	Range	₹	Qty.
	LSKC - 608	2 - 31 Moisture Range	3675	

REFRACTOMETER



11	Code No	Range	₹	Qty.
	PH - 035	Avilable in Any Range	1650	

MANOMETER



12	Code No	Range	₹	Qty.
	1891	-5PSI -+5PSI	3335	


LUX METER



13	Code No	Range(lux)	₹	Qty.
	LX101A	0 - 50,000	1230	




Ceramic Tool



Scraper



Extra Heavy Duty



Heavy Duty



Sheet / Rib




Single or Double Edge



**Deburring Tools
Countersink Tools**
"The Cutting Edge For a Perfect Finish"



Internal Scraper




Key way Slot



Universal Kit



2 Flute Countersinks




3 Flute, Long Shank Countersinks



KW - 9 Key way Slot Deburring Blades



KW - 16 Key way Slot Deburring Blades



V - 4 Sheet Rib Deburring Blades



Countersink Set - Revolving



Smart Deburring Tools



Handles



V - 2 Sheet Rib Deburring Blades

Type	Product Code	₹	Type	Product Code	₹	Type	Product Code	₹
DEBURRING TOOLS WITH HANDLE ('A')			DEBURRING BLADES ('A')			CERAMIC TOOLS ('B')		
DT-1 (2)	31014	200	P-1	11010	440 per 10 pcs.	CT	77104	1375
DT-2	31024	200	P-2	11020	440 per 10 pcs.	CS	77204	1000
DT-3	33033	345	P-1(TiN Coated)	11102	810 per 10 pcs.	C-1 Ceramic Blade	77101	1125
DT-35	33353	350	P-2(TiN Coated)	11202	810 per 10 pcs.	SCR-3 Ceramic	77201	750
DT-3(M)-SD	34034	450	P-3	11030	500 per 10 pcs.	COUNTERSINK TOOLS ('B')		
DT-35(M)-SD	34354	538	P-6	11060	560 per 05 pcs.	CS-12	48120	395
DT-4	33043	530	C-10	12100	560 per 10 pcs.	CS-20	48200	640
DT-5-SD	34054	800	C-20	12200	560 per 10 pcs.	CS-30	48300	1190
DT-52-SD	34524	550	C-30	12300	625 per 10 pcs.	CSH Handle	46014	150
RDT-SD	34064	440	C-10(TiN Coated)	12102	940 per 10 pcs.	CS-Revolving Handle	48024	440
KWS-SD	34074	1000	C-20(TiN Coated)	12202	940 per 10 pcs.	CS-R Holder	62090	155
SDT	34084	775	C-30(TiN Coated)	12302	1000 per 10 pcs.	CSH-R(S) Handle	46024	500
VDT-SD	34094	850	C-35	12350	560 per 10 pcs.	CS-12-3FLS	48130	575
V2-SD	34104	675	C-15	12151	690 per 10 pcs.	CS-20-3FLS	48230	1250
SCRAPERS ('A')			C-101	12110	690 per 10 pcs.	CS-30-3FLS	48330	1750
SCR-3	72034	220	C-60	12600	625 per 05 pcs.	CS-40-3FLS	48430	2690
SCR-3(75)-SD	74754	450	R-10(S)	13100	810 per 05 pcs.	CS - Short	62050	95
SCR-345-SD	74454	565	R-15(S)	13151	875 per 05 pcs.	CS - Long	62060	125
SCR-8	75084	440	KW-9	27090	240 per pc.	Countersink Set- Revolving	48034	3000
SCR-8-SD	74084	625	KW-16	27160	325 per pc.	KITS ('B')		
SCR-6(2)-SD	74064	675	S-12	26120	400 per 02 pcs.	DTK-1	86509	1438
HANDLES & HOLDER ('A')			V-2	23020	400 per pc.	DTK-2	86609	1813
D	53013	175	SCR-8 Blade	75080	350 per pc.	DTK-4	86709	2375
D-SD	54014	280	SCR-3(75mm)	72750	220 per pc.	DTK-5	86809	4065
T-SD	54024	280	SCR-345	72450	310 per pc.	CP UNIVERSAL KIT	86909	8440
R-SD	54034	280	SCR-6(2) Combo	74060	440 per pc.	SPECIAL TOOLS ('C')		
SD-1	54044	250	SETS ('A')			D(M) Handle (Al. Hex)	51014	345
DT@	62010	215	DT-1(10) set	86109	970	DT-3(M) (Al. Hex)	31034	500
DT(P)	62020	215	DT-2(5) set	86059	970	C-OR	12610	625 per pc.
KW	62030	215	DT-SD(3-in-1)	86319	1000	C-100	19100	625 per 10 pcs.
VT	62040	155	DT-PP	86209	425	C-150	19150	810 per 10 pcs.
SD-C	64015	60	DT-SS	86309	562	'CP GRAT-EX MK' Multi-Component Handle Based Deburring Tools		
SD-P	64025	60	Promo-1 Set	84029	875	MICRO TOOLS ('A')		
'CP GRAT-EX MK' Multi-Component Handle Based Deburring Tools			COMFORT GRIP 2 TOOLS ('A')			HANDLES ('A')		
MT-1	38014	220	RDT-MK	38244	725	ET-1 Handle	58014	220
MT Scraper	38024	315	DT-MK	38334	560	ET-2 Handle	58024	220
ECONO TOOLS ('A')			DT-5C-MK	38324	875	CG-1 Handle	58034	325
ET-1	38030	255	DT-3P-MK	38214	710	CG Handle	58054	325
ET-2	38040	275	V-2-MK	38254	800	T-SD-MK Handle	58064	400
COMFORT GRIP 1 TOOLS ('A')			VDT-MK	38264	950	D-SD-MK Handle	58074	400
CG-1	38114	360	KWS-MK	38274	1125	R-SD-MK Handle	58084	400
CG Scraper	38134	530	SCR-6(2)-MK	38284	825	SPECIAL MK SETS / KITS ('A')		
			CT-MK	38294	1500	Promo-1 Set	88039	1000
						Kit-1	88019	2438
						Kit-2	88029	5500



5% Discount

30% Discount

BLUETOOTH DIGIMATIC VERNIER CALIPER
0.01mm/0.0005"

1	Code No	mm / inch	₹	Qty
	ADC100-150	150 / 6"	5000	
	ADC100-200	200 / 8"	6000	
	ADC100-300	300 / 12"	8000	

DIGIMATIC DEPTH CALIPER
0.01mm / 0.0005"

2	Code No	mm / inch	₹	Qty
	ADS100-150C	150 / 6"	2998	
	ADS100-200C	200 / 8"	4381	
	ADS100-300C	300/0-12"	6227	

DIGITAL HEIGHT GAUGES
0.01mm/0.0005"

3	Code No	mm / inch	₹	Qty
	ADH650-300	300 / 12"	27381	
	ADH650-600	600 / 24"	41371	

DIGITAL DIAL INDICATOR
Accuracy 0.005 mm for 0.001 mm & 0.020 for 0.01 mm

4	Code No	mm x Least count	₹	Qty
	ADI001 -12.5	12.5 x 0.001	8334	
	ADI01 - 12.50	12.5 x 0.01	4818	

DIGITAL THICKNESS GAUGE
Accuracy 0.005 mm for 0.001 mm & 0.020 for 0.01 mm

5	Code No	mm x Least count	₹	Qty
	ADG 001 -12.5	0-12.7 / 0.001	20808	
	ADG01 - 12.5	0 - 12.7/0.01	14053	

DIGIMATIC MICROMETER
(L.C. 0.001)

6	Code No	Range (mm)	₹	Qty
	ADM310 - 25	0 - 25	5027	
	ADM310 - 50	25 - 50	5834	
	ADM310 - 75	50 - 75	6630	
	ADM310 - 100	75 - 100	7426	

DIGIMATIC MICROMETER
(L.C. 0.001)

7	Code No	Range (mm)	₹	Qty
	ADM310 - 25	0 - 25	5027	
	ADM310 - 50	25 - 50	5834	
	ADM310 - 75	50 - 75	6630	
	ADM310 - 100	75 - 100	7426	

SNAP MICROMETER
(L.C. 0.001)

7	Code No	Range (mm)	₹	Qty
	ADM910 - 25	0 - 25	8763	
	ADM910 - 50	25 - 50	10031	
	ADM310 - 75	50 - 75	11370	
	ADM910 - 100	75 - 100	12729	



Model No.	Torque Range								Square Drive Inch	Standard ₹	Open Jaw ₹	Ratchet ₹	Qty.
	LB.FT.		N.M.		Kg.Mts.		Lbf. Ins						
	Range	LC	Range	LC	Range	LC	Range	LC					
TM 10	02-10	0.5	3-14	0.5	.3-1.4	0.1	20-120	5	3/8	3100	3100	3300	
TM 25	5-25	1	5-35	2	.5-3.5	0.2	40-300	20	3/8	3270	3270	3650	
TM 50	10-50	2	14-68	2	01-7	0.2	100-600	20	1/2	3700	3700	4310	
TM 100	20-100	2	25-135	5	3-14	0.5	250-1200	25	1/2	3950	3950	4850	
TM 160	40-160	5	50-220	5	5-23	1	450-2000	50	1/2	4350	4350	5250	
TM 250	50-250	5	70-340	10	7-35	1	600-3000	50	1/2	4890	4890	6100	
TM 400	100-400	10	135-540	15	14-56	1	-	-	3/4	8800	8800	10400	
TM 500	100-500	10	135-675	15	14-70	2	-	-	3/4	10200	10200	12600	
TM 600	150-600	10	200-815	15	20-84	2	-	-	3/4	11300	11300	13050	
TM 750	350-750	20	475-1015	20	49-105	2	-	-	3/4	16050	16050	21050	
TM 750S	350-750	20	475-1015	20	49-105	2	-	-	1	17100	17100	21800	
TM 1000	400-1000	20	540-1380	40	55-140	5	-	-	1	21300	21300	25100	
TM 1400	750-1400	25	1000-1900	50	105-195	5	-	-	1	28980	28980	31080	
TM 2000	1000-2000	50	1350-2700	50	135-275	5	-	-	1	37000	37000	41500	

Note : Add R in Code No. in Case Of Ratchet Model.



Model No.	Torque Range								Square Drive Inch	M.R.P (Excluding Taxes) ₹	Qty.
	LB.FT.		N.M.		Kg.Mts.		Lbf. Ins				
	Range	LC	Range	LC	Range	LC	Range	LC			
TM15I	0.7-15	0.5	1-20	0.5	0.1-2.0	0.05	10-180	5	1/4",3/8"	3000	
TM 40I	6-40	1	8-50	1	0.8-5.0	0.1	70-480	15	3/8",1/2"	3450	
TM 85I	15-85	2	20-115	2.5	0.2-12	0.25	200-1000	50	3/8",1/2"	3950	
TM 125I	20-125	2.5	30-170	5	3.0-17	0.5	250-1500	50	1/2"	4250	
TM 185I	40-185	5	50-250	10	5.0-25	1	450-2200	50	1/2"	4750	
TM 250I	45-250	5	60-340	1	6.0-35	1	550-3000	50	1/2"	5250	
TM 300I	60-300	5	80-400	10	8.0-40	1	750-3600	50	1/2",3/4"	6000	

TORQUE MULTIPLIERS

Model No.	Torque Capacity						Female Input Sq. In.	Maleout Put Sq. In.	Recommended Torque Wrench	₹	Qty.
	Plate Type	Handle Type	LB.FT.	KGM	N.M.	Factor					
TM-1	TMH-1	1250	170	1700	5	01-2	03-4	TM 250R	17100		
TM-2	TMH-2	1250	170	1700	5	01-2	1	TM 250R	18400		
TM-5	TMH-5	2000	275	2750	5	03-4	1	TM 400R	24500		
TM-5/25	TM-5/25	2000	275	2750	25	01-2	1	TM 100R	38500		
TM-6		2500	345	3450	5	03-4	1.1/2	TM 500R	27500		
TM-6/25		2500	345	3450	25	01-2	1.1/2	TM 100R	43500		
TM-7		4500	622	6220	5	1	1.1/2	TM 1000R	47500		
TM-7/25		4500	622	6220	25	01-2	1.1/2	TM 250R	68500		
TM-9/25		7000	968	9680	25	03-4	1.1/2	TM 400R	144500		
TM-11/125		12500	1734	17340	25	03-4	2.1/2	TM 500R	180500		
TM-13/125		35000	4845	48450	125	03-4	2.1/2	TM 400R	295000		



ELECTRONIC LEVEL

Code No	Sensitivity	₹
DL-S3	0.001mm/mtr.	On Request
DL-M1	0.01mm/mtr.	On Request
DL-S4W	0.001mm/mtr.	On Request

TORQUE SCREW DRIVER

Model No.	Torque Capacity						Squire Drive	WEIGHT (K.g.)	₹	Qty.
	KGM CM		NM		LBF IN					
	Range	LC	Range	LC	Range	LC				
TMSD 15	1-15	0.5	0.1-1.5	0.2	1-15	2	1/4"	.600	4900	
TMSD 50	10-50	5	01-5	0.5	10-50	5	1/4"	.350	5200	





All Instruments with 6 Months Warranty.

10 % Discount





HIGH PRECISION ADJUSTABLE ANGLE PLATE



- ▶ 90° Table Movement Left & Right Side
- ▶ Angle to be Set with Bevel Protractor

TECHNICAL SPECIFICATION (mm)			
	HPAAP-66	HPAAP-86	HPAAP-128
Size	6 x 6	8 x 6	12 x 8
Price	₹ 19,500	₹ 21,500	₹ 35,500
Weight			
A	150	200	300
B	150	150	200
C	200	200	220
D	150	150	180
E	200	200	220
F	100	100	160
G	100	110	130
H	30	30	40
I	45	45	55
J	13	13	12
K	24	24	26
L	9	9	11
M	20	20	26



GRANITE SURFACE PLATE
As Per IS : 7327-2003 μm = Flatness

1	Size in mm	μm Grade-0	₹	Qty.
	300x300x50	-	1450	
	400x630x80	5	3650	
	630x630x80	5	5400	
	1000x630x150	6	12250	
	1000x1000x150	7	19750	
	1200x1200x150	8	30000	
	1600x1000x200	8	39250	
	2000x1000x200	9.5	53000	

Note: 15% vat + Delivery Charge Extra + Calibration Certificate

STAND WITH LEVELLING SCREW
VP = Vibration Pad

2	Size in mm	No VP- ₹	with VP- ₹	Qty.
	400x630x80	2800	4050	
	630x630x80	3050	4450	
	1000x630x150	4150	5700	
	1000x1000x150	5300	7050	
	1200x1200x150	8450	9250	
	1600x1000x200	8300	10250	
	2000x1000x200	8800	11000	



COMPARATOR STAND-GRANITE
Centrally Mounted, Without Dial, F = Fine Adj.

3	LGS	Base Size-mm	Height	NF- ₹	F- ₹	Qty.
	1C	150 x 100 x 50	100	2000	3150	
	2C	250 x 150 x 50	150	3250	4500	
	3C	300 x 200 x 50	200	3900	5200	
	4C	300 x 300 x 50	250	4450	5800	



COMPARATOR STAND-CAST IRON
Centrally Mounted, Without Dial, F = Fine Adj.

4	LCS	Base Size-mm	Height	NF- ₹	F- ₹	Qty.
	1C	60 Dia	100	1650	2650	
	2C	125 x 100	150	2100	3100	
	3C	225 x 150	200	3000	4100	
	4C	200 x 200	200	3900	5100	
	5C	300 x 300	250	5100	6450	



STRAIGHT EDGE
As Per BS: 5204-1975, I-Section (Parallel Type)

5	L x W x T	Straightness	₹	Qty.
	500x30x10	0.004	2850	
	1000x35x12	0.010	4400	
	1500x40x12	0.015	9300	
	2000x50x14	0.020	13250	
	2500x55x15	0.025	22250	
	3000x55x16	0.030	32150	



STRAIGHT EDGE
Engineer's (Steel) Flat Section

6	L x W x T	Straightness	H- ₹	UNH- ₹	Qty.
	300x50x8	0.003	1450	700	
	600x50x8	0.004	2550	1350	
	1000x50x10	0.007	4600	2550	
	1500x65x12	0.008	6850	3500	
	2000x65x12	0.010	8950	5100	
	3000x75x20	0.025	36750	20500	



LIGHT WEIGHT ALUMINIUM STRAIGHT EDGE

4000	With Steel Reinforced	43500
5000	Working Surface	68500

BENCH CENTER

7	Centre Distance	Centre Height	Gr - 1/ ₹	Qty.
	300 mm	125 mm	16000	
	500	160	19750	
	750	160	24750	
	1000	160	29000	



As Per IS: 5980-1978

FREEMANS MEASURES
AN ISO 9001 2008 CERTIFIED COMPANY

STEEL TAPE RULES

B = Basic, C = Centigraf, E = Easlok, M = Max, G = Grip, T = Topline, TR = Truflux.

1	Mtr.	9.5 mm	13 mm	16 mm	19 mm	Fiber
2	TR	27				
3	TR	35	B	38	B	42
3			E	40	M	45
5			M	60	M	71
5			E	60		74
					BL	77
10	T	147	T	174		T
15	T	194	T	227		T
30	T	333	T	381		T
50	T	553	T	643		T



MEASURING WHEEL
Range 10,000 Meter LC 10 cm

2	Code No	One Round & One Meter	Type	₹	Qty.
	MW01	1	Plastic	1943	
	MW02	1	Metal	2053	



SPIRIT LEVELS

3	L(mm)	Non Magnetic Base		Magnetic Base	
		2 Vials- ₹	3 Vials- ₹	2 Vials- ₹	3 Vials- ₹
	300	117	129	158	170
	400	154	169	194	209
	450	159	181	209	222
	500	195	208	236	248
	600	229	242	270	282
	800	289	302	330	342
	900	316	328	397	408
	1000	338	351	419	432
	1200	396	407	477	488



STEEL OPEN REEL DIP TAPES
DC = Carbon Steel, DS = Stainless Steel

4	Meter	mm	Casing	DS- ₹	DC- ₹	Qty.
	10	13	Pistol	1197	746	
	15	13	Pistol	1491	872	
	20	13	Pistol	1764	977	
	30	13	Y	2364	1103	
	50	13	Y	3591	1691	



SPECIAL PRODUCTS

EXTERNAL PISTOL CALIPER

Gaugewell Type, Range: 0 - 50 x 0.1 mm L.C
A.L. = Arm Length, D.B.A = Distance Between Arm

1	Center	Type	Code	A.L.	D.B.A.	Std.	Carbide
	L= 222 / 350 / 575 mm	C	540	222	88	5000	6000
		C	541	350	160	9500	10500
		C	561	222	75	5000	6000
	Bottom L= 300 & 350 mm	C	580	575	180	10000	11000
		C	582	350	60	6000	7000
	Top L= 222 & 300 mm	B	571	350	35	6000	7000
		B	761	300		5500	6500
		T	551	222	146	5000	6000
		T	551	300	146	5000	7000

ELECTRIC HOIST - SINGLE PHASE - WIRE ROPE

With Urgent Stop switch and reinforced braking switch with position limit, Protection Class upto IP 54, with Thermal protection device.

2	Model PA	Method Hook	Volt Input Power	Weight Kg.	Speed Mtr./min	Height Mtr.	₹
	500A	Single	220-230	250	10	12	10000
		Double	980	500	5	6	
	800A	Single	220-230	400	10	12	13000
		Double	1350	800	5	6	
	1000A	Single	220-230	500	10	12	16000
		Double	1350	1000	5	6	





B 3000[H]



10% Discount

Technical Data :

Hardness Testers (Models : RAS, RAB - 1(187.5), RAB - 1(250), RAB - 250, Twin)								Brinell Hardness Tester			
Model	Unit	RAS	RASN	RAB - 1(187.5)	RAB - 1(250)	RAB - 250	Twin	B - 3000(H)	B - 3000(O)	B - 3000(J)	
Price (₹)		30,500	48,500	38,000	41,000	43,000	43,000	1,10,000	2,10,000	56,000	
Loads	Kgf.	60 - 100 - 150					15,30,45 (Rockwell Superficial)		250 to 3000 in stages of 250		
		-	-	187.5	250	187.5, 250	60,100,150 (Rockwell)				
Initial Load	Kgf.	10					3 (Rockwell Superficial) 10 (Rockwell)		250	Nil	Nil
Max. Test Height	mm	230			330			410	380	254	
Depth of Throat	mm	133			150			200	200	150	
Max. Depth of Elevating	mm	240			355			180	180	0	
Screw Below Base Size of Base (Approx.)	mm	170 x 430			210 x 474			-----			
Machine Height (Approx.)	mm	655			850			1127	1185	860	
Nett Weight (Approx.)	K.g.	65			100			450	500	210	
Drive Moter -HP		-----			-----			0.33	0.33	Nil	
Mains Supply V/cy/ph		-----			-----			415 / 50 / 3	---	Nil	
Optical Devies for Direct Reading with Magnification		-----			-----			Nil	14x	Nil	

Loads & Indentors for 'ARUN' Hardness Testers for Rockwell & Brinell Tests.


Total load in kgf. (Initial load 10 kgf.)	60	100	150	187.5	250
Indentor	Diamond 120°	Ball 1/16" Ø	Diamond 120°	Ball 2.5 mm Ø	Ball 5mm
Test Scales	Rockwell A	Rockwell B	Rockwell C	Brinell, F/D2=30	Brinell, F/D2=10
Suitable for	Tests on case hardened stell	Annealed, Ferrous & non ferrous metals	Annealed, hardened & tempered deep case hardened steel	Annealed steel & cast irons	Copper, Copper alloys & Al. alloys

Standard Accessories :

Model	B - 3000 (H)	B - 3000 (O)	B - 3000 (J)
Testing Table 200mm dia	1 pc.	1 pc.	1 pc.
Testing table 70mm dia with 'V' groove for round jobs 10 to 80mm dia.	1 pc.	1 pc.	NIL
Ball holder 5mm & 10mm	1 pc.	1 pc.	1 pc.
Test Block HB-5/750 & HB-10/3000	1 pc.	1 pc.	NIL.
Brinell Microscope	1 pc.	Nil	1 pc.
Allen Spanner	7 pcs.	4 pcs.	4 pcs.
Telescopic Cover for elevating screw protection.	1 Set	1 Set	NIL
Instruction manual	1 Book	1 Book	1 Book



SPECIAL VERNIERS



INSIDE GROOVE DIGIMATIC VERNIER

Mitutoyo Discount : 5%

Make	L.C	Range (mm)		
		10-150	10-200	10-300
Aerospace (₹)	0.01	5600	6800	8000
Insize (₹)	0.01	6700	7700	9700
Mitutoyo (₹)	0.01	9900	11550	22550



OUTSIDE GROOVE DIGIMATIC VERNIER

Mitutoyo Discount : 5%

Make	L.C	Range (mm)		
		10-150	10-200	10-300
Aerospace (₹)	0.01	4700	6800	8000
Insize (₹)	0.01	6700	7700	9700
Mitutoyo (₹)	0.01	9900	11550	22550



BLADE TYPE VERNIER

Mitutoyo Discount : 5%

Make	L.C	Range (mm)		
		10-150	10-200	10-300
Insize (₹)	0.02	3700	4700	6700
Mitutoyo (₹)	0.02	6050	6600	9900

DIGITAL BLADE TYPE VERNIER

Mitutoyo Discount : 5%

Make	L.C	Range (mm)		
		10-150	10-200	10-300
Aerospace (₹)	0.01	6700	7800	8900
Insize (₹)	0.01	8700	9700	11700
Mitutoyo (₹)	0.01	11550	12650	25850



DEGREE TYPE VERNIER

Mitutoyo Discount : 5%

Make	L.C	Range (mm)		
		10-150	10-200	10-300
Insize (₹)	0.02	4700	5700	8700
Mitutoyo (₹)	0.02	7150	7700	11000



INSIDE & OUTSIDE GROOVE DIGIMATIC VERNIER

Mitutoyo Discount : 5%

Make	L.C	Range (mm)		
		10-150	10-200	10-300
Aerospace (₹)	0.01	6700	7800	8900
Insize (₹)	0.01	8700	9700	11700
Mitutoyo (₹)	0.01	11550	12650	25850



OUTSIDE OFFSET JAW WITH ONE ROUND


SIZE (mm)	0-150	0-200	0-300
(₹)	8000	10000	12000

SPECIAL MICROMETER



Ball attachment, Disc / Gear tooth / Flange Micro Meter Attachment, Spline Micrometer

BTC Make	Ball	Disc	Spline
Pair (₹)	880	1320	1100



DIGIMATIC MICROMETER

MGW Make	Ball	Disc	Spline
Range(mm)	0- 25	0- 25	0- 25
Code	PM25	FM25	OMC 25
(₹)	4200	2800	2000
MGW Make	D.B.	S.B.	
Range(mm)	0- 25	0- 25	
Code	DBM25	SBM25	
(₹)	1500	1250	

Note :

NABL CALIBRATION LABORATORY



10% Discount

VERNIER CALIPER



VERNIER CALIPER (Simple / Dial / Digimatic)

1	Range (mm)	₹
	0-150	175
	0-200	225
	0-300	300



2	Range (mm)	₹
	0-600	700
	0-1000	1000
	0-1500	2000
	0-2000	2800

MICROMETER



OUTSIDE MICROMETER (Simple / Counter / Digital) All Types Of Outside Micrometer

3	Range (mm)	₹
	0 - 25/50	175
	50 - 75/100	225
	100 - 125/150	275
	150 - 175/200	350
	200 - 250/300	550
	300 - 350/400	800
	400 - 450/500	900
	500 - 550/600	1000
	600 - 650/700	1200
	700 - 750/800	1400
	800 - 850/900	800
	900 - 950/1000	2000



SETTING MASTER

4	Range (mm)	₹
	300 - 400	400 (each) set of Nos
	400 - 500	400 (each) set of Nos
	500 - 600	400 (each) set of Nos
	Upto 600	100 each
	600 - 1000	150 each



INSIDE MICROMETER

5	Range (mm)	₹
	5-30	250
	50-1500	700
	100-2100	1200



DEPTH MICROMETER (Simple / Digimatic)

6	Range (mm)	₹
	0-150	250
	0-300	500
	Per Extension	5



3 POINT MICROMETER (Simple / Digimatic)

7	Range (mm)	₹
	0-100	500
	100-125	600

HEIGHT GAUGE



VERNIER HEIGHT GAUGE (Simple / Dial / Digital)

8	Range (mm)	₹
	0 - 300	300
	0 - 450	350
	0 - 600	600
	0 - 1000	1200
	0 - 1500	2000

DIAL GAUGE



PLUNGER DIAL (Dial)

9	Range (mm)	₹
	0-10(0.01)	160
	0-1(0.001)	225
	0-25(0.1)	350



(Digital)

10	Range (mm)	₹
	0-10(0.001)	350
	0-25	350
	0-50	600



DIAL THICKNESS GAUGE (Dial / Digimatic)

11	Range (mm)	₹
	0-10(0.01)	250
	0-10(0.001)	350



PISTOL CALIPER

12	Range (mm)	₹
	0-50	350



LEVER DIAL

13	Range (mm)	₹
	0.8(0.01)	225
	0.14(0.001)	275
	0.14(0.002)	275



DIAL SNAP GAUGE (Without Dial Indicator)

14	Range (mm)	₹
	Up to 200	350

INSIDE MEASUREMENT



BORE GAUGE (Without Dial)

15	Range (mm)	₹
	Any Range	250



INSIDE CALIPER (Dial / Digital)

16	Range (mm)	₹
	0-100	350

LENGTH MEASUREMENT



MEASURING SCALE

17	Range (mm)	₹
	Upto 1 mtr	200

(Any Size In step of 1 met./50 per mt.)



MEASURING TAPE

18	Range (mm)	₹
	Upto 5 mtr	250

(Any Size In step of 1 met./50 per mt.)

ANGLE MEASUREMENT



BEVEL PROTRACTOR

19	Range (mm)	₹
	0° - 360°	500



COMBINATION SET

20	Range (mm)	₹
	0° - 360°	800

ANGLE PROTRACTOR



21	Range (mm)	₹
	0° - 180°	250



ANGLE PLATE

22	Range (mm)	₹
	Upto 300	850



TRY SQUARE

23	Range (mm)	₹
	0-150	250
	0-200	300
	0-300	400



SINE BAR

24	Range (mm)	₹
	Upto 300	1000

FORCE MEASUREMENT



PUSH PULL GAUGE

25	Range (mm)	₹
	0.5 - 50	1000
	50 - 500	1000



PARALLELISM MEASUREMENT V BLOCK (With / Without Magnetic)

26	Range (mm)	₹
	Up to 150	500

TORQUE MEASUREMENT



TORQUE WRENCH (Simple/ Dial/ Digital)

27	Range (mm)	₹
	0.5 - 05	600
	05 - 50	550
	50 - 500	600

OTHER MEASUREMENT



THREAD PITCH GAUGE

28	Range (mm)	₹
	-	1500



FEELER GAUGE

29	Range (mm)	₹
	-	25/Strp.



RADIUS GAUGE SET

30	Range (mm)	₹
	-	1500



GAUGE BLOCK

31	Range (mm)	₹
	0.5 - 100	50/ slip



PIN GAUGE

32	Range (mm)	₹
	-	25/ pin



RUBBER HARDNESS TESTER


33	Range (mm)	₹
	Shore A/B	1000



SPIRIT LEVEL

34	Range (mm)	₹
	-	800

PLUG



PLAIN

(Width Gauge, O.D.Master, Height Master)

35	Range (mm)	₹
	0 - 50	100
	50 - 100	125
	100 - 200	175
	200 - 300	300
	300 - 375	400



TAPER PLAIN

36	Range (mm)	₹
	1 - 50	250
	50 - 100	350
	100 - 200	450



THREAD

37	Range (mm)	₹
	0-100	170
	101-150	300
	150-200	500



TAPER THREAD (NPT)

38	Range (mm)	₹
	Upto 100	350



WCP

39	Range (mm)	₹
	Upto 100	250

RING



PLAIN

40	Range (mm)	₹
	Upto-100	200
	100-200	300
	200-370	450



TAPER PLAIN

41	Range (mm)	₹
	Upto - 100	550
	100-200	850



SPLINE (Go/ No Go)

42	Range (mm)	₹
	0-150	400



THREAD

43	Range (mm)	₹
	0 - 100	300
	100-200	400



TAPER THREAD

44	Range (mm)	₹
	Upto 100	500



WCP

45	Range (mm)	₹
	Upto 100	350